Length of Stay by Operation, North Central Region, 1982

A Companion Volume To
Length of Stay
by Diagnosis,
North Central Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients. 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — see Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — see Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169236	3.5	18	1	1	2	4	6	8	19
20-34	313462	4.0	14	1	1	3	5	7	9	19
35-49	138941	5.4	27	1	1	4	7	11	14	26
50-64	131754	6.2	34	1	2	4	8	13	17	28
65+	126432	7.1	47	1	2	5	9	15	20	33
2. MULTIPLE DX										
0-19 YRS	155632	5.3	56	1	1	3	6	10	16	43
20-34	357067	5.6	35	1	2	4	6	10	14	32
35-49	238690	7.7	56	1	2	6	9	15	21	39
50-64	335921	9.5	81	2	2	7	12	19	26	48
65+	514559	11.8	104	2	3	9	15	24	31	53
TOT. SINGLE DX	879825	4.9	26	1	1	3	6	10	14	25
" MULTIPLE DX	1601869	8.7	78	2	2	6	11	18	25	46
TOTAL 0-19 YRS	324868	4.4	37	1	1	3	5	8	12	33
20-34	670529	4.9	26	1	1	4	6	9	12	27
35-49	377631	6.9	46	1	2	5	8	14	18	35
50-64	467675	8.5	70	2	2	6	11	17	23	44
65+	640991	10.8	96	2	2	8	14	22	29	50
GRAND TOTAL	**2481694**	**7.3**	**63**	**1**	**2**	**5**	**9**	**16**	**22**	**41**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	11.0	64	2	2	9	14	22	32	70
20-34	153	14.2	112	4	5	12	18	21	32	63
35-49	171	14.1	70	4	6	12	18	25	30	44
50-64	243	17.1	135	5	8	14	20	33	42	62
65+	205	21.4	227	7	8	17	26	38	54	78
2. MULTIPLE DX										
0-19 YRS	136	18.3	270	2	3	14	25	44	73	99+
20-34	149	25.7	509	5	7	17	34	66	89	99+
35-49	233	23.4	412	5	7	17	29	62	90	99+
50-64	512	25.9	306	9	10	20	34	58	75	99+
65+	573	29.2	313	9	11	25	39	58	70	99+
TOT. SINGLE DX	867	16.4	143	4	6	13	19	32	41	65
" MULTIPLE DX	1603	26.1	349	6	9	21	35	58	77	99+
TOTAL 0-19 YRS	231	15.3	198	2	3	11	21	35	46	99+
20-34	302	19.9	341	4	6	14	22	46	68	99
35-49	404	19.5	288	5	7	15	23	43	74	99+
50-64	755	23.1	268	8	9	18	30	49	66	99+
65+	778	27.2	302	8	10	22	36	55	68	99
GRAND TOTAL	**2470**	**22.7**	**298**	**5**	**8**	**17**	**30**	**48**	**67**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	10.4	75	3	3	8	12	18	28	50
20-34	63	13.8	108	4	5	10	19	28	36	95
35-49	61	19.7	285	5	7	14	24	42	60	86
50-64	93	19.8	250	6	7	15	24	37	47	99+
65+	90	17.7	169	6	6	15	21	36	54	59
2. MULTIPLE DX										
0-19 YRS	129	18.9	360	5	6	10	25	47	71	90
20-34	124	24.0	434	3	6	18	33	67	93	99+
35-49	125	24.9	390	6	8	18	35	59	79	99+
50-64	197	28.3	379	7	9	24	37	66	80	99+
65+	271	26.3	261	8	10	22	35	49	58	82
TOT. SINGLE DX	393	16.3	188	4	5	12	19	33	45	90
" MULTIPLE DX	846	25.1	356	6	8	20	34	55	74	99+
TOTAL 0-19 YRS	215	15.5	263	3	4	9	17	39	54	87
20-34	187	20.6	347	4	6	15	27	57	81	99+
35-49	186	23.2	361	6	8	17	28	56	69	99+
50-64	290	25.6	353	6	8	20	34	57	79	99+
65+	361	24.1	252	7	8	20	32	47	57	76
GRAND TOTAL	**1239**	**22.3**	**319**	**5**	**7**	**17**	**30**	**50**	**67**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	159	6.0	10	2	3	5	8	10	11	18
20-34	49	6.3	11	2	3	6	8	11	12	20
35-49	24	7.5	29	2	3	6	9	15	20	26
50-64	13	12.1	57	3	4	12	13	20	31	34
65+	7	7.3	21	2	2	6	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	143	9.9	137	2	2	6	10	20	37	59
20-34	125	10.6	111	3	3	8	13	21	53	99+
35-49	50	13.2	143	3	4	9	15	27	38	58
50-64	44	17.5	366	4	5	11	18	47	71	99+
65+	11	18.7	264	7	7	12	23	43	60	62
TOT. SINGLE DX	252	6.6	16	2	3	6	8	11	13	23
" MULTIPLE DX	373	11.7	165	2	3	8	13	27	44	99+
TOTAL 0-19 YRS	302	7.9	74	2	3	6	8	13	21	42
20-34	174	9.4	87	2	3	7	11	19	34	99+
35-49	74	11.3	112	3	3	8	12	26	33	57
50-64	57	16.2	299	3	5	11	16	44	62	99+
65+	18	14.3	196	2	3	11	16	29	50	62
GRAND TOTAL	**625**	**9.6**	**112**	**2**	**3**	**7**	**10**	**18**	**34**	**88**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	7.3	20	2	3	6	10	13	15	23
20-34	16	15.4	86	5	8	13	21	36	78	99+
35-49	21	18.0	192	7	8	14	20	29	48	71
50-64	23	15.5	93	6	7	13	19	23	36	51
65+	48	18.9	98	7	8	17	26	32	41	44
2. MULTIPLE DX										
0-19 YRS	156	18.1	353	2	3	11	24	49	67	99
20-34	50	20.0	335	5	7	15	23	61	83	99+
35-49	41	29.3	624	6	9	20	46	86	99	99+
50-64	74	24.9	240	5	7	23	38	55	83	99+
65+	176	31.0	279	9	11	28	42	53	64	93
TOT. SINGLE DX	238	11.9	88	3	4	10	15	25	30	53
" MULTIPLE DX	497	24.8	360	4	6	20	35	55	73	99+
TOTAL 0-19 YRS	286	13.2	231	2	3	8	15	30	51	90
20-34	66	18.9	277	5	7	14	23	57	86	99+
35-49	62	25.5	502	7	8	17	31	75	91	99+
50-64	97	22.7	221	6	7	19	31	52	58	99+
65+	224	28.4	265	8	10	26	39	50	62	87
GRAND TOTAL	**735**	**20.6**	**308**	**3**	**4**	**15**	**28**	**49**	**64**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	6.6	22	2	2	5	8	11	16	24
20-34	40	13.4	175	2	2	10	14	33	46	55
35-49	23	15.0	140	2	3	13	19	32	44	46
50-64	22	13.5	156	1	2	10	15	36	43	48
65+	19	16.6	176	1	2	14	26	38	39	39
2. MULTIPLE DX										
0-19 YRS	387	12.8	203	2	3	8	15	28	44	85
20-34	134	19.6	324	3	5	13	31	58	76	99+
35-49	72	22.0	319	5	6	16	30	56	73	99+
50-64	105	25.9	507	3	4	21	36	67	87	99+
65+	91	23.4	293	4	7	20	29	43	58	88
TOT. SINGLE DX	240	9.9	97	2	2	7	11	22	36	48
" MULTIPLE DX	789	17.7	310	3	4	11	25	44	64	99+
TOTAL 0-19 YRS	523	11.2	164	2	3	7	12	24	36	80
20-34	174	18.2	296	3	4	12	27	53	68	99+
35-49	95	20.3	284	4	6	15	29	50	67	99+
50-64	127	23.8	467	2	4	17	33	61	83	99+
65+	110	22.2	278	3	5	19	29	40	49	86
GRAND TOTAL	**1029**	**15.9**	**271**	**2**	**3**	**10**	**22**	**40**	**57**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	17.0	274	3	5	10	20	48	56	64
20-34	277	10.2	30	4	5	9	12	17	20	28
35-49	573	11.2	49	5	5	9	13	19	23	34
50-64	540	12.3	47	5	6	10	15	21	25	38
65+	280	15.9	95	6	7	13	20	28	38	51
2. MULTIPLE DX										
0-19 YRS	20	15.3	48	7	7	14	21	25	28	29
20-34	249	15.9	180	5	6	12	18	30	43	77
35-49	520	15.3	110	5	7	12	19	28	35	62
50-64	939	17.3	154	6	7	14	21	33	44	88
65+	801	22.5	217	7	9	19	29	43	55	87
TOT. SINGLE DX	1692	12.3	60	5	6	10	15	21	26	40
" MULTIPLE DX	2529	18.4	176	6	7	15	23	36	48	77
TOTAL 0-19 YRS	42	16.2	164	5	6	12	20	28	49	64
20-34	526	12.9	109	4	5	10	15	25	31	69
35-49	1093	13.2	83	5	6	10	16	24	30	56
50-64	1479	15.5	121	6	7	12	19	28	38	68
65+	1081	20.8	194	7	8	17	26	40	51	78
GRAND TOTAL	**4221**	**15.9**	**138**	**5**	**6**	**12**	**20**	**30**	**40**	**69**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	8.8	66	<1	1	6	13	17	22	45
20-34	200	7.5	51	1	2	5	10	15	19	43
35-49	219	8.3	77	1	2	6	11	17	25	51
50-64	134	8.9	44	2	2	7	13	18	22	28
65+	41	15.7	159	1	2	14	22	25	39	68
2. MULTIPLE DX										
0-19 YRS	91	18.9	196	3	4	16	24	39	49	94
20-34	284	11.1	170	2	2	7	14	27	38	82
35-49	397	10.9	126	2	2	8	14	21	32	58
50-64	320	14.8	211	2	2	11	19	31	46	75
65+	163	21.3	300	3	5	16	30	46	57	86
TOT. SINGLE DX	649	8.7	70	1	2	6	12	18	24	46
" MULTIPLE DX	1255	13.9	199	2	2	10	18	31	46	81
TOTAL 0-19 YRS	146	15.1	171	2	3	13	21	31	44	86
20-34	484	9.6	124	2	2	6	11	23	32	68
35-49	616	10.0	111	2	2	7	13	20	28	56
50-64	454	13.0	169	2	2	10	16	28	37	61
65+	204	20.2	276	2	3	16	27	45	57	86
GRAND TOTAL	**1904**	**12.1**	**161**	**2**	**2**	**8**	**16**	**27**	**38**	**66**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	3.8	14	<1	1	2	4	8	15	18
20-34	337	3.3	6	1	1	3	4	5	8	15
35-49	491	3.3	7	1	1	3	4	6	10	16
50-64	624	3.3	10	1	1	3	4	5	9	15
65+	270	4.3	16	1	2	3	5	9	12	21
2. MULTIPLE DX										
0-19 YRS	40	4.1	44	<1	1	3	4	7	9	43
20-34	221	5.7	51	1	2	3	5	12	18	37
35-49	275	5.6	31	1	2	4	6	12	16	29
50-64	414	6.6	49	2	2	4	7	16	21	40
65+	230	7.5	58	1	2	5	10	18	24	35
TOT. SINGLE DX	1794	3.5	10	1	1	3	4	6	9	17
" MULTIPLE DX	1180	6.3	48	1	2	4	7	14	21	36
TOTAL 0-19 YRS	112	3.9	25	<1	1	2	4	7	10	28
20-34	558	4.2	26	1	1	3	4	8	12	28
35-49	766	4.1	18	1	1	3	4	9	12	24
50-64	1038	4.6	28	1	2	3	5	9	14	30
65+	500	5.8	38	1	2	3	6	13	19	31
GRAND TOTAL	**2974**	**4.6**	**27**	**1**	**1**	**3**	**5**	**9**	**14**	**28**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	2.5	3	<1	1	2	3	4	5	10
20-34	1445	2.4	2	1	1	2	3	4	5	9
35-49	2145	2.7	4	1	1	2	3	4	6	11
50-64	2073	2.7	4	1	1	2	3	4	6	11
65+	1105	2.9	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	266	2.8	5	1	1	2	3	5	7	15
20-34	906	3.8	23	1	1	2	4	8	11	25
35-49	1216	5.1	30	1	1	3	6	11	16	28
50-64	1664	5.2	30	1	2	3	6	11	16	30
65+	1179	6.0	43	1	2	3	8	13	19	33
TOT. SINGLE DX	6908	2.6	4	1	1	2	3	4	6	11
" MULTIPLE DX	5231	5.0	32	1	1	3	6	11	16	29
TOTAL 0-19 YRS	406	2.7	5	1	1	2	3	5	6	14
20-34	2351	3.0	11	1	1	2	3	5	7	18
35-49	3361	3.5	15	1	1	2	4	7	11	22
50-64	3737	3.8	18	1	1	2	4	8	11	22
65+	2284	4.5	28	1	1	3	5	10	14	27
GRAND TOTAL	**12139**	**3.7**	**17**	**1**	**1**	**2**	**4**	**7**	**11**	**22**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	6.5	9	4	4	5	9	11	12	12
20-34	47	8.0	48	2	3	6	10	14	15	46
35-49	54	8.1	19	1	3	7	12	15	16	17
50-64	51	13.1	123	3	5	10	14	25	37	65
65+	65	12.5	65	4	6	11	16	22	24	53
2. MULTIPLE DX										
0-19 YRS	3	25.3	1302	4	4	5	51	67	67	67
20-34	50	8.1	24	4	4	7	9	14	24	25
35-49	47	12.0	75	3	4	9	16	25	30	39
50-64	161	16.2	118	4	6	14	20	30	36	55
65+	259	18.1	130	6	8	15	23	32	38	66
TOT. SINGLE DX	225	10.4	67	2	4	9	12	17	23	49
" MULTIPLE DX	520	16.1	125	5	6	13	20	30	36	63
TOTAL 0-19 YRS	11	11.6	344	4	4	5	9	34	64	67
20-34	97	8.1	36	2	4	7	9	14	18	36
35-49	101	9.9	49	2	4	8	13	18	24	38
50-64	212	15.5	121	4	6	12	19	30	37	59
65+	324	17.0	122	6	7	14	21	29	36	63
GRAND TOTAL	**745**	**14.4**	**114**	**4**	**5**	**12**	**18**	**27**	**34**	**58**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	6.4	33	1	2	4	8	14	20	22
20-34	61	4.4	34	<1	<1	2	5	10	14	35
35-49	69	6.3	28	<1	1	5	8	14	16	26
50-64	57	7.0	64	<1	1	5	9	14	18	50
65+	32	7.7	27	1	2	7	10	13	18	26
2. MULTIPLE DX										
0-19 YRS	10	5.1	9	1	1	4	8	9	10	10
20-34	64	10.0	69	1	2	7	14	23	28	38
35-49	104	10.6	72	2	3	8	15	20	30	42
50-64	114	11.4	118	2	3	8	15	24	28	68
65+	83	14.5	75	4	5	12	19	28	29	44
TOT. SINGLE DX	233	6.2	40	<1	<1	4	9	13	17	31
" MULTIPLE DX	375	11.5	88	2	3	9	15	25	28	46
TOTAL 0-19 YRS	24	5.8	23	1	2	4	8	12	16	22
20-34	125	7.3	60	<1	<1	5	10	16	26	37
35-49	173	8.9	59	1	2	7	12	17	26	34
50-64	171	10.0	105	1	2	7	13	19	27	62
65+	115	12.6	71	3	4	10	17	26	28	40
GRAND TOTAL	**608**	**9.4**	**76**	**<1**	**1**	**7**	**13**	**20**	**27**	**40**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	4.2	4	2	2	4	5	6	7	14
20-34	973	4.4	4	2	3	4	5	6	8	14
35-49	960	4.4	4	2	3	4	5	6	7	12
50-64	791	4.7	9	3	3	4	5	6	8	15
65+	363	5.6	10	3	3	5	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	66	7.0	76	2	3	5	8	9	17	61
20-34	363	6.4	36	3	3	5	7	11	15	29
35-49	544	6.9	44	3	3	5	8	12	17	37
50-64	656	7.7	39	3	3	5	9	15	21	30
65+	508	9.7	69	3	4	7	12	19	26	37
TOT. SINGLE DX	3232	4.6	7	2	3	4	5	6	8	14
" MULTIPLE DX	2137	7.7	50	3	3	5	9	14	21	35
TOTAL 0-19 YRS	211	5.1	29	2	3	4	5	8	9	25
20-34	1336	4.9	14	2	3	4	5	7	10	18
35-49	1504	5.3	20	2	3	4	5	8	11	23
50-64	1447	6.1	25	3	3	5	6	10	15	28
65+	871	8.0	49	3	3	6	9	15	22	35
GRAND TOTAL	**5369**	**5.9**	**26**	**3**	**3**	**4**	**6**	**10**	**14**	**28**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	262	2.5	2	1	1	2	3	4	5	9
20-34	144	3.7	10	1	1	3	4	6	9	22
35-49	92	3.9	6	1	2	3	5	6	8	16
50-64	129	5.0	6	2	2	4	6	8	9	13
65+	71	7.4	62	2	3	6	8	13	21	53
2. MULTIPLE DX										
0-19 YRS	38	5.0	23	<1	1	4	6	10	18	21
20-34	99	6.8	47	1	2	5	7	13	26	71
35-49	126	8.3	43	3	4	6	10	13	21	39
50-64	232	8.5	55	3	4	6	10	16	20	45
65+	223	13.4	116	3	4	10	18	28	39	50
TOT. SINGLE DX	698	3.9	14	1	1	3	5	7	9	19
" MULTIPLE DX	718	9.6	76	2	3	6	12	20	28	45
TOTAL 0-19 YRS	300	2.8	5	1	1	2	3	4	6	14
20-34	243	5.0	28	1	2	4	6	9	14	36
35-49	218	6.4	33	2	2	5	7	12	17	34
50-64	361	7.3	41	2	3	5	8	14	17	35
65+	294	12.0	110	3	4	8	14	27	33	50
GRAND TOTAL	**1416**	**6.8**	**54**	**1**	**2**	**4**	**7**	**14**	**22**	**41**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	12.5	127	1	2	10	13	31	37	39
20-34	55	10.6	22	6	7	9	12	16	21	30
35-49	37	11.5	24	5	7	11	14	17	21	27
50-64	46	12.3	58	6	7	9	13	22	24	49
65+	19	16.4	99	5	7	14	21	28	38	46
2. MULTIPLE DX										
0-19 YRS	10	13.7	103	6	6	10	13	30	40	40
20-34	69	13.4	95	6	7	10	14	21	34	63
35-49	69	19.5	236	6	7	14	24	38	49	89
50-64	110	19.0	166	7	8	16	25	32	43	91
65+	83	23.2	213	7	9	19	32	45	52	69
TOT. SINGLE DX	172	12.0	51	5	6	10	14	21	27	44
" MULTIPLE DX	341	18.8	186	6	8	14	23	38	47	72
TOTAL 0-19 YRS	25	13.0	113	2	3	10	13	31	39	40
20-34	124	12.1	64	6	7	10	13	18	25	51
35-49	106	16.7	176	6	7	12	20	32	42	75
50-64	156	17.1	144	6	7	13	22	31	42	84
65+	102	22.0	198	7	9	18	28	44	50	68
GRAND TOTAL	**513**	**16.6**	**151**	**6**	**7**	**12**	**20**	**32**	**43**	**68**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	1.5		<1	<1	1	2	2	3	6
20-34	44	2.0	1	<1	<1	2	2	3	5	6
35-49	49	2.6	15	<1	<1	2	2	4	7	28
50-64	80	2.5	22	<1	<1	2	3	4	5	32
65+	124	2.3	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	34	2.8	28	1	1	2	2	3	7	32
20-34	35	8.2	88	<1	1	3	12	28	30	32
35-49	81	5.6	40	<1	1	3	8	14	18	33
50-64	139	7.1	56	<1	1	5	10	15	21	40
65+	201	6.3	53	1	1	4	8	13	19	35
TOT. SINGLE DX	449	2.1	7	<1	<1	2	2	3	4	8
" MULTIPLE DX	490	6.3	54	1	1	3	8	14	20	35
TOTAL 0-19 YRS	186	1.7	6	<1	<1	1	2	2	3	8
20-34	79	4.7	49	<1	<1	2	4	13	27	31
35-49	130	4.5	33	<1	1	2	5	10	16	30
50-64	219	5.4	49	<1	1	3	7	12	18	40
65+	325	4.8	38	<1	1	2	6	11	14	32
GRAND TOTAL	**939**	**4.3**	**36**	**<1**	**1**	**2**	**4**	**10**	**15**	**32**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	241	1.8	1	<1	<1	2	2	3	4	6
20-34	117	2.4	7	<1	1	2	3	4	4	15
35-49	162	2.0	1	1	1	2	2	3	3	5
50-64	371	2.0		<1	1	2	2	3	4	5
65+	443	2.2	5	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	373	2.8	10	<1	1	2	3	6	8	17
20-34	501	3.7	29	<1	<1	2	4	7	10	29
35-49	334	3.8	49	<1	1	2	4	6	10	25
50-64	553	3.8	29	1	1	2	4	6	9	31
65+	792	5.5	55	1	1	2	6	15	20	34
TOT. SINGLE DX	1334	2.1	3	<1	1	2	2	3	4	7
" MULTIPLE DX	2553	4.2	38	<1	1	2	4	9	14	30
TOTAL 0-19 YRS	614	2.4	7	<1	1	2	3	5	6	14
20-34	618	3.5	26	<1	<1	2	4	7	9	27
35-49	496	3.2	35	<1	1	2	3	5	8	21
50-64	924	3.1	18	1	1	2	3	5	7	25
65+	1235	4.3	40	1	1	2	4	10	17	30
GRAND TOTAL	**3887**	**3.4**	**27**	**<1**	**1**	**2**	**3**	**6**	**10**	**26**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	2.2	3	1	1	2	2	4	4	13
20-34	36	2.5	1	1	1	2	3	3	4	8
35-49	43	2.6	2	1	1	2	3	4	5	11
50-64	75	2.7	1	1	2	2	3	4	5	10
65+	75	2.7	2	1	2	2	3	4	5	11
2. MULTIPLE DX										
0-19 YRS	51	3.4	22	1	1	2	3	6	8	30
20-34	23	3.4	13	1	1	2	4	8	12	18
35-49	34	3.8	15	1	2	2	3	8	10	21
50-64	53	3.4	25	2	2	2	3	4	5	37
65+	131	3.3	4	2	2	3	4	6	8	13
TOT. SINGLE DX	279	2.6	2	1	1	2	3	4	5	11
" MULTIPLE DX	292	3.4	13	1	1	2	3	6	8	20
TOTAL 0-19 YRS	101	2.8	13	1	1	2	3	5	7	24
20-34	59	2.8	6	1	1	2	3	4	8	17
35-49	77	3.1	9	1	1	2	3	7	8	18
50-64	128	3.0	12	1	2	2	3	4	5	17
65+	206	3.1	4	1	2	2	3	5	6	13
GRAND TOTAL	**571**	**3.0**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	1.6	1	<1	<1	1	2	3	4	5
20-34	10	3.1	24	<1	<1	2	2	10	17	17
35-49	12	1.9	1	1	1	2	3	3	4	4
50-64	16	2.1	2	<1	<1	2	2	3	6	7
65+	15	2.9	4	1	1	2	3	4	8	10
2. MULTIPLE DX										
0-19 YRS	15	3.0	3	1	1	2	4	6	7	7
20-34	18	4.2	16	1	1	3	5	7	14	18
35-49	9	8.3	83	1	1	4	14	24	25	25
50-64	27	3.8	20	1	1	2	4	13	16	17
65+	34	6.3	53	1	1	4	8	14	18	39
TOT. SINGLE DX	78	2.2	5	<1	<1	2	2	3	5	15
" MULTIPLE DX	103	5.0	35	1	1	3	5	12	17	32
TOTAL 0-19 YRS	40	2.2	2	<1	<1	2	3	4	5	7
20-34	28	3.8	19	1	1	2	5	7	17	18
35-49	21	4.7	44	1	1	2	4	15	23	25
50-64	43	3.1	14	<1	1	2	3	7	15	17
65+	49	5.2	41	1	1	3	6	12	16	39
GRAND TOTAL	**181**	**3.8**	**24**	**1**	**1**	**2**	**4**	**8**	**15**	**24**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	4.6	11	2	2	3	5	9	13	15
20-34	86	4.1	16	1	2	3	5	6	7	28
35-49	54	3.7	2	2	2	4	4	6	7	9
50-64	71	4.8	8	2	2	4	6	7	10	20
65+	255	4.2	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	13	6.5	19	3	3	6	7	11	18	20
20-34	27	6.4	23	2	2	4	8	13	15	23
35-49	43	4.7	6	2	2	4	5	9	10	14
50-64	103	5.0	11	1	2	4	6	9	13	18
65+	411	5.1	14	2	2	4	6	7	11	23
TOT. SINGLE DX	483	4.2	7	2	2	4	5	6	8	14
" MULTIPLE DX	597	5.1	14	2	2	4	6	8	13	21
TOTAL 0-19 YRS	30	5.4	15	2	2	4	6	9	15	20
20-34	113	4.6	19	1	2	4	5	7	12	29
35-49	97	4.1	5	2	2	4	5	7	9	12
50-64	174	4.9	10	2	2	4	6	8	12	19
65+	666	4.7	11	2	2	4	5	7	9	18
GRAND TOTAL	**1080**	**4.7**	**11**	**2**	**2**	**4**	**5**	**7**	**10**	**19**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	3.1	4	1	1	2	4	5	7	13
20-34	76	3.0	11	1	1	2	3	5	6	24
35-49	66	2.6	2	1	1	2	3	4	6	10
50-64	71	2.2	1	<1	1	2	3	4	5	7
65+	77	2.6	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	128	5.0	28	1	1	4	6	9	11	34
20-34	113	4.4	15	1	2	3	5	8	10	25
35-49	60	4.3	15	1	1	3	5	8	13	22
50-64	54	5.4	36	1	1	3	5	12	20	31
65+	135	5.4	45	1	1	3	6	13	18	38
TOT. SINGLE DX	367	2.7	5	1	1	2	3	5	6	10
" MULTIPLE DX	490	4.9	29	1	1	3	5	10	15	33
TOTAL 0-19 YRS	205	4.3	20	1	1	3	5	7	10	22
20-34	189	3.8	14	1	1	3	4	7	9	25
35-49	126	3.4	9	1	1	3	4	7	8	18
50-64	125	3.6	19	<1	1	2	4	6	11	25
65+	212	4.4	32	1	1	2	5	9	16	38
GRAND TOTAL	**857**	**4.0**	**20**	**1**	**1**	**3**	**4**	**7**	**11**	**25**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	2.6	1	1	1	2	3	4	5	6
20-34	30	3.5	7	1	2	3	4	6	7	16
35-49	79	3.6	5	1	1	3	4	6	9	13
50-64	174	3.7	10	1	2	3	4	7	9	14
65+	428	3.7	7	1	2	3	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	34	3.3	5	1	1	3	5	6	8	10
20-34	23	4.5	9	1	1	3	6	9	12	13
35-49	44	4.7	14	1	2	3	6	9	12	22
50-64	123	5.0	25	2	2	3	6	10	15	27
65+	416	4.9	15	2	2	4	6	9	13	20
TOT. SINGLE DX	757	3.6	8	1	2	3	4	6	8	14
" MULTIPLE DX	640	4.8	16	1	2	3	6	9	12	21
TOTAL 0-19 YRS	80	2.9	3	1	1	2	4	5	6	10
20-34	53	3.9	8	1	2	3	4	7	11	16
35-49	123	4.0	9	1	2	3	5	7	10	16
50-64	297	4.2	17	1	2	3	5	8	10	24
65+	844	4.3	12	1	2	3	5	8	11	20
GRAND TOTAL	**1397**	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**10**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	4.0	6	1	2	3	6	8	8	9
20-34	34	4.1	9	1	2	3	5	9	12	13
35-49	63	2.6	1	1	1	2	3	4	5	9
50-64	155	3.0	5	1	1	2	4	5	7	13
65+	333	3.4	12	1	1	2	4	6	8	16
2. MULTIPLE DX										
0-19 YRS	71	5.4	14	1	1	5	8	10	12	20
20-34	74	4.3	7	1	1	4	6	8	11	12
35-49	64	4.7	14	1	1	4	6	11	13	19
50-64	144	5.4	22	1	1	4	7	10	15	28
65+	365	5.1	30	1	2	3	6	10	15	33
TOT. SINGLE DX	609	3.2	9	1	1	2	4	6	8	14
" MULTIPLE DX	718	5.1	24	1	1	4	6	10	13	27
TOTAL 0-19 YRS	95	5.1	13	1	1	4	7	9	12	18
20-34	108	4.3	8	1	1	4	6	9	11	13
35-49	127	3.7	9	1	1	3	4	7	11	17
50-64	299	4.1	15	1	1	3	5	9	12	20
65+	698	4.3	22	1	1	3	5	8	11	27
GRAND TOTAL	**1327**	**4.2**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	2.9	6	1	1	2	3	4	7	14
20-34	19	3.1	1	1	2	3	4	5	5	5
35-49	447	2.8	2	2	2	3	3	4	5	7
50-64	3327	2.7	1	2	2	3	3	4	4	6
65+	11924	2.9	1	2	2	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	20	4.1	7	2	2	3	5	8	11	13
20-34	35	4.6	7	2	2	4	6	8	10	13
35-49	305	3.9	13	2	2	3	4	7	9	23
50-64	2475	3.6	9	2	2	3	4	6	8	16
65+	11487	4.0	16	2	2	3	4	7	10	20
TOT. SINGLE DX	15743	2.8	2	2	2	3	3	4	5	8
" MULTIPLE DX	14322	3.9	15	2	2	3	4	6	10	19
TOTAL 0-19 YRS	46	3.4	7	1	2	3	4	5	10	14
20-34	54	4.1	6	2	2	3	5	8	9	13
35-49	752	3.3	7	2	2	3	3	5	6	16
50-64	5802	3.1	5	2	2	3	3	4	6	11
65+	23411	3.4	9	2	2	3	4	5	7	16
GRAND TOTAL	**30065**	**3.4**	**8**	**2**	**2**	**3**	**3**	**5**	**7**	**15**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	2.3	1	1	1	2	3	4	4	6
20-34	87	2.3		1	1	2	3	3	4	6
35-49	637	2.2		1	1	2	3	3	4	5
50-64	3040	2.3		1	1	2	3	3	4	5
65+	10714	2.4	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	61	3.2	7	1	2	2	4	5	8	18
20-34	75	3.6	11	1	2	2	4	8	10	80
35-49	280	3.1	8	1	2	2	3	5	7	20
50-64	1757	3.1	9	2	2	2	3	4	7	15
65+	7223	3.3	9	2	2	2	3	5	8	16
TOT. SINGLE DX	14618	2.4	1	1	1	2	3	3	4	6
" MULTIPLE DX	9396	3.2	10	2	2	2	3	5	8	16
TOTAL 0-19 YRS	201	2.6	3	1	1	2	3	4	5	10
20-34	162	2.9	6	1	1	2	3	5	8	23
35-49	917	2.5	3	1	1	2	3	3	4	9
50-64	4797	2.6	4	1	2	2	3	3	4	10
65+	17937	2.8	5	1	2	2	3	4	5	12
GRAND TOTAL	**24014**	**2.7**	**5**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	11	2.9	7	1	1	2	3	6	11	11
35-49	77	2.3		1	2	2	3	3	4	5
50-64	465	2.5	1	1	1	2	3	4	4	7
65+	1601	2.7	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	2.9	1	2	2	3	4	5	5	5
35-49	53	2.7	1	1	2	2	3	4	5	6
50-64	350	3.1	5	1	2	2	3	5	8	11
65+	1326	3.5	10	2	2	3	4	5	8	21
TOT. SINGLE DX	2156	2.6	1	1	2	2	3	4	4	7
" MULTIPLE DX	1739	3.4	9	2	2	3	4	5	8	17
TOTAL 0-19 YRS	4	3.0	11	1	1	2	5	8	8	8
20-34	19	2.9	5	1	1	2	3	5	8	11
35-49	130	2.5	1	1	2	2	3	4	4	6
50-64	815	2.7	3	1	2	2	3	4	5	10
65+	2927	3.1	6	1	2	3	3	4	6	13
GRAND TOTAL	**3895**	**3.0**	**5**	**1**	**2**	**3**	**3**	**4**	**5**	**12**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	4.3	6	2	2	4	5	7	10	14
20-34	168	4.7	8	2	2	4	6	8	9	21
35-49	177	4.5	7	1	2	4	6	7	11	13
50-64	515	4.7	7	2	2	4	6	7	9	16
65+	572	4.9	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	69	5.6	64	2	2	4	6	9	10	58
20-34	150	5.6	38	2	2	4	7	9	11	21
35-49	142	5.5	13	2	2	4	6	10	14	20
50-64	489	5.2	10	2	2	4	6	9	11	17
65+	636	5.6	15	2	2	5	7	9	11	22
TOT. SINGLE DX	1523	4.7	8	2	2	4	6	8	10	15
" MULTIPLE DX	1486	5.4	18	2	2	4	7	9	12	20
TOTAL 0-19 YRS	160	4.9	32	2	2	4	6	8	10	15
20-34	318	5.1	23	2	2	4	6	8	10	21
35-49	319	4.9	10	1	2	4	6	8	12	17
50-64	1004	4.9	9	2	2	4	6	8	10	17
65+	1208	5.2	12	2	2	4	6	9	11	19
GRAND TOTAL	**3009**	**5.1**	**13**	**2**	**2**	**4**	**6**	**8**	**11**	**18**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	2.8	3	<1	<1	2	4	6	6	8
20-34	25	3.0	2	<1	<1	3	4	6	7	7
35-49	22	4.4	19	<1	1	3	6	7	13	22
50-64	57	3.4	4	1	2	3	4	6	9	11
65+	149	3.5	4	1	2	3	5	6	6	10
2. MULTIPLE DX										
0-19 YRS	38	5.5	153	1	1	3	5	7	47	99+
20-34	104	5.9	55	1	2	4	7	11	14	45
35-49	96	5.4	20	2	2	4	7	10	12	28
50-64	193	5.3	20	2	2	4	6	10	17	24
65+	328	4.9	21	2	2	3	6	9	13	28
TOT. SINGLE DX	290	3.4	5	1	1	3	4	6	7	11
" MULTIPLE DX	759	5.3	32	2	2	4	6	10	13	29
TOTAL 0-19 YRS	75	4.2	80	<1	1	3	5	6	8	95
20-34	129	5.4	47	1	2	4	6	9	12	33
35-49	118	5.2	20	1	2	4	6	10	12	26
50-64	250	4.9	17	2	2	4	6	9	14	21
65+	477	4.5	16	1	2	3	5	8	11	25
GRAND TOTAL	**1049**	**4.7**	**25**	**1**	**2**	**3**	**5**	**9**	**12**	**26**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2307	1.6		<1	<1	2	2	2	2	3
20-34	449	1.9		1	1	2	2	3	3	4
35-49	211	2.0		1	1	2	2	3	3	6
50-64	100	2.1		1	1	2	2	3	3	7
65+	83	1.9		<1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	416	1.9	3	1	1	2	2	2	3	7
20-34	120	2.9	33	1	1	2	2	3	5	37
35-49	87	2.1		1	1	2	2	3	4	4
50-64	85	2.8	10	1	1	2	3	4	8	21
65+	51	2.5		1	2	2	3	4	4	6
TOT. SINGLE DX	3150	1.7		<1	1	2	2	2	2	3
" MULTIPLE DX	759	2.2	8	1	1	2	2	3	4	10
TOTAL 0-19 YRS	2723	1.7	1	<1	1	2	2	2	2	3
20-34	569	2.1	8	1	1	2	2	3	3	5
35-49	298	2.0	1	1	1	2	2	3	3	4
50-64	185	2.5	5	1	1	2	2	3	4	11
65+	134	2.1	1	1	1	2	2	3	4	5
GRAND TOTAL	**3909**	**1.8**	**2**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.8		1	1	2	2	3	3	3
20-34	6	4.7	36	2	2	2	3	16	17	17
35-49	4	2.0		1	1	2	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	5	13.2	600	1	1	3	17	57	57	57
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	22.0		22	22	22	22	22	22	22
50-64	2	33.0	1922	2	2	33	64	64	64	64
65+	3	7.3	14	3	3	9	10	10	10	10
TOT. SINGLE DX	16	2.9	15	1	1	2	3	3	13	17
" MULTIPLE DX	13	13.8	463	1	1	3	13	58	63	64
TOTAL 0-19 YRS	10	7.5	303	1	1	2	3	30	57	57
20-34	8	4.0	28	2	2	2	3	13	17	17
35-49	5	6.0	81	1	1	2	8	22	22	22
50-64	2	33.0	1922	2	2	33	64	64	64	64
65+	4	5.8	20	1	1	6	9	10	10	10
GRAND TOTAL	**29**	**7.8**	**237**	**1**	**1**	**2**	**3**	**20**	**57**	**64**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	2.8	4	1	1	2	3	6	7	11
20-34	90	3.7	7	1	2	3	4	6	9	18
35-49	67	3.6	9	1	1	3	4	7	9	19
50-64	103	3.7	8	1	2	3	4	7	9	17
65+	157	3.9	16	1	1	3	4	8	10	28
2. MULTIPLE DX										
0-19 YRS	112	4.0	9	1	1	3	5	8	12	16
20-34	179	5.2	28	<1	2	4	6	11	16	31
35-49	131	5.2	26	1	2	3	6	11	13	34
50-64	158	5.8	27	1	2	4	7	13	18	34
65+	313	5.8	41	1	2	4	7	13	18	33
TOT. SINGLE DX	517	3.6	10	1	1	3	4	6	9	20
" MULTIPLE DX	893	5.4	31	1	2	3	6	12	16	32
TOTAL 0-19 YRS	212	3.5	8	1	1	3	4	7	9	15
20-34	269	4.7	22	1	2	3	5	9	14	25
35-49	198	4.7	21	1	2	3	5	9	12	28
50-64	261	5.0	21	1	2	3	6	11	15	27
65+	470	5.2	34	1	2	3	5	11	16	31
GRAND TOTAL	**1410**	**4.7**	**24**	**1**	**2**	**3**	**5**	**10**	**14**	**28**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	447	2.1	1	<1	1	2	2	4	4	7
20-34	155	2.2	3	<1	<1	2	2	4	6	12
35-49	78	2.3	2	<1	1	2	3	4	6	9
50-64	73	2.9	8	<1	<1	2	3	7	10	14
65+	121	4.0	28	<1	1	2	4	7	16	30
2. MULTIPLE DX										
0-19 YRS	308	3.8	20	1	1	3	4	7	10	25
20-34	209	5.6	61	<1	1	3	5	14	28	34
35-49	115	6.4	85	<1	1	3	7	14	22	47
50-64	147	6.6	41	1	1	4	9	16	20	30
65+	268	9.1	120	1	2	6	12	20	27	62
TOT. SINGLE DX	874	2.5	7	<1	1	2	2	4	6	14
" MULTIPLE DX	1047	6.2	68	1	1	3	7	14	22	34
TOTAL 0-19 YRS	755	2.8	10	<1	1	2	3	5	7	18
20-34	364	4.2	39	<1	<1	2	4	7	17	33
35-49	193	4.7	56	<1	1	2	5	10	15	29
50-64	220	5.4	34	1	1	3	7	13	19	29
65+	389	7.5	98	1	1	4	10	17	26	49
GRAND TOTAL	**1921**	**4.5**	**44**	**<1**	**1**	**2**	**4**	**11**	**16**	**30**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	2.0		1	1	2	2	3	4	6
20-34	354	2.3		1	1	2	3	3	4	5
35-49	493	2.4	1	1	1	2	3	3	4	5
50-64	442	2.5		1	2	2	3	3	4	5
65+	184	2.6	1	1	2	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	32	2.3		1	1	2	3	3	4	4
20-34	125	2.9	2	1	1	3	3	4	6	11
35-49	165	2.9	4	1	2	3	3	4	5	17
50-64	226	2.8	4	1	2	3	3	4	4	10
65+	110	3.0	1	2	2	3	3	4	5	11
TOT. SINGLE DX	1558	2.4	1	1	1	2	3	3	4	6
" MULTIPLE DX	658	2.9	4	1	2	3	3	4	5	11
TOTAL 0-19 YRS	117	2.1	1	1	1	2	3	3	4	5
20-34	479	2.5	1	1	1	2	3	4	4	6
35-49	658	2.5	2	1	1	2	3	4	4	7
50-64	668	2.6	2	1	2	2	3	3	4	7
65+	294	2.7	2	2	2	3	3	4	5	9
GRAND TOTAL	**2216**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	871	1.9		1	1	2	2	3	3	4
20-34	697	2.1		1	1	2	2	3	3	5
35-49	493	2.2		1	1	2	2	3	3	6
50-64	448	2.2		1	1	2	3	3	3	4
65+	159	2.3	1	1	1	2	3	3	4	8
2. MULTIPLE DX										
0-19 YRS	755	2.0		1	1	2	2	3	3	6
20-34	578	2.5	8	1	1	2	3	3	4	9
35-49	505	2.7	7	1	2	2	3	3	5	14
50-64	546	2.9	6	1	2	2	3	4	7	14
65+	214	2.9	4	1	2	3	3	4	5	17
TOT. SINGLE DX	2668	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	2598	2.5	5	1	1	2	3	3	4	11
TOTAL 0-19 YRS	1626	2.0	1	1	1	2	2	3	3	4
20-34	1275	2.3	4	1	1	2	3	3	3	6
35-49	998	2.5	4	1	1	2	3	3	4	10
50-64	994	2.6	4	1	1	2	3	3	5	11
65+	373	2.6	3	1	2	2	3	4	5	8
GRAND TOTAL	**5266**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**8**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3301	1.3		<1	<1	1	1	2	2	6
20-34	137	2.0	1	<1	1	2	2	3	4	8
35-49	113	2.3	8	<1	<1	2	2	4	6	18
50-64	88	2.0	1	<1	1	2	2	3	4	8
65+	50	3.3	62	<1	<1	2	2	4	11	54
2. MULTIPLE DX										
0-19 YRS	2354	2.3	8	<1	<1	2	2	4	7	16
20-34	114	3.2	14	1	1	2	3	7	11	20
35-49	90	4.3	33	1	1	2	4	11	17	33
50-64	120	8.0	146	1	1	3	10	19	27	68
65+	85	7.7	68	1	1	4	11	19	28	34
TOT. SINGLE DX	3689	1.4	2	<1	<1	1	1	2	3	7
" MULTIPLE DX	2763	2.8	19	<1	<1	2	2	6	9	21
TOTAL 0-19 YRS	5655	1.7	4	<1	<1	1	2	2	4	10
20-34	251	2.6	8	<1	1	2	3	4	8	18
35-49	203	3.2	20	<1	1	2	3	6	12	24
50-64	208	5.4	93	1	1	2	4	13	20	49
65+	135	6.1	70	<1	1	2	7	18	24	39
GRAND TOTAL	**6452**	**2.0**	**10**	**<1**	**<1**	**1**	**2**	**3**	**6**	**16**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	268	2.3	1	1	1	2	3	3	4	6
20-34	216	2.7	8	1	1	2	3	4	5	9
35-49	148	3.0	11	1	1	2	3	5	6	28
50-64	155	2.9	2	1	2	3	3	5	6	10
65+	47	3.2	5	2	2	3	3	4	8	16
2. MULTIPLE DX										
0-19 YRS	294	3.3	21	1	1	2	3	4	8	25
20-34	254	2.9	3	1	2	2	3	4	6	10
35-49	221	3.3	8	2	2	3	4	5	7	18
50-64	229	4.4	32	2	2	3	4	7	14	31
65+	115	7.1	121	2	2	3	5	17	25	60
TOT. SINGLE DX	834	2.7	6	1	1	2	3	4	5	9
" MULTIPLE DX	1113	3.8	29	1	2	3	3	5	10	27
TOTAL 0-19 YRS	562	2.8	12	1	1	2	3	4	5	16
20-34	470	2.8	6	1	1	2	3	4	6	10
35-49	369	3.2	10	1	2	3	3	5	6	19
50-64	384	3.8	21	1	2	3	4	5	9	25
65+	162	6.0	91	2	2	3	4	13	23	50
GRAND TOTAL	**1947**	**3.3**	**19**	**1**	**2**	**2**	**3**	**5**	**7**	**24**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	240	2.0	9	<1	<1	1	2	3	3	12
20-34	163	2.5	1	1	1	2	3	4	5	8
35-49	177	3.0	4	1	1	3	3	5	7	12
50-64	199	3.0	3	1	2	3	3	5	6	12
65+	80	3.3	10	1	2	2	3	5	8	23
2. MULTIPLE DX										
0-19 YRS	247	2.2	13	<1	<1	1	2	3	5	17
20-34	132	2.9	8	1	1	2	3	5	7	17
35-49	125	3.1	5	1	2	2	3	5	8	13
50-64	173	4.3	30	1	2	3	4	9	12	33
65+	75	5.1	28	1	1	3	6	13	17	24
TOT. SINGLE DX	859	2.6	6	<1	1	2	3	4	6	12
" MULTIPLE DX	752	3.3	18	<1	1	2	3	6	10	22
TOTAL 0-19 YRS	487	2.1	12	<1	<1	1	2	3	5	15
20-34	295	2.7	5	1	1	2	3	4	6	13
35-49	302	3.0	5	1	1	2	3	5	7	12
50-64	372	3.6	16	1	2	3	4	6	10	21
65+	155	4.2	20	1	1	3	4	9	15	24
GRAND TOTAL	**1611**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	240	2.4		1	1	2	3	4	4	5
20-34	530	2.5	2	1	1	2	3	4	5	7
35-49	243	2.5	1	1	1	2	3	4	4	7
50-64	141	2.5	1	1	1	2	3	4	4	6
65+	51	3.2	21	1	1	2	3	4	5	34
2. MULTIPLE DX										
0-19 YRS	494	2.8	1	1	2	3	3	4	5	8
20-34	1240	3.1	5	1	2	3	4	5	6	9
35-49	728	3.5	10	1	2	3	4	5	7	17
50-64	415	3.9	19	1	2	3	4	6	10	22
65+	131	4.0	13	2	2	3	4	7	10	20
TOT. SINGLE DX	1205	2.5	2	1	1	2	3	4	4	7
" MULTIPLE DX	3008	3.3	8	1	2	3	4	5	7	16
TOTAL 0-19 YRS	734	2.7	1	1	1	2	3	4	5	7
20-34	1770	2.9	4	1	1	3	3	4	5	9
35-49	971	3.3	9	1	2	3	4	5	6	16
50-64	556	3.6	15	1	2	3	4	5	8	19
65+	182	3.8	16	1	2	3	4	6	9	28
GRAND TOTAL	**4213**	**3.1**	**7**	**1**	**2**	**3**	**3**	**5**	**6**	**13**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1008	2.3	1	1	1	2	3	3	4	5
20-34	2028	2.3	1	1	1	2	3	4	4	6
35-49	859	2.4	1	1	1	2	3	4	4	7
50-64	423	2.6	1	1	1	2	3	4	5	7
65+	112	2.8	2	1	1	3	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	1534	2.7	5	1	1	2	3	4	5	8
20-34	3530	2.9	6	1	1	2	3	4	5	14
35-49	1988	3.2	9	1	1	3	4	5	7	15
50-64	1189	3.7	14	1	2	3	4	6	10	19
65+	380	4.7	33	1	2	3	5	10	14	25
TOT. SINGLE DX	4430	2.4	2	1	1	2	3	4	4	6
" MULTIPLE DX	8621	3.1	9	1	1	3	3	5	6	15
TOTAL 0-19 YRS	2542	2.6	4	1	1	2	3	4	5	7
20-34	5558	2.7	5	1	1	2	3	4	5	10
35-49	2847	3.0	7	1	1	3	3	4	6	14
50-64	1612	3.4	12	1	1	3	4	5	8	17
65+	492	4.3	27	1	2	3	5	8	12	22
GRAND TOTAL	**13051**	**2.9**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**13**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	2.6	5	<1	1	2	3	4	7	14
20-34	201	2.2	1	<1	<1	2	3	4	5	6
35-49	210	2.5	4	<1	1	2	3	4	5	12
50-64	279	2.7	8	<1	1	2	3	4	6	15
65+	307	3.0	5	<1	1	2	4	5	8	12
2. MULTIPLE DX										
0-19 YRS	204	2.7	3	1	1	2	3	5	6	12
20-34	358	2.9	4	1	1	2	3	5	6	10
35-49	419	3.5	13	1	1	3	4	5	9	26
50-64	581	4.1	21	1	1	3	4	8	12	25
65+	594	6.8	55	1	2	4	8	15	23	39
TOT. SINGLE DX	1125	2.6	6	<1	1	2	3	5	6	12
" MULTIPLE DX	2156	4.4	27	1	1	3	4	9	14	28
TOTAL 0-19 YRS	332	2.7	4	<1	1	2	3	5	6	12
20-34	559	2.6	3	1	1	2	3	4	5	10
35-49	629	3.2	11	1	1	2	3	5	7	22
50-64	860	3.7	18	1	1	2	4	7	10	24
65+	901	5.5	42	1	1	3	7	12	19	31
GRAND TOTAL	**3281**	**3.8**	**21**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	431	1.9	3	<1	<1	1	2	3	5	7
20-34	323	2.3	2	<1	<1	2	3	5	6	8
35-49	153	3.5	5	<1	1	3	5	6	8	10
50-64	163	4.8	10	1	1	4	6	9	10	13
65+	126	5.2	17	1	1	4	7	10	14	21
2. MULTIPLE DX										
0-19 YRS	672	2.9	16	<1	1	2	3	5	7	24
20-34	768	3.8	17	1	1	3	4	7	9	22
35-49	329	4.9	28	1	1	4	5	9	14	30
50-64	349	6.4	41	1	2	5	8	11	17	34
65+	459	6.8	39	1	2	5	9	13	18	31
TOT. SINGLE DX	1196	2.9	7	<1	<1	2	4	6	8	13
" MULTIPLE DX	2577	4.6	28	1	1	3	5	9	12	28
TOTAL 0-19 YRS	1103	2.5	12	<1	<1	2	3	5	6	17
20-34	1091	3.4	14	<1	1	2	4	6	8	19
35-49	482	4.5	22	1	1	4	5	8	10	27
50-64	512	5.9	32	1	2	5	7	10	13	27
65+	585	6.5	35	1	2	5	8	12	17	31
GRAND TOTAL	**3773**	**4.1**	**22**	**<1**	**1**	**3**	**5**	**8**	**11**	**25**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.4	1	1	1	2	3	4	4	8
20-34	229	2.9	4	1	1	2	3	5	6	9
35-49	206	2.9	3	1	1	3	4	5	6	10
50-64	167	3.2	2	1	2	3	4	6	6	9
65+	79	4.3	13	1	2	4	5	7	8	25
2. MULTIPLE DX										
0-19 YRS	43	5.1	17	1	2	4	6	13	13	18
20-34	214	4.1	17	1	2	3	4	8	12	24
35-49	250	4.7	20	1	2	3	5	9	16	23
50-64	228	6.1	70	2	2	3	6	14	18	45
65+	125	6.4	30	2	2	4	8	14	17	27
TOT. SINGLE DX	750	3.1	5	1	1	3	4	5	6	10
" MULTIPLE DX	860	5.2	35	2	2	3	5	12	15	32
TOTAL 0-19 YRS	112	3.4	9	1	1	2	4	7	12	15
20-34	443	3.5	11	1	1	3	4	6	8	16
35-49	456	3.9	14	1	2	3	4	6	10	20
50-64	395	4.9	44	2	2	3	5	9	15	36
65+	204	5.6	25	2	2	4	7	12	15	28
GRAND TOTAL	**1610**	**4.2**	**22**	**1**	**2**	**3**	**4**	**8**	**12**	**23**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	3.2	13	1	1	2	3	7	10	20
20-34	225	3.1	8	1	1	2	4	6	7	16
35-49	188	3.5	21	1	1	2	4	7	9	20
50-64	161	3.7	18	1	1	2	4	7	9	25
65+	88	4.3	20	1	1	2	4	10	14	25
2. MULTIPLE DX										
0-19 YRS	134	5.5	34	1	1	3	7	13	21	28
20-34	244	5.4	76	1	1	3	5	11	17	57
35-49	252	4.9	34	1	1	3	6	10	16	27
50-64	269	5.4	43	1	2	3	6	11	14	32
65+	154	7.9	53	2	2	5	10	19	24	31
TOT. SINGLE DX	774	3.5	16	1	1	2	4	7	9	21
" MULTIPLE DX	1053	5.7	50	1	2	3	6	12	18	32
TOTAL 0-19 YRS	246	4.5	26	1	1	2	5	10	15	26
20-34	469	4.3	45	1	1	3	4	8	12	31
35-49	440	4.3	29	1	1	3	5	9	14	24
50-64	430	4.7	35	1	1	3	5	10	13	28
65+	242	6.6	44	1	2	4	8	15	23	30
GRAND TOTAL	**1827**	**4.7**	**37**	**1**	**1**	**3**	**5**	**10**	**15**	**28**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1961	1.5		<1	<1	1	2	2	2	3
20-34	1770	1.6	1	<1	<1	1	2	2	3	4
35-49	462	2.0	3	<1	<1	2	2	3	4	12
50-64	307	2.3	15	<1	<1	2	2	3	4	14
65+	147	2.9	11	<1	1	2	3	5	8	32
2. MULTIPLE DX										
0-19 YRS	727	2.6	12	<1	1	2	2	5	7	20
20-34	1295	4.1	51	<1	1	2	3	9	16	41
35-49	1137	4.3	39	<1	1	2	4	10	16	29
50-64	1431	5.3	65	1	1	2	5	12	21	48
65+	1063	6.9	78	1	2	3	8	18	25	49
TOT. SINGLE DX	4647	1.7	3	<1	<1	1	2	2	3	5
" MULTIPLE DX	5653	4.8	54	1	1	2	4	11	19	40
TOTAL 0-19 YRS	2688	1.8	4	<1	<1	1	2	2	3	8
20-34	3065	2.6	24	<1	<1	2	2	3	7	26
35-49	1599	3.6	30	<1	1	2	3	8	13	28
50-64	1738	4.8	58	1	1	2	4	11	18	46
65+	1210	6.4	72	1	2	3	7	16	24	48
GRAND TOTAL	**10300**	**3.4**	**34**	**<1**	**<1**	**2**	**3**	**6**	**12**	**32**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	254	1.1		<1	<1	1	1	1	2	3
20-34	35	2.5	15	<1	<1	1	2	4	14	19
35-49	20	1.7		<1	<1	2	2	2	3	4
50-64	16	2.3		<1	1	2	3	3	3	3
65+	5	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	114	1.9	24	<1	1	1	2	2	4	24
20-34	59	3.9	107	<1	<1	2	2	6	8	70
35-49	27	4.7	61	<1	1	2	4	15	25	34
50-64	10	2.6	3	1	1	2	3	5	7	7
65+	9	7.3	58	2	2	3	11	21	23	23
TOT. SINGLE DX	330	1.3	2	<1	<1	1	1	2	2	4
" MULTIPLE DX	219	3.0	53	<1	1	1	2	4	8	42
TOTAL 0-19 YRS	368	1.3	8	<1	<1	1	1	2	2	5
20-34	94	3.4	73	<1	<1	2	2	5	8	57
35-49	47	3.4	37	<1	<1	2	2	6	17	34
50-64	26	2.4	1	1	1	2	3	3	4	7
65+	14	5.4	43	1	2	3	4	18	22	23
GRAND TOTAL	**549**	**2.0**	**23**	**<1**	**<1**	**1**	**2**	**3**	**4**	**23**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	2.1	1	<1	<1	2	3	4	4	7
20-34	169	2.6	13	1	1	2	2	4	5	9
35-49	293	2.1	1	<1	1	2	2	3	4	8
50-64	202	2.8	2	1	1	2	3	4	5	7
65+	63	3.8	10	2	2	3	4	7	8	20
2. MULTIPLE DX										
0-19 YRS	102	2.7	11	1	1	2	3	4	5	24
20-34	122	4.0	20	1	1	2	4	10	13	23
35-49	170	3.6	17	1	1	2	4	7	11	32
50-64	217	4.2	32	1	2	3	4	8	10	30
65+	93	5.3	51	1	2	3	5	11	18	44
TOT. SINGLE DX	841	2.5	5	<1	1	2	3	4	5	9
" MULTIPLE DX	704	3.9	27	1	1	2	4	8	12	30
TOTAL 0-19 YRS	216	2.4	6	<1	<1	2	3	4	5	11
20-34	291	3.2	17	1	1	2	3	6	9	20
35-49	463	2.7	8	1	1	2	3	4	6	18
50-64	419	3.5	19	1	1	2	4	6	8	22
65+	156	4.7	35	1	2	3	5	9	15	28
GRAND TOTAL	**1545**	**3.2**	**15**	**1**	**1**	**2**	**3**	**5**	**8**	**20**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	3.1	2	1	1	3	4	5	7	9
20-34	377	3.2	3	1	1	3	4	5	6	9
35-49	414	3.4	3	1	2	3	4	5	6	11
50-64	509	4.0	7	2	2	3	4	6	8	17
65+	381	4.7	12	2	2	4	5	8	10	19
2. MULTIPLE DX										
0-19 YRS	53	4.1	8	1	2	3	5	8	9	17
20-34	137	4.8	27	1	2	3	5	9	12	36
35-49	219	4.9	17	1	2	4	6	10	12	23
50-64	345	6.0	40	2	2	4	7	11	16	27
65+	455	7.4	47	2	3	5	9	15	20	33
TOT. SINGLE DX	1816	3.8	7	1	2	3	4	6	8	13
" MULTIPLE DX	1209	6.1	37	2	2	4	7	11	17	31
TOTAL 0-19 YRS	188	3.4	5	1	1	3	4	6	8	10
20-34	514	3.7	10	1	1	3	4	6	8	16
35-49	633	3.9	9	1	2	3	4	6	9	17
50-64	854	4.8	22	2	2	4	5	8	11	23
65+	836	6.2	34	2	2	4	7	11	17	31
GRAND TOTAL	**3025**	**4.7**	**20**	**1**	**2**	**4**	**5**	**9**	**11**	**23**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	269	3.7	4	1	1	3	5	7	8	10
20-34	13	4.1	8	1	1	4	5	7	11	12
35-49	6	3.0	1	2	2	3	3	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	193	4.0	6	1	2	3	5	7	8	13
20-34	19	3.6	1	2	2	4	4	5	6	7
35-49	8	12.9	194	3	3	6	19	37	41	41
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	8	9.3	185	2	2	3	9	32	42	42
TOT. SINGLE DX	291	3.7	5	1	1	3	5	7	8	10
" MULTIPLE DX	231	4.5	20	1	2	4	5	8	9	30
TOTAL 0-19 YRS	462	3.8	5	1	1	3	5	7	8	11
20-34	32	3.8	4	1	2	4	4	6	7	12
35-49	14	8.6	131	2	2	4	7	29	38	41
50-64	5	2.6	1	1	1	3	3	4	4	4
65+	9	8.6	167	2	2	3	9	29	42	42
GRAND TOTAL	**522**	**4.0**	**12**	**1**	**1**	**3**	**5**	**7**	**8**	**13**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	553	3.3	8	<1	1	2	5	7	8	13
20-34	199	3.5	12	<1	<1	2	4	7	9	22
35-49	187	3.1	4	1	1	2	4	6	8	10
50-64	388	4.5	33	<1	1	2	4	10	16	28
65+	392	4.5	31	1	1	3	5	10	15	27
2. MULTIPLE DX										
0-19 YRS	557	3.5	22	<1	1	2	4	7	9	17
20-34	372	5.0	51	<1	<1	3	5	10	16	41
35-49	270	6.3	60	<1	1	4	7	14	23	42
50-64	576	9.3	107	1	2	6	12	23	32	56
65+	761	10.0	125	1	2	7	13	21	31	58
TOT. SINGLE DX	1719	3.9	19	<1	1	2	4	8	11	23
" MULTIPLE DX	2536	7.3	88	1	1	4	9	17	26	49
TOTAL 0-19 YRS	1110	3.4	15	<1	1	2	4	7	9	15
20-34	571	4.5	38	<1	<1	3	5	9	12	36
35-49	457	5.0	40	<1	1	3	6	10	17	37
50-64	964	7.4	84	1	1	4	9	17	27	50
65+	1153	8.1	100	1	2	5	10	18	28	49
GRAND TOTAL	**4255**	**5.9**	**63**	**<1**	**1**	**3**	**7**	**13**	**20**	**42**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8777	1.9		1	1	2	2	3	3	4
20-34	5345	2.1	1	1	1	2	2	3	4	5
35-49	492	2.3	1	1	1	2	3	3	4	7
50-64	88	2.5	1	1	1	2	3	4	5	8
65+	34	3.8	21	1	2	3	3	6	16	24
2. MULTIPLE DX										
0-19 YRS	1891	2.2	4	1	1	2	2	3	4	9
20-34	1167	2.7	5	1	1	2	3	4	6	13
35-49	164	3.4	11	1	1	2	3	6	10	22
50-64	64	5.0	110	1	2	3	5	8	10	75
65+	40	9.6	109	2	2	6	12	24	32	50
TOT. SINGLE DX	14736	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	3326	2.6	9	1	1	2	3	4	6	13
TOTAL 0-19 YRS	10668	1.9	2	1	1	2	2	3	3	5
20-34	6512	2.2	2	1	1	2	2	3	4	7
35-49	656	2.6	4	1	1	2	3	4	5	12
50-64	152	3.5	49	1	1	2	4	5	8	17
65+	74	6.9	77	1	2	3	8	19	25	46
GRAND TOTAL	**18062**	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15678	1.7		1	1	2	2	2	2	3
20-34	398	2.2		1	1	2	3	3	4	5
35-49	27	2.2		1	1	2	3	3	3	3
50-64	6	1.7		1	1	2	2	2	2	2
65+	10	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	9362	1.8		1	1	2	2	2	3	6
20-34	130	2.6	1	1	2	2	3	4	6	8
35-49	11	3.5	9	1	1	3	4	8	12	12
50-64	6	3.5	10	1	1	2	3	9	10	10
65+	7	2.4	6	<1	<1	2	2	7	8	8
TOT. SINGLE DX	16119	1.8		1	1	2	2	2	3	4
" MULTIPLE DX	9516	1.8	1	1	1	2	2	2	3	6
TOTAL 0-19 YRS	25040	1.8	1	1	1	2	2	2	3	4
20-34	528	2.3	1	1	1	2	3	3	4	6
35-49	38	2.6	3	1	1	2	3	3	5	12
50-64	12	2.6	6	1	1	2	3	5	9	10
65+	17	2.0	3	<1	1	2	2	3	6	8
GRAND TOTAL	**25635**	**1.8**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1271	1.4		<1	<1	1	2	2	2	2
20-34	18	1.9		<1	1	2	2	3	3	3
35-49	6	1.7		1	1	2	2	2	2	2
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2368	1.5		<1	<1	1	2	2	2	4
20-34	20	2.9	11	<1	1	2	3	4	10	17
35-49	6	2.5	1	2	2	2	2	5	5	5
50-64	2	7.5	85	<1	<1	7	14	14	14	14
65+	3	3.3	10	<1	<1	2	6	7	7	7
TOT. SINGLE DX	1297	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	2399	1.6	1	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	3639	1.5	1	<1	<1	1	2	2	2	3
20-34	38	2.4	6	<1	1	2	2	3	4	17
35-49	12	2.1	1	1	1	2	2	3	5	5
50-64	3	6.7	44	<1	<1	5	12	14	14	14
65+	4	2.8	8	<1	<1	1	4	7	7	7
GRAND TOTAL	**3696**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	554	2.5	3	<1	1	2	3	5	6	9
20-34	454	2.7	3	1	1	2	3	4	6	10
35-49	178	3.5	23	1	1	3	4	6	8	35
50-64	173	5.1	71	1	1	3	5	9	17	59
65+	143	4.9	50	1	1	3	6	9	12	55
2. MULTIPLE DX										
0-19 YRS	227	3.2	10	1	1	2	4	6	8	16
20-34	158	4.4	30	1	1	3	5	8	10	34
35-49	104	6.8	82	1	2	4	7	13	21	53
50-64	219	9.4	160	1	2	5	11	22	30	91
65+	216	11.4	196	1	2	7	14	24	32	85
TOT. SINGLE DX	1502	3.2	19	1	1	2	4	5	8	19
" MULTIPLE DX	924	7.2	111	1	1	4	8	17	24	63
TOTAL 0-19 YRS	781	2.7	6	1	1	2	3	5	7	12
20-34	612	3.1	11	1	1	2	4	5	8	15
35-49	282	4.7	47	1	1	3	5	10	12	36
50-64	392	7.5	126	1	1	4	8	18	29	63
65+	359	8.8	148	1	2	5	10	19	26	78
GRAND TOTAL	**2426**	**4.7**	**58**	**1**	**1**	**3**	**5**	**9**	**15**	**40**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	2.3	2	<1	<1	2	3	4	5	8
20-34	41	3.4	5	<1	1	3	4	6	8	13
35-49	42	3.4	6	<1	1	3	4	7	9	13
50-64	81	4.3	7	<1	1	4	6	8	10	11
65+	109	3.6	12	<1	1	3	4	7	9	23
2. MULTIPLE DX										
0-19 YRS	243	4.0	16	1	2	3	5	6	7	18
20-34	40	4.9	19	<1	1	4	6	9	12	25
35-49	68	4.8	14	1	1	4	6	11	12	18
50-64	159	5.6	49	1	1	4	6	11	16	34
65+	268	6.4	33	1	2	5	8	13	16	33
TOT. SINGLE DX	358	3.4	8	<1	<1	3	4	7	8	13
" MULTIPLE DX	778	5.3	30	1	2	4	6	10	14	26
TOTAL 0-19 YRS	328	3.6	14	1	1	3	4	6	7	12
20-34	81	4.1	13	<1	1	4	5	7	11	21
35-49	110	4.2	12	<1	1	3	5	10	12	17
50-64	240	5.2	35	1	1	4	6	10	12	29
65+	377	5.6	29	1	1	4	7	11	15	27
GRAND TOTAL	1136	4.7	24	1	1	3	6	9	12	22

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	1.6		<1	1	2	2	2	2	4
20-34	263	1.7	1	<1	<1	2	2	2	3	5
35-49	431	2.2	6	<1	1	2	2	3	4	17
50-64	706	2.2	3	<1	1	2	2	3	5	10
65+	405	2.4	5	1	1	2	2	4	6	13
2. MULTIPLE DX										
0-19 YRS	37	2.6	8	1	1	2	2	7	11	13
20-34	105	3.2	13	1	1	2	3	6	10	23
35-49	286	5.6	58	1	1	2	5	15	24	40
50-64	674	5.8	65	1	1	2	6	15	22	42
65+	484	7.2	67	1	2	3	10	17	24	45
TOT. SINGLE DX	1950	2.1	4	<1	1	2	2	3	4	11
" MULTIPLE DX	1586	5.9	61	1	1	2	7	15	23	41
TOTAL 0-19 YRS	182	1.8	2	<1	1	2	2	2	2	11
20-34	368	2.2	5	<1	1	2	2	3	5	14
35-49	717	3.5	30	<1	1	2	3	7	14	31
50-64	1380	4.0	37	<1	1	2	3	9	15	30
65+	889	5.0	45	1	1	2	5	13	19	34
GRAND TOTAL	3536	3.8	33	<1	1	2	3	9	15	30

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.3	25	1	1	3	8	14	15	15
20-34	15	4.9	18	<1	2	3	5	13	14	14
35-49	24	6.3	18	1	1	6	10	12	14	15
50-64	63	9.6	66	1	2	9	13	19	24	44
65+	41	10.9	97	1	2	10	15	21	27	53
2. MULTIPLE DX										
0-19 YRS	6	12.0	238	3	3	5	11	40	43	43
20-34	19	9.6	60	2	3	6	14	23	26	27
35-49	28	13.1	124	1	1	10	20	29	35	43
50-64	92	16.6	182	2	3	13	21	38	50	56
65+	71	17.7	193	3	4	14	24	39	45	94
TOT. SINGLE DX	150	8.8	64	1	2	8	12	18	22	46
" MULTIPLE DX	216	15.8	173	2	3	13	21	32	44	67
TOTAL 0-19 YRS	13	8.4	124	1	2	5	9	21	39	43
20-34	34	7.5	46	2	2	5	10	18	24	27
35-49	52	9.9	86	1	1	8	13	24	29	43
50-64	155	13.8	147	2	2	11	18	30	43	55
65+	112	15.2	168	2	2	12	21	31	45	82
GRAND TOTAL	366	12.9	140	1	2	10	17	28	41	56

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	29.0		29	29	29	29	29	29	29
35-49	19	16.9	45	9	10	16	20	23	31	38
50-64	81	17.4	67	10	10	15	19	27	31	53
65+	46	19.5	53	10	12	18	24	29	33	43
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	26	24.9	152	10	10	23	33	44	47	49
50-64	128	26.0	293	10	11	21	32	58	76	99+
65+	159	23.9	214	11	12	19	31	45	62	99+
TOT. SINGLE DX	148	18.0	62	10	11	16	21	28	31	47
" MULTIPLE DX	315	24.7	243	10	12	20	31	46	65	99+
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	16.0	338	3	3	16	29	29	29	29
35-49	45	21.5	121	10	10	18	27	42	44	49
50-64	209	22.7	223	10	11	17	28	43	62	92
65+	205	22.9	181	11	12	19	28	42	55	99+
GRAND TOTAL	463	22.6	195	10	11	18	28	42	57	99+

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	8	16.5	593	2	3	8	13	58	76	76
65+	3	17.0	9	14	14	18	60	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	10	28.5	812	1	2	34	61	86	99	99+
20-34	7	37.4	1002	5	5	24	62	81	86	86
35-49	15	34.0	942	2	2	25	58	72	92	99
50-64	37	28.2	521	5	5	23	46	70	99	99+
65+	54	38.7	552	6	10	38	64	87	99+	99+
TOT. SINGLE DX	14	14.3	343	2	4	9	16	76	94	99+
" MULTIPLE DX	123	34.1	634	4	5	34	59	85	99+	99+
TOTAL 0-19 YRS	10	28.5	812	1	2	34	61	86	99	99+
20-34	8	33.3	999	4	4	21	61	79	86	86
35-49	17	30.8	908	2	3	13	53	71	90	99
50-64	45	26.1	541	5	5	20	45	70	98	99+
65+	57	37.6	547	6	11	38	64	90	99+	99+
GRAND TOTAL	**137**	**32.1**	**638**	**4**	**5**	**29**	**54**	**84**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	9.6	220	<1	1	4	8	25	52	66
20-34	33	11.5	387	<1	1	3	7	59	64	66
35-49	42	11.7	365	1	2	4	9	59	69	99+
50-64	60	9.5	229	1	1	4	9	17	55	71
65+	53	10.8	242	1	2	4	13	30	39	87
2. MULTIPLE DX										
0-19 YRS	85	19.7	463	1	2	12	38	80	99+	99+
20-34	92	28.4	520	2	5	22	48	72	87	99+
35-49	91	25.4	475	1	2	25	46	72	99+	99+
50-64	286	26.6	628	2	2	19	49	77	98	99+
65+	330	34.3	688	2	3	34	59	84	99+	99+
TOT. SINGLE DX	237	10.5	273	1	1	4	9	33	60	77
" MULTIPLE DX	884	28.9	628	2	3	24	51	80	99+	99+
TOTAL 0-19 YRS	134	16.0	396	1	2	8	24	65	99+	99+
20-34	125	23.9	538	1	2	15	43	66	77	99+
35-49	133	21.1	478	1	2	14	38	68	99+	99+
50-64	346	23.6	601	1	2	14	45	73	88	99+
65+	383	31.1	693	2	2	30	54	82	99+	99+
GRAND TOTAL	**1121**	**25.0**	**609**	**1**	**2**	**16**	**47**	**74**	**97**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	7.3	59	1	1	5	10	14	16	41
20-34	141	6.4	28	1	2	5	9	14	19	26
35-49	289	7.7	36	1	2	6	10	15	18	31
50-64	698	8.9	53	2	2	7	12	19	24	33
65+	722	9.1	73	2	2	7	12	19	24	46
2. MULTIPLE DX										
0-19 YRS	39	8.4	55	1	2	6	13	18	23	34
20-34	303	9.8	66	2	2	8	13	20	28	47
35-49	721	11.7	85	2	3	10	15	22	29	48
50-64	2404	13.2	116	2	3	11	17	26	34	60
65+	3403	14.7	136	2	4	12	19	29	38	60
TOT. SINGLE DX	1880	8.6	57	2	2	7	11	18	23	35
" MULTIPLE DX	6870	13.6	122	2	3	11	17	27	36	58
TOTAL 0-19 YRS	69	7.9	56	1	1	5	11	16	21	40
20-34	444	8.7	57	2	2	7	11	18	26	38
35-49	1010	10.5	75	2	2	9	14	21	26	43
50-64	3102	12.2	106	2	3	10	16	24	32	57
65+	4125	13.7	130	2	3	11	18	28	36	58
GRAND TOTAL	**8750**	**12.5**	**113**	**2**	**3**	**10**	**16**	**25**	**33**	**56**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	4	8.0	81	1	1	5	14	21	21	21
65+	3	15.0	84	5	5	17	21	23	23	23
TOT. SINGLE DX	1	1.0		1	1	1	1	1	1	1
" MULTIPLE DX	8	9.9	81	1	1	6	19	22	23	23
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64	4	8.0	81	1	1	5	14	21	21	21
65+	3	15.0	84	5	5	17	21	23	23	23
GRAND TOTAL	**9**	**8.9**	**80**	**1**	**1**	**5**	**18**	**22**	**23**	**23**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	12.7	76	5	6	8	16	27	33	36
20-34	124	11.2	48	5	6	9	14	20	24	39
35-49	221	10.7	56	2	4	9	13	20	26	48
50-64	451	12.1	66	2	4	10	15	21	27	41
65+	392	12.1	70	2	3	10	17	22	27	43
2. MULTIPLE DX										
0-19 YRS	52	18.1	237	5	6	13	22	51	56	99
20-34	187	14.4	119	4	5	11	17	25	32	64
35-49	349	15.1	127	3	5	11	19	30	36	74
50-64	1194	16.2	130	4	5	13	21	30	38	60
65+	1448	17.0	140	3	5	15	22	31	39	64
TOT. SINGLE DX	1207	11.8	64	2	4	10	15	21	27	41
" MULTIPLE DX	3230	16.4	136	3	5	14	21	31	39	64
TOTAL 0-19 YRS	71	16.7	198	5	6	12	20	41	53	92
20-34	311	13.1	93	4	5	10	16	22	30	63
35-49	570	13.4	104	3	5	10	17	27	35	70
50-64	1645	15.1	116	3	5	12	20	28	36	53
65+	1840	16.0	129	3	4	14	21	29	37	61
GRAND TOTAL	**4437**	**15.1**	**121**	**3**	**5**	**12**	**20**	**28**	**36**	**61**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	17.7	130	9	9	12	19	38	42	42
20-34	20	10.6	18	5	6	10	11	18	19	20
35-49	69	14.8	36	8	9	14	18	22	24	35
50-64	269	15.6	60	8	9	13	19	25	29	44
65+	203	16.5	55	9	10	15	20	27	31	43
2. MULTIPLE DX										
0-19 YRS	8	17.1	66	9	9	14	24	29	30	30
20-34	22	18.6	115	7	8	15	22	32	41	53
35-49	152	19.8	198	9	9	16	24	35	42	80
50-64	653	19.8	108	9	10	17	24	32	42	61
65+	609	21.3	131	9	10	19	26	35	43	66
TOT. SINGLE DX	568	15.7	56	8	9	14	19	25	30	42
" MULTIPLE DX	1444	20.4	128	9	10	18	25	34	42	70
TOTAL 0-19 YRS	15	17.4	89	9	9	13	20	30	39	42
20-34	42	14.8	84	6	7	11	19	26	32	53
35-49	221	18.2	153	8	9	15	21	32	37	75
50-64	922	18.6	98	9	9	16	22	30	38	59
65+	812	20.1	116	9	10	17	24	34	40	60
GRAND TOTAL	**2012**	**19.0**	**112**	**9**	**10**	**17**	**23**	**32**	**39**	**61**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	238	4.5	25	1	1	3	6	11	14	22
20-34	176	5.7	26	1	1	4	8	12	16	28
35-49	302	6.7	29	1	1	5	10	14	18	23
50-64	626	6.9	40	1	2	5	9	14	20	31
65+	542	9.0	75	1	2	7	12	19	25	43
2. MULTIPLE DX										
0-19 YRS	295	9.3	116	1	2	6	11	21	27	72
20-34	387	11.2	157	1	2	8	13	24	37	88
35-49	793	10.9	114	2	2	8	14	22	29	59
50-64	2182	12.3	124	2	3	9	16	25	33	62
65+	2731	14.6	136	3	4	12	19	29	38	64
TOT. SINGLE DX	1884	7.1	48	1	1	5	10	15	20	33
" MULTIPLE DX	6388	12.9	132	2	3	10	17	26	35	63
TOTAL 0-19 YRS	533	7.2	81	1	1	4	9	16	22	44
20-34	563	9.5	122	1	2	7	11	19	30	70
35-49	1095	9.7	94	1	2	7	12	19	26	53
50-64	2808	11.1	110	2	2	8	14	23	31	57
65+	3273	13.7	131	2	3	11	18	28	36	58
GRAND TOTAL	**8272**	**11.6**	**119**	**2**	**2**	**9**	**15**	**24**	**32**	**57**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	4.7	2	2	2	5	6	7	7	7
20-34	61	5.7	8	2	2	5	7	10	11	16
35-49	24	7.8	23	2	3	7	10	16	17	19
50-64	22	8.0	46	1	1	5	13	21	22	22
65+	19	11.0	91	2	2	7	16	24	33	38
2. MULTIPLE DX										
0-19 YRS	31	11.5	147	4	4	7	12	28	30	64
20-34	57	11.5	80	3	4	9	15	20	33	48
35-49	39	12.9	131	2	3	10	17	30	48	99+
50-64	77	14.1	108	3	4	11	18	26	36	49
65+	114	15.2	140	3	4	14	20	29	38	80
TOT. SINGLE DX	135	7.1	31	2	2	6	9	14	19	28
" MULTIPLE DX	318	13.6	122	3	4	10	17	28	36	66
TOTAL 0-19 YRS	40	9.9	123	3	4	6	10	22	30	64
20-34	118	8.5	52	2	3	7	10	17	20	40
35-49	63	11.0	96	2	3	8	15	22	32	95
50-64	99	12.7	101	2	3	10	17	24	32	49
65+	133	14.6	135	2	3	12	19	29	37	74
GRAND TOTAL	**453**	**11.7**	**104**	**2**	**3**	**9**	**16**	**23**	**31**	**64**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	6.5	26	2	2	5	8	12	14	24
20-34	664	6.0	13	2	3	5	7	10	13	18
35-49	240	7.2	49	2	3	5	8	12	19	36
50-64	193	10.7	64	2	3	9	14	22	28	34
65+	144	12.1	50	3	4	11	17	22	26	30
2. MULTIPLE DX										
0-19 YRS	374	13.3	174	3	4	9	16	25	43	73
20-34	635	9.9	105	2	3	7	11	18	28	58
35-49	463	12.3	117	3	4	9	15	25	36	73
50-64	903	15.3	152	4	5	12	19	31	39	69
65+	1154	17.7	182	4	6	14	23	33	44	78
TOT. SINGLE DX	1382	7.6	37	2	3	6	9	15	19	32
" MULTIPLE DX	3529	14.5	159	3	4	11	18	29	41	72
TOTAL 0-19 YRS	515	11.4	143	2	3	8	13	23	39	67
20-34	1299	7.9	62	2	3	6	9	14	19	47
35-49	703	10.5	100	3	3	7	12	22	30	61
50-64	1096	14.5	140	3	4	11	18	29	38	66
65+	1298	17.1	170	4	6	14	22	32	42	78
GRAND TOTAL	**4911**	**12.5**	**134**	**3**	**4**	**9**	**15**	**26**	**36**	**65**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	6.7	27	1	2	6	8	10	12	28
20-34	184	8.3	39	1	2	7	11	17	22	29
35-49	179	8.4	76	1	2	7	11	17	21	54
50-64	203	10.1	66	1	2	8	14	21	25	42
65+	175	11.7	98	2	2	10	16	22	34	50
2. MULTIPLE DX										
0-19 YRS	73	10.8	160	2	2	7	14	22	27	82
20-34	235	11.5	97	2	2	9	15	25	33	45
35-49	305	12.8	116	2	3	10	16	27	34	53
50-64	758	14.5	150	2	3	12	19	30	39	71
65+	910	15.8	151	3	4	12	20	31	39	65
TOT. SINGLE DX	895	9.1	65	1	2	7	12	19	23	40
" MULTIPLE DX	2281	14.3	143	2	3	11	18	30	38	61
TOTAL 0-19 YRS	227	8.0	73	1	2	6	9	14	21	42
20-34	419	10.1	74	2	2	8	13	20	28	41
35-49	484	11.2	106	1	2	9	14	23	32	54
50-64	961	13.6	136	2	3	11	18	28	36	61
65+	1085	15.1	145	3	4	12	19	30	38	61
GRAND TOTAL	**3176**	**12.9**	**127**	**2**	**3**	**10**	**17**	**26**	**35**	**57**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	177	10.5	33	7	7	9	12	15	20	43
20-34	70	10.9	13	7	8	10	12	15	17	28
35-49	112	11.9	12	8	8	11	13	17	19	23
50-64	163	14.7	29	9	10	13	17	20	25	36
65+	93	16.8	71	9	9	15	19	24	38	52
2. MULTIPLE DX										
0-19 YRS	226	14.2	87	7	8	11	16	25	34	57
20-34	135	18.5	160	8	9	13	22	38	46	62
35-49	256	17.6	122	9	9	14	19	34	43	57
50-64	679	19.7	120	10	11	17	23	33	44	62
65+	653	22.7	156	11	12	19	27	37	49	77
TOT. SINGLE DX	615	12.9	37	7	8	12	15	19	23	41
" MULTIPLE DX	1949	19.7	139	9	10	16	24	35	44	70
TOTAL 0-19 YRS	403	12.6	67	7	7	10	14	21	29	53
20-34	205	15.9	123	8	8	11	17	32	43	60
35-49	368	15.9	96	8	9	12	17	26	37	54
50-64	842	18.8	107	9	10	16	21	32	40	60
65+	746	21.9	150	10	12	18	26	37	47	75
GRAND TOTAL	**2564**	**18.1**	**123**	**8**	**9**	**15**	**21**	**32**	**42**	**65**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	14	11.5	16	7	8	10	13	18	20	21
35-49	430	11.9	14	8	8	11	14	16	19	26
50-64	1279	12.8	21	8	9	12	14	18	22	28
65+	449	14.8	37	9	9	13	17	22	27	35
2. MULTIPLE DX										
0-19 YRS	2	16.5	85	10	10	16	23	23	23	23
20-34	50	13.0	29	7	8	11	15	19	21	36
35-49	1445	14.1	45	8	9	12	16	21	26	39
50-64	5521	15.4	61	9	9	13	17	24	30	47
65+	2768	18.7	106	9	10	16	22	31	39	61
TOT. SINGLE DX	2173	13.0	24	8	9	12	15	19	22	31
" MULTIPLE DX	9786	16.1	75	9	9	13	18	26	32	52
TOTAL 0-19 YRS	3	13.7	66	8	8	10	20	23	23	23
20-34	64	12.7	27	7	8	11	15	18	21	35
35-49	1875	13.6	39	8	9	12	15	20	25	36
50-64	6800	14.9	55	9	9	13	17	23	28	45
65+	3217	18.1	99	9	10	15	21	30	38	60
GRAND TOTAL	**11959**	**15.5**	**67**	**9**	**9**	**13**	**18**	**25**	**31**	**49**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	583	2.0	4	1	1	2	2	2	3	12
20-34	418	3.7	12	1	2	2	4	8	11	16
35-49	2456	3.7	12	1	2	2	4	8	11	17
50-64	4758	3.7	13	1	2	2	4	8	11	18
65+	1335	4.2	19	2	2	2	4	9	13	21
2. MULTIPLE DX										
0-19 YRS	643	3.0	13	1	1	2	2	6	10	20
20-34	643	5.6	35	2	2	3	7	12	17	30
35-49	5715	5.3	31	2	2	3	7	12	15	25
50-64	14129	5.6	32	2	2	3	8	13	16	26
65+	6273	7.3	50	2	2	5	10	16	21	33
TOT. SINGLE DX	9550	3.6	14	1	2	2	4	8	11	18
" MULTIPLE DX	27403	5.9	37	2	2	3	8	13	17	28
TOTAL 0-19 YRS	1226	2.5	9	1	1	2	2	4	7	18
20-34	1061	4.8	28	1	2	3	6	11	14	29
35-49	8171	4.8	26	2	2	2	6	11	14	23
50-64	18887	5.1	29	2	2	3	7	12	16	24
65+	7608	6.7	47	2	2	4	9	15	20	32
GRAND TOTAL	**36953**	**5.3**	**32**	**2**	**2**	**3**	**7**	**12**	**16**	**26**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	5.9	30	1	2	4	6	13	21	22
20-34	25	6.6	20	1	3	5	9	14	16	18
35-49	69	9.1	34	2	2	8	14	17	20	25
50-64	299	8.8	39	2	2	7	12	16	20	30
65+	1076	8.1	36	2	3	7	10	15	19	27
2. MULTIPLE DX										
0-19 YRS	27	8.7	40	2	3	6	13	19	23	24
20-34	55	9.6	72	3	3	7	12	18	25	44
35-49	261	12.0	59	3	4	11	15	21	27	41
50-64	1656	13.5	86	3	4	12	17	24	30	47
65+	7997	13.8	95	3	4	12	18	26	33	49
TOT. SINGLE DX	1491	8.2	37	2	2	7	11	16	20	27
" MULTIPLE DX	9996	13.7	93	3	4	12	18	25	32	49
TOTAL 0-19 YRS	49	7.4	37	1	2	5	8	18	22	24
20-34	80	8.7	58	2	3	7	11	16	19	44
35-49	330	11.4	55	2	3	10	15	20	25	40
50-64	1955	12.8	83	3	4	11	17	24	29	46
65+	9073	13.1	91	3	4	11	17	25	31	48
GRAND TOTAL	**11487**	**12.9**	**89**	**3**	**4**	**11**	**17**	**24**	**31**	**48**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	10.0	20	5	6	9	11	16	20	24
20-34	25	8.8	19	2	3	9	11	13	17	22
35-49	111	6.1	24	2	2	4	8	12	16	25
50-64	206	6.3	30	2	2	4	7	12	16	31
65+	86	7.2	42	2	2	4	9	17	19	33
2. MULTIPLE DX										
0-19 YRS	35	12.5	102	2	4	10	16	23	31	55
20-34	87	11.5	103	2	3	9	13	20	30	91
35-49	284	10.5	100	2	3	8	13	21	29	51
50-64	713	11.2	110	2	3	8	15	24	31	57
65+	341	13.9	166	2	3	10	19	28	41	66
TOT. SINGLE DX	450	6.7	31	2	2	5	9	14	18	27
" MULTIPLE DX	1460	11.7	122	2	3	9	16	24	33	58
TOTAL 0-19 YRS	57	11.5	71	3	4	9	14	22	24	53
20-34	112	10.9	86	2	3	9	13	19	28	85
35-49	395	9.2	83	2	2	6	12	20	26	48
50-64	919	10.1	97	2	3	6	14	22	29	54
65+	427	12.5	149	2	3	9	17	25	38	64
GRAND TOTAL	**1910**	**10.6**	**105**	**2**	**3**	**7**	**14**	**22**	**30**	**54**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	308	3.6	14	<1	1	2	5	8	12	18
20-34	247	4.6	28	<1	<1	2	6	13	15	24
35-49	328	3.9	22	<1	1	2	4	9	13	24
50-64	424	4.7	39	<1	1	2	5	11	16	34
65+	406	6.1	64	1	1	3	8	14	21	48
2. MULTIPLE DX										
0-19 YRS	982	5.9	58	1	2	4	6	12	17	46
20-34	342	8.9	83	1	1	6	12	20	26	43
35-49	584	10.0	115	1	2	7	12	21	31	57
50-64	1462	10.4	106	1	2	8	14	22	29	57
65+	2980	14.0	135	2	3	11	18	28	36	59
TOT. SINGLE DX	1713	4.6	37	<1	1	2	5	12	16	29
" MULTIPLE DX	6350	11.3	120	2	2	8	15	25	33	57
TOTAL 0-19 YRS	1290	5.4	49	1	1	3	5	11	16	42
20-34	589	7.1	65	<1	1	4	9	16	22	37
35-49	912	7.8	90	1	1	5	10	17	25	53
50-64	1886	9.1	97	1	1	6	12	20	28	51
65+	3386	13.0	133	2	2	10	18	27	35	57
GRAND TOTAL	**8063**	**9.9**	**110**	**1**	**2**	**7**	**13**	**22**	**30**	**53**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	3.5	3	1	1	3	4	6	7	8
20-34	935	4.2	4	2	2	4	5	7	8	13
35-49	1238	4.4	7	2	2	4	5	7	8	16
50-64	978	5.0	10	2	2	4	6	8	10	17
65+	257	6.6	26	2	3	5	8	12	16	29
2. MULTIPLE DX										
0-19 YRS	7	7.3	32	4	4	5	6	17	20	20
20-34	231	5.7	17	2	3	4	7	10	14	25
35-49	488	6.9	38	2	3	5	8	13	19	29
50-64	724	8.2	46	3	3	6	10	16	21	35
65+	315	11.2	93	3	4	8	14	24	33	45
TOT. SINGLE DX	3450	4.7	9	2	2	4	5	7	9	18
" MULTIPLE DX	1765	8.1	52	3	3	6	9	16	22	37
TOTAL 0-19 YRS	49	4.1	9	1	1	3	5	7	7	20
20-34	1166	4.5	8	2	2	4	5	7	8	17
35-49	1726	5.2	18	2	2	4	6	8	12	24
50-64	1702	6.4	28	2	3	5	7	12	16	29
65+	572	9.1	68	3	3	6	11	19	28	41
GRAND TOTAL	**5215**	**5.8**	**26**	**2**	**2**	**4**	**6**	**10**	**14**	**29**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	8.1	29	1	2	8	10	13	22	25
20-34	38	7.8	24	2	3	7	10	14	19	23
35-49	173	10.8	34	3	5	10	12	18	24	43
50-64	697	12.2	35	5	6	11	14	19	24	33
65+	570	14.0	58	6	7	12	17	22	29	46
2. MULTIPLE DX										
0-19 YRS	67	17.3	284	5	5	11	22	41	66	97
20-34	166	13.6	174	2	3	11	17	27	41	95
35-49	600	15.3	129	4	6	12	19	30	39	87
50-64	2222	17.1	143	5	7	14	21	31	43	74
65+	2637	21.4	203	7	9	17	26	40	52	81
TOT. SINGLE DX	1508	12.5	46	4	6	11	15	20	25	39
" MULTIPLE DX	5692	18.8	179	5	7	15	23	36	46	81
TOTAL 0-19 YRS	97	14.5	223	2	4	10	19	35	53	93
20-34	204	12.5	151	2	3	10	15	25	36	94
35-49	773	14.3	112	3	5	12	17	28	37	78
50-64	2919	15.9	122	5	7	13	19	28	39	65
65+	3207	20.0	186	7	8	16	24	37	49	77
GRAND TOTAL	**7200**	**17.5**	**157**	**5**	**7**	**14**	**21**	**33**	**43**	**74**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	19.0		19	19	19	19	19	19	19
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	1	18.0		18	18	18	18	18	18	18
50-64	3	21.7	90	12	12	22	29	31	31	31
65+	3	19.3	256	3	3	20	31	35	35	35
TOT. SINGLE DX	2	17.0	8	15	15	17	19	19	19	19
" MULTIPLE DX	7	20.1	118	3	5	20	29	34	35	35
TOTAL 0-19 YRS										
20-34										
35-49	2	18.5	1	18	18	18	19	19	19	19
50-64	3	21.7	90	12	12	22	29	31	31	31
65+	4	18.3	176	3	3	17	27	35	35	35
GRAND TOTAL	**9**	**19.4**	**91**	**3**	**7**	**19**	**24**	**33**	**35**	**35**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	5.0	21	<1	1	3	5	11	15	19
20-34	27	4.4	25	<1	<1	3	6	8	12	26
35-49	27	5.4	15	<1	<1	4	8	12	13	13
50-64	45	6.3	21	1	2	5	8	12	17	20
65+	24	7.2	26	<1	1	7	10	14	18	19
2. MULTIPLE DX										
0-19 YRS	66	5.5	65	<1	<1	3	5	14	17	46
20-34	492	6.1	45	<1	<1	4	8	13	18	37
35-49	627	6.6	54	<1	<1	4	8	15	19	37
50-64	1097	7.7	78	<1	<1	5	9	16	22	44
65+	992	9.0	93	1	2	6	11	18	26	54
TOT. SINGLE DX	145	5.7	22	<1	1	4	8	12	16	20
" MULTIPLE DX	3274	7.6	75	<1	<1	5	9	16	22	45
TOTAL 0-19 YRS	88	5.4	54	<1	<1	3	5	12	16	45
20-34	519	6.1	45	<1	<1	4	8	13	18	36
35-49	654	6.5	53	<1	<1	4	8	14	19	36
50-64	1142	7.6	77	<1	<1	5	9	16	22	44
65+	1016	8.9	92	1	2	6	11	18	26	53
GRAND TOTAL	**3419**	**7.5**	**72**	**<1**	**<1**	**5**	**9**	**16**	**22**	**44**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	8.7	124	1	1	6	10	15	22	68
20-34	287	8.1	96	1	1	5	10	17	26	46
35-49	427	9.7	86	1	2	8	12	19	25	52
50-64	1631	9.5	52	2	3	8	12	17	21	38
65+	2231	10.2	49	3	4	9	13	18	22	36
2. MULTIPLE DX										
0-19 YRS	2054	21.2	440	2	4	13	30	59	78	99+
20-34	929	10.0	115	1	1	7	14	23	32	70
35-49	1368	12.5	136	2	2	9	16	27	37	76
50-64	5678	14.1	146	3	4	11	17	28	38	75
65+	9025	16.5	162	4	5	13	21	31	42	73
TOT. SINGLE DX	4867	9.7	61	2	3	8	12	18	22	40
" MULTIPLE DX	19054	15.7	190	3	4	12	20	32	46	85
TOTAL 0-19 YRS	2345	19.6	418	2	4	12	27	55	75	99+
20-34	1216	9.6	112	1	1	6	13	22	31	67
35-49	1795	11.9	126	2	2	9	15	25	34	73
50-64	7309	13.0	129	2	4	10	16	25	35	71
65+	11256	15.2	146	4	5	12	19	29	39	69
GRAND TOTAL	**23921**	**14.5**	**170**	**2**	**4**	**11**	**18**	**29**	**41**	**79**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	584	3.5	17	<1	1	2	4	8	10	18
20-34	578	4.7	21	1	1	3	6	10	15	23
35-49	452	5.0	22	1	1	3	7	11	14	23
50-64	520	6.8	38	1	2	5	9	14	19	32
65+	429	8.7	59	2	2	7	11	19	24	35
2. MULTIPLE DX										
0-19 YRS	221	6.0	41	1	2	4	8	12	16	32
20-34	472	8.6	75	1	2	6	10	18	26	44
35-49	569	9.7	80	2	2	7	13	21	27	42
50-64	1197	11.5	96	2	3	9	15	24	30	57
65+	1433	13.3	115	2	3	11	17	27	35	54
TOT. SINGLE DX	2563	5.6	34	1	1	3	7	12	17	28
" MULTIPLE DX	3892	11.2	100	2	2	9	15	24	31	50
TOTAL 0-19 YRS	805	4.2	25	<1	1	2	5	9	12	20
20-34	1050	6.4	49	1	2	4	8	14	20	35
35-49	1021	7.6	60	1	2	5	10	17	24	38
50-64	1717	10.1	83	2	2	8	13	21	27	48
65+	1862	12.2	106	2	3	10	16	25	32	49
GRAND TOTAL	**6455**	**9.0**	**81**	**1**	**2**	**6**	**12**	**20**	**27**	**44**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	3.6	6	1	1	3	5	8	9	9
20-34	41	6.1	17	1	2	5	8	13	15	15
35-49	29	12.2	118	2	3	9	14	22	36	55
50-64	92	9.8	47	3	4	8	12	19	27	73
65+	104	11.2	58	3	4	9	13	22	24	43
2. MULTIPLE DX										
0-19 YRS	15	7.0	17	2	2	6	11	13	13	13
20-34	55	9.9	144	2	3	8	10	14	18	85
35-49	88	12.6	160	3	4	9	14	24	40	74
50-64	266	12.6	104	3	4	10	15	25	35	66
65+	265	14.0	147	4	5	10	17	29	39	64
TOT. SINGLE DX	278	9.7	57	2	3	8	12	20	24	48
" MULTIPLE DX	689	12.8	131	3	4	10	15	25	36	69
TOTAL 0-19 YRS	27	5.5	15	1	2	4	8	12	13	13
20-34	96	8.3	93	2	2	7	10	14	15	65
35-49	117	12.5	149	3	4	9	14	23	40	66
50-64	358	11.9	92	3	4	9	14	24	34	68
65+	369	13.2	124	3	5	10	16	25	35	57
GRAND TOTAL	**967**	**11.9**	**112**	**3**	**4**	**9**	**14**	**23**	**35**	**58**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	2	12.0	162	3	3	12	21	21	21	21
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	13.0		13	13	13	13	13	13	13
TOT. SINGLE DX										
" MULTIPLE DX	6	9.2	47	3	3	7	13	20	21	21
TOTAL 0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	2	12.0	162	3	3	12	21	21	21	21
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**6**	**9.2**	**47**	**3**	**3**	**7**	**13**	**20**	**21**	**21**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	2	22.5	685	4	4	22	41	41	41	41
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	2	26.0	338	13	13	26	39	39	39	39
50-64										
65+										
TOT. SINGLE DX	3	17.7	412	4	4	8	33	41	41	41
" MULTIPLE DX	2	26.0	338	13	13	26	39	39	39	39
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	4	24.3	345	4	4	26	40	41	41	41
50-64										
65+										
GRAND TOTAL	5	21.0	312	4	4	13	39	41	41	41

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	438	7.2	33	1	2	6	9	14	18	31
20-34	460	9.0	63	2	3	7	11	17	27	39
35-49	384	8.8	66	2	2	7	10	17	24	47
50-64	601	8.9	69	2	2	7	11	17	24	47
65+	744	10.8	97	2	3	8	13	24	31	50
2. MULTIPLE DX										
0-19 YRS	549	10.1	96	2	3	7	11	21	30	54
20-34	1041	12.5	136	3	4	9	14	25	39	67
35-49	1170	13.0	144	3	4	9	15	26	36	70
50-64	2709	14.2	148	3	4	11	17	28	37	65
65+	6187	14.2	123	3	4	11	18	28	36	55
TOT. SINGLE DX	2627	9.2	71	2	2	7	11	18	26	45
" MULTIPLE DX	11656	13.7	132	3	4	10	17	27	36	60
TOTAL 0-19 YRS	987	8.8	71	2	2	7	10	18	25	46
20-34	1501	11.5	117	3	4	8	13	23	33	59
35-49	1554	12.0	129	3	3	9	14	23	34	63
50-64	3310	13.2	138	3	3	10	16	27	36	62
65+	6931	13.9	122	3	4	11	17	27	35	55
GRAND TOTAL	14283	12.9	124	3	4	10	16	26	35	58

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	13.5	143	2	3	9	20	35	44	97
20-34	80	11.4	92	1	2	9	15	26	31	42
35-49	79	11.8	170	1	2	8	15	30	36	70
50-64	82	11.2	117	1	2	8	16	25	44	99+
65+	48	13.8	84	3	4	12	17	27	33	39
2. MULTIPLE DX										
0-19 YRS	191	18.4	410	2	3	9	25	51	71	99+
20-34	247	19.4	329	2	3	13	27	44	60	99
35-49	302	15.8	224	2	3	11	20	37	52	80
50-64	587	16.9	238	2	3	12	23	40	50	89
65+	672	22.0	290	3	5	18	31	46	58	85
TOT. SINGLE DX	343	12.1	123	1	2	9	16	28	37	76
" MULTIPLE DX	1999	18.9	287	2	4	14	27	43	58	91
TOTAL 0-19 YRS	245	17.3	355	2	3	9	25	49	69	99+
20-34	327	17.4	283	2	3	12	23	40	55	93
35-49	381	15.0	215	2	3	10	19	35	51	75
50-64	669	16.2	227	2	3	11	22	39	49	98
65+	720	21.4	281	3	5	17	29	44	56	84
GRAND TOTAL	2342	17.9	268	2	3	13	25	41	54	91

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	5.0	37	<1	1	2	7	14	19	30
20-34	125	4.9	12	1	1	4	7	9	12	15
35-49	145	7.5	49	1	1	5	10	15	22	32
50-64	260	7.8	73	1	1	5	9	17	23	35
65+	332	7.9	51	1	2	6	11	17	21	32
2. MULTIPLE DX										
0-19 YRS	78	8.5	100	1	2	6	10	18	29	59
20-34	275	8.8	86	1	2	7	11	16	21	54
35-49	561	9.7	97	2	3	7	11	19	26	55
50-64	1271	10.7	117	2	2	8	13	22	31	64
65+	2029	12.2	117	2	3	9	16	25	35	59
TOT. SINGLE DX	945	7.2	52	1	1	5	9	16	21	31
" MULTIPLE DX	4214	11.1	114	2	3	8	14	23	32	60
TOTAL 0-19 YRS	161	6.7	71	1	1	4	8	16	23	37
20-34	400	7.5	66	1	1	6	9	15	18	41
35-49	706	9.3	88	1	2	7	11	19	26	44
50-64	1531	10.2	111	1	2	7	12	21	29	63
65+	2361	11.6	111	2	3	9	15	24	33	57
GRAND TOTAL	5159	10.4	105	1	2	8	13	22	30	57

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	587	4.2	4	2	2	4	5	6	8	12
20-34	7	7.1	10	3	3	8	10	11	11	11
35-49	9	12.2	21	4	6	12	16	19	19	19
50-64	8	14.0	29	9	9	12	16	23	25	25
65+	7	23.7	704	2	4	10	27	70	80	80
2. MULTIPLE DX										
0-19 YRS	153	6.5	23	3	3	5	8	10	13	35
20-34	14	15.7	94	5	5	16	21	36	84	99+
35-49	13	13.8	50	4	7	12	20	24	27	28
50-64	32	23.6	317	7	9	17	31	49	67	76
65+	49	24.5	243	7	10	20	32	40	63	75
TOT. SINGLE DX	618	4.7	18	2	2	4	5	7	10	18
" MULTIPLE DX	261	12.8	168	3	3	8	15	31	38	75
TOTAL 0-19 YRS	740	4.7	9	2	2	4	6	7	10	14
20-34	21	12.9	82	3	4	10	19	34	62	99+
35-49	22	13.2	38	4	7	12	18	22	25	28
50-64	40	21.7	272	8	9	15	27	43	63	76
65+	56	24.4	290	6	9	19	32	42	71	80
GRAND TOTAL	879	7.1	76	2	2	4	7	14	22	45

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	13.3	253	4	4	8	10	41	49	49
20-34	6	9.5	32	2	2	9	13	17	18	18
35-49	8	11.6	61	2	3	8	19	22	23	23
50-64	25	18.9	240	3	5	11	27	42	49	66
65+	47	20.4	333	3	5	15	24	41	54	99
2. MULTIPLE DX										
0-19 YRS	47	19.0	322	4	5	12	27	50	95	99+
20-34	39	16.6	150	4	5	13	25	49	99+	99+
35-49	63	30.9	477	4	6	28	45	73	97	99+
50-64	192	26.5	344	7	9	23	37	65	86	99+
65+	763	27.1	313	6	9	23	36	51	66	96
TOT. SINGLE DX	93	18.0	265	3	5	13	23	40	49	85
" MULTIPLE DX	1104	26.5	329	6	8	23	37	53	71	99+
TOTAL 0-19 YRS	54	18.3	313	4	5	11	27	49	83	99+
20-34	45	15.7	140	3	5	12	23	46	99+	99+
35-49	71	28.7	467	3	6	25	43	71	93	99+
50-64	217	25.6	337	6	8	22	36	64	78	99+
65+	810	26.7	317	6	8	23	36	51	65	97
GRAND TOTAL	1197	25.8	329	5	7	22	36	53	70	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	7.9	138	1	2	5	8	11	13	71
20-34	207	6.4	12	2	3	6	8	11	12	19
35-49	327	7.4	24	2	3	6	9	14	17	28
50-64	404	7.1	29	2	3	6	9	12	16	31
65+	400	8.9	48	2	3	7	11	17	21	39
2. MULTIPLE DX										
0-19 YRS	80	9.2	106	2	3	7	10	14	19	68
20-34	713	8.9	51	2	3	7	11	16	22	40
35-49	1417	9.6	52	3	3	8	11	18	22	39
50-64	2588	10.8	63	3	4	9	13	19	25	45
65+	4264	12.6	82	4	5	10	15	23	30	48
TOT. SINGLE DX	1371	7.6	34	2	3	6	9	14	17	31
" MULTIPLE DX	9062	11.3	72	3	4	9	14	21	27	45
TOTAL 0-19 YRS	113	8.8	115	2	3	7	9	13	18	74
20-34	920	8.3	44	2	3	7	10	14	20	37
35-49	1744	9.2	48	3	3	7	11	17	22	38
50-64	2992	10.3	60	3	4	8	13	18	24	43
65+	4664	12.3	80	3	4	10	15	23	30	48
GRAND TOTAL	10433	10.8	68	3	4	9	13	20	26	44

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	11.2	64	4	4	9	14	25	25	25
20-34	87	13.1	53	4	7	11	16	22	30	40
35-49	144	13.1	29	7	8	11	16	20	24	30
50-64	182	15.1	82	8	9	13	18	23	27	52
65+	175	17.4	48	9	10	16	21	27	34	40
2. MULTIPLE DX										
0-19 YRS	5	16.0	32	10	10	17	19	24	24	24
20-34	98	18.2	215	6	8	13	20	36	56	73
35-49	333	17.5	137	8	9	14	20	30	41	74
50-64	574	21.1	190	9	10	17	25	38	52	86
65+	798	24.4	189	10	12	21	29	43	55	82
TOT. SINGLE DX	593	15.0	58	7	8	13	18	23	28	39
" MULTIPLE DX	1808	21.7	188	9	10	18	26	40	51	82
TOTAL 0-19 YRS	10	13.6	50	4	6	11	18	24	25	25
20-34	185	15.8	145	6	8	12	18	27	41	71
35-49	477	16.2	109	8	8	13	19	26	35	69
50-64	756	19.7	171	8	9	16	23	34	47	85
65+	973	23.1	172	10	11	19	27	41	51	81
GRAND TOTAL	**2401**	**20.1**	**165**	**8**	**9**	**17**	**24**	**35**	**47**	**78**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	7	17.6	71	8	9	14	22	31	33	33
50-64	32	24.0	106	10	12	24	29	37	46	49
65+	26	22.3	141	10	11	18	28	31	50	61
2. MULTIPLE DX										
0-19 YRS										
20-34	4	16.3	12	12	12	16	19	20	20	20
35-49	32	25.5	229	9	11	20	33	52	57	60
50-64	92	25.3	189	12	13	22	32	49	59	99+
65+	111	29.2	273	11	14	24	33	55	68	83
TOT. SINGLE DX	66	22.4	119	8	11	20	28	34	46	59
" MULTIPLE DX	239	27.0	234	11	13	23	32	52	60	87
TOTAL 0-19 YRS										
20-34	5	14.6	23	8	8	15	18	20	20	20
35-49	39	24.1	208	8	11	19	32	47	57	60
50-64	124	25.0	167	11	12	22	30	45	53	99+
65+	137	27.9	255	11	13	24	31	53	64	82
GRAND TOTAL	**305**	**26.0**	**212**	**10**	**12**	**23**	**31**	**49**	**59**	**85**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	10.0	15	6	6	9	13	15	15	15
20-34	76	11.5	23	7	7	10	14	19	21	28
35-49	131	11.5	29	6	6	10	14	19	22	33
50-64	102	12.2	27	7	8	11	14	19	22	35
65+	72	15.9	50	8	8	15	19	27	28	40
2. MULTIPLE DX										
0-19 YRS	5	26.6	432	9	9	21	39	60	60	60
20-34	100	14.8	160	7	8	10	16	24	37	81
35-49	184	14.8	100	7	7	12	18	23	30	54
50-64	261	17.4	102	8	8	15	21	29	39	55
65+	274	23.0	228	9	10	18	28	41	55	84
TOT. SINGLE DX	385	12.5	34	6	7	11	15	20	23	34
" MULTIPLE DX	824	18.4	164	7	8	15	21	33	43	78
TOTAL 0-19 YRS	9	19.2	298	6	7	11	24	49	60	60
20-34	176	13.4	103	7	7	10	15	20	26	75
35-49	315	13.5	74	6	7	11	16	22	26	47
50-64	363	16.0	87	7	8	13	19	26	36	52
65+	346	21.5	200	9	10	17	26	38	49	81
GRAND TOTAL	**1209**	**16.6**	**130**	**7**	**8**	**13**	**19**	**28**	**38**	**68**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	8.1	44	3	3	7	9	11	13	44
20-34	584	8.5	14	5	6	8	9	12	14	21
35-49	473	9.6	24	5	6	9	11	14	17	32
50-64	199	10.9	28	6	7	9	12	16	22	33
65+	171	15.8	71	6	8	13	20	26	33	47
2. MULTIPLE DX										
0-19 YRS	124	15.5	177	5	6	11	19	34	48	99+
20-34	952	11.3	70	5	6	9	12	18	26	52
35-49	1277	11.8	64	6	6	9	12	20	28	53
50-64	801	16.1	142	6	7	12	19	29	42	72
65+	851	22.0	208	8	9	18	28	40	53	87
TOT. SINGLE DX	1503	10.0	32	5	6	8	11	16	21	34
" MULTIPLE DX	4005	14.8	133	6	7	11	17	28	39	72
TOTAL 0-19 YRS	200	12.7	140	3	5	9	14	29	46	92
20-34	1536	10.3	51	5	6	8	11	15	22	45
35-49	1750	11.2	54	5	6	9	12	18	25	46
50-64	1000	15.1	124	6	7	11	18	27	39	69
65+	1022	21.0	191	8	9	17	26	39	51	86
GRAND TOTAL	**5508**	**13.5**	**110**	**5**	**6**	**10**	**15**	**26**	**35**	**64**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	264	5.8	27	1	2	5	7	11	14	27
20-34	550	6.3	23	1	2	5	8	12	15	26
35-49	496	5.9	27	1	1	5	8	11	15	25
50-64	852	5.3	25	1	1	3	8	12	14	22
65+	789	6.0	41	1	1	3	9	13	17	32
2. MULTIPLE DX										
0-19 YRS	241	8.5	71	2	3	6	9	16	23	46
20-34	866	9.0	63	2	3	7	11	16	23	42
35-49	1332	9.5	60	2	3	8	11	18	23	39
50-64	2738	9.4	63	1	2	8	12	18	24	41
65+	4445	11.7	93	2	2	10	15	23	30	48
TOT. SINGLE DX	2951	5.8	30	1	1	4	8	12	15	26
" MULTIPLE DX	9622	10.4	78	2	2	8	13	20	27	45
TOTAL 0-19 YRS	505	7.1	50	2	2	5	8	13	18	39
20-34	1416	8.0	50	1	2	6	10	15	20	37
35-49	1828	8.5	54	1	2	7	10	16	21	37
50-64	3590	8.4	57	1	2	7	11	16	22	38
65+	5234	10.9	90	1	2	9	14	22	29	46
GRAND TOTAL	**12573**	**9.3**	**71**	**1**	**2**	**7**	**12**	**19**	**25**	**42**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	9.9	34	5	6	9	11	16	34	99+
20-34	68	11.9	63	5	6	10	13	17	24	51
35-49	61	14.8	92	6	7	12	16	25	34	59
50-64	80	16.2	67	7	8	14	20	26	28	46
65+	85	16.7	60	8	8	15	20	26	33	43
2. MULTIPLE DX										
0-19 YRS	78	16.0	268	5	7	11	17	39	78	99+
20-34	247	16.0	149	6	7	12	17	29	47	68
35-49	230	18.9	180	7	8	15	23	36	50	77
50-64	439	22.5	232	8	9	17	28	46	62	99+
65+	760	23.0	218	8	10	19	28	43	58	99
TOT. SINGLE DX	327	14.5	71	6	7	12	17	25	32	48
" MULTIPLE DX	1754	21.0	216	7	9	17	26	40	56	99+
TOTAL 0-19 YRS	111	14.2	206	5	6	10	15	28	69	99+
20-34	315	15.1	133	6	7	12	16	28	45	67
35-49	291	18.0	164	7	8	14	22	34	48	72
50-64	519	21.5	212	8	9	17	27	42	59	99+
65+	845	22.4	206	8	10	18	28	40	56	98
GRAND TOTAL	**2081**	**20.0**	**199**	**7**	**8**	**16**	**24**	**38**	**54**	**99**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	14.1	111	6	7	11	14	26	40	54
20-34	185	13.2	37	6	8	12	16	20	24	36
35-49	323	12.8	38	7	8	11	14	20	27	36
50-64	802	13.7	34	8	9	12	16	20	24	35
65+	1219	15.7	42	9	10	14	18	23	28	39
2. MULTIPLE DX										
0-19 YRS	99	19.4	248	6	7	13	25	42	52	79
20-34	365	18.1	176	7	8	14	21	33	48	81
35-49	737	16.9	116	8	9	14	19	29	38	75
50-64	2575	17.9	104	9	10	15	21	28	36	63
65+	5788	21.5	132	10	11	18	26	36	44	68
TOT. SINGLE DX	2577	14.5	42	8	9	13	17	22	27	38
" MULTIPLE DX	9564	20.0	130	9	10	17	24	34	43	68
TOTAL 0-19 YRS	147	17.7	209	6	7	12	21	39	51	68
20-34	550	16.5	135	7	8	13	19	28	38	74
35-49	1060	15.6	96	7	8	13	18	26	35	62
50-64	3377	16.9	91	8	9	14	19	27	34	59
65+	7007	20.5	121	10	11	18	24	34	42	65
GRAND TOTAL	**12141**	**18.9**	**116**	**9**	**10**	**16**	**22**	**32**	**40**	**63**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	9.0	60	2	2	6	12	22	24	24
20-34	18	9.2	30	3	4	8	11	15	23	27
35-49	14	13.9	69	6	7	12	15	20	36	40
50-64	31	11.6	25	5	6	11	16	18	21	23
65+	40	15.8	114	7	8	12	21	27	30	67
2. MULTIPLE DX										
0-19 YRS	24	18.9	455	2	3	10	23	65	68	69
20-34	53	16.8	226	5	6	12	18	36	45	82
35-49	70	19.0	181	8	8	15	25	31	45	81
50-64	150	19.0	134	7	8	16	24	31	38	61
65+	300	23.5	213	8	10	19	29	43	56	76
TOT. SINGLE DX	112	12.8	72	4	6	11	16	23	27	50
" MULTIPLE DX	597	21.1	205	7	8	17	26	39	51	76
TOTAL 0-19 YRS	33	16.2	362	2	3	8	19	45	68	69
20-34	71	14.8	186	4	6	10	17	29	42	79
35-49	84	18.1	166	7	8	14	21	31	41	79
50-64	181	17.8	123	6	7	15	23	30	36	59
65+	340	22.6	208	8	9	18	27	41	56	76
GRAND TOTAL	**709**	**19.8**	**193**	**6**	**8**	**16**	**25**	**37**	**46**	**72**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	7.2	28	3	3	6	9	11	13	30
20-34	185	9.4	28	3	5	9	10	13	18	35
35-49	154	10.8	39	4	6	10	12	16	22	41
50-64	257	10.8	44	5	6	10	12	15	23	38
65+	297	11.4	43	4	5	10	14	18	21	40
2. MULTIPLE DX										
0-19 YRS	183	11.9	109	4	4	9	14	23	39	65
20-34	401	13.3	101	5	6	10	15	23	35	60
35-49	449	14.8	138	6	7	11	15	28	43	99+
50-64	740	16.0	121	6	7	12	19	30	38	60
65+	1140	17.2	135	6	7	14	21	33	41	67
TOT. SINGLE DX	1026	10.3	40	4	5	9	12	16	20	38
" MULTIPLE DX	2913	15.7	129	5	7	12	18	31	39	66
TOTAL 0-19 YRS	316	9.9	80	3	4	8	11	16	27	55
20-34	586	12.1	81	4	6	9	13	20	31	56
35-49	603	13.8	116	5	7	11	15	26	37	91
50-64	997	14.7	107	6	7	11	17	27	36	57
65+	1437	16.0	122	5	7	13	19	30	39	60
GRAND TOTAL	**3939**	**14.3**	**111**	**5**	**6**	**11**	**16**	**26**	**37**	**60**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	8.7	27	2	4	7	10	17	21	22
20-34	10	13.2	44	2	4	12	18	22	25	25
35-49	28	14.4	89	5	7	12	18	22	40	45
50-64	48	16.1	58	6	8	15	20	24	31	44
65+	104	19.2	78	8	10	18	24	31	34	52
2. MULTIPLE DX										
0-19 YRS	23	21.3	249	5	6	15	34	51	76	99+
20-34	39	18.0	223	5	7	13	22	41	66	99+
35-49	112	23.3	279	6	9	19	30	53	70	99+
50-64	345	24.1	257	8	10	19	30	47	64	99+
65+	788	25.5	196	10	12	22	32	44	54	89
TOT. SINGLE DX	204	16.8	78	6	8	15	21	28	33	47
" MULTIPLE DX	1307	24.6	223	9	10	21	31	45	56	99+
TOTAL 0-19 YRS	37	16.5	201	4	5	12	22	41	59	99+
20-34	49	17.0	189	4	7	13	20	35	53	99+
35-49	140	21.5	253	6	8	17	27	49	66	99+
50-64	393	23.2	240	7	9	19	29	44	60	96
65+	892	24.8	187	10	11	21	31	43	52	85
GRAND TOTAL	**1511**	**23.6**	**210**	**8**	**10**	**20**	**30**	**44**	**55**	**98**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9084	4.3	5	2	2	4	5	7	9	14
20-34	6157	4.4	5	2	2	4	5	7	9	13
35-49	1715	5.4	8	2	3	5	7	9	11	15
50-64	929	6.8	14	3	3	6	8	11	13	23
65+	385	8.4	17	3	4	8	11	14	16	23
2. MULTIPLE DX										
0-19 YRS	2392	6.6	29	3	3	5	8	11	14	26
20-34	2054	6.7	24	3	3	5	8	12	15	28
35-49	847	8.7	39	3	4	7	11	15	18	36
50-64	793	11.1	65	4	4	9	13	19	27	44
65+	664	13.9	81	5	6	11	17	25	30	53
TOT. SINGLE DX	18230	4.7	7	2	2	4	5	8	10	14
" MULTIPLE DX	6756	8.2	44	3	3	6	10	15	19	34
TOTAL 0-19 YRS	11476	4.8	11	2	2	4	5	8	10	17
20-34	8211	5.0	11	2	3	4	6	8	11	18
35-49	2562	6.5	21	2	3	5	8	11	14	22
50-64	1728	8.8	42	3	4	7	10	15	20	34
65+	1009	12.0	66	4	5	10	14	21	26	44
GRAND TOTAL	**24986**	**5.6**	**19**	**2**	**3**	**4**	**6**	**10**	**13**	**23**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	4.8	5	2	2	4	6	8	9	13
20-34	98	5.1	8	2	3	4	6	8	11	19
35-49	27	6.4	10	3	3	6	8	12	14	14
50-64	13	9.1	57	3	4	7	9	16	30	33
65+	5	10.6	26	4	4	11	15	16	16	16
2. MULTIPLE DX										
0-19 YRS	43	6.1	12	2	3	5	7	9	13	21
20-34	58	8.6	58	3	3	6	9	19	30	36
35-49	30	9.9	64	4	5	7	12	15	20	47
50-64	18	16.1	155	5	5	12	20	34	45	52
65+	16	15.2	52	6	7	15	21	27	28	28
TOT. SINGLE DX	271	5.3	11	2	3	4	6	9	11	16
" MULTIPLE DX	165	9.6	67	3	4	7	11	21	28	45
TOTAL 0-19 YRS	171	5.1	7	2	2	4	6	8	9	15
20-34	156	6.4	30	2	3	5	7	10	14	33
35-49	57	8.2	41	3	4	7	9	14	16	45
50-64	31	13.2	124	4	5	9	16	32	35	52
65+	21	14.1	49	5	6	14	18	25	27	28
GRAND TOTAL	**436**	**7.0**	**36**	**2**	**3**	**5**	**8**	**13**	**18**	**33**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	8.8	37	2	4	8	9	17	25	26
20-34	25	9.0	12	4	5	9	11	14	15	17
35-49	10	10.0	25	5	5	9	11	17	23	23
50-64	8	11.5	10	8	9	11	12	17	19	19
65+	5	9.4	30	6	6	7	11	19	19	19
2. MULTIPLE DX										
0-19 YRS	12	14.2	64	3	6	13	18	25	32	33
20-34	20	11.6	59	3	4	10	14	24	28	30
35-49	10	15.1	83	5	5	14	20	29	32	32
50-64	21	13.9	65	6	7	13	16	25	35	36
65+	13	22.5	163	9	11	17	29	42	51	53
TOT. SINGLE DX	73	9.4	23	4	4	9	11	16	19	26
" MULTIPLE DX	76	14.9	91	4	6	13	18	30	34	49
TOTAL 0-19 YRS	37	10.6	51	3	4	8	14	22	26	33
20-34	45	10.1	34	3	4	9	11	17	23	30
35-49	20	12.6	58	5	5	10	17	24	29	32
50-64	29	13.2	50	7	8	11	15	19	35	36
65+	18	18.8	158	6	6	15	26	37	47	53
GRAND TOTAL	**149**	**12.2**	**65**	**4**	**5**	**10**	**15**	**23**	**30**	**39**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	4.2	23	1	1	3	5	10	12	23
20-34	240	4.8	14	1	1	4	6	9	13	20
35-49	154	5.3	29	1	1	4	7	10	11	34
50-64	259	5.3	43	1	1	3	6	11	15	30
65+	401	5.6	25	1	2	4	7	12	17	26
2. MULTIPLE DX										
0-19 YRS	107	8.6	111	1	2	6	10	18	25	61
20-34	207	7.4	68	1	2	5	8	14	18	37
35-49	267	7.7	41	1	2	6	10	16	20	31
50-64	702	9.6	91	2	3	7	12	19	25	48
65+	1499	11.0	85	2	3	8	14	21	29	47
TOT. SINGLE DX	1220	5.1	27	1	1	4	6	11	14	26
" MULTIPLE DX	2782	10.0	84	2	3	7	13	20	27	46
TOTAL 0-19 YRS	273	5.9	62	1	1	4	7	13	18	42
20-34	447	6.0	41	1	2	5	7	12	15	26
35-49	421	6.8	39	1	2	5	8	13	19	32
50-64	961	8.5	82	1	2	6	11	17	23	45
65+	1900	9.8	77	2	2	7	13	20	27	45
GRAND TOTAL	**4002**	**8.5**	**72**	**1**	**2**	**6**	**11**	**17**	**23**	**43**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	3.1	4	1	1	2	4	6	8	11
20-34	311	3.4	4	1	1	3	4	6	7	11
35-49	246	4.2	10	1	1	3	5	8	11	19
50-64	115	4.3	7	1	2	3	6	8	10	13
65+	33	5.1	10	1	2	4	7	10	12	13
2. MULTIPLE DX										
0-19 YRS	23	6.1	22	1	1	5	8	13	16	20
20-34	152	5.6	26	2	2	4	6	10	14	26
35-49	201	6.4	40	1	2	4	7	13	23	31
50-64	178	7.6	43	2	2	5	10	16	20	34
65+	107	10.2	78	3	3	6	14	22	29	42
TOT. SINGLE DX	759	3.8	7	1	1	3	5	7	9	13
" MULTIPLE DX	661	7.1	46	2	2	5	9	15	22	34
TOTAL 0-19 YRS	77	4.0	12	1	1	3	5	8	11	18
20-34	463	4.1	13	1	1	3	5	7	10	17
35-49	447	5.2	26	1	1	4	6	9	14	29
50-64	293	6.3	32	1	2	4	8	12	17	32
65+	140	9.0	67	2	3	6	11	20	27	40
GRAND TOTAL	**1420**	**5.4**	**28**	**1**	**2**	**4**	**6**	**10**	**15**	**29**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	11.5	19	5	7	11	13	19	20	23
20-34	36	11.5	46	2	3	10	14	21	27	28
35-49	72	14.1	29	3	8	14	17	20	24	29
50-64	254	15.6	45	8	9	14	18	24	28	45
65+	305	17.6	72	9	10	16	20	26	30	49
2. MULTIPLE DX										
0-19 YRS	19	11.6	49	4	5	10	14	19	28	34
20-34	49	16.2	152	4	7	12	19	31	48	64
35-49	137	19.7	108	9	10	16	24	33	39	68
50-64	544	19.8	108	9	11	17	23	34	42	60
65+	1070	23.1	156	10	12	20	27	38	49	74
TOT. SINGLE DX	691	16.0	58	7	9	15	19	24	28	41
" MULTIPLE DX	1819	21.5	141	9	11	18	26	36	46	69
TOTAL 0-19 YRS	43	11.6	32	4	6	11	14	19	21	34
20-34	85	14.2	112	3	4	11	18	27	33	59
35-49	209	17.8	88	8	10	15	22	31	35	60
50-64	798	18.5	92	9	10	16	21	30	38	57
65+	1375	21.8	143	10	11	19	26	36	45	72
GRAND TOTAL	**2510**	**20.0**	**125**	**8**	**10**	**17**	**24**	**33**	**42**	**65**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	349	5.2	36	1	2	4	6	9	12	23
20-34	1205	5.5	13	1	2	5	7	10	12	19
35-49	1157	5.9	22	1	2	5	7	11	14	25
50-64	1154	6.2	25	1	2	5	8	12	14	26
65+	974	7.3	42	1	2	6	9	14	18	30
2. MULTIPLE DX										
0-19 YRS	536	6.4	28	1	2	5	8	12	16	27
20-34	2946	7.4	42	2	2	6	9	14	18	32
35-49	4467	8.4	46	2	3	7	10	15	20	35
50-64	6206	9.1	51	2	3	7	11	17	22	38
65+	8681	10.9	73	3	4	9	13	20	27	46
TOT. SINGLE DX	4839	6.1	26	1	2	5	8	11	14	25
" MULTIPLE DX	22836	9.4	59	2	3	7	11	17	23	41
TOTAL 0-19 YRS	885	5.9	32	1	2	5	7	11	14	25
20-34	4151	6.9	35	2	2	5	8	12	16	29
35-49	5624	7.9	43	2	2	6	10	14	19	34
50-64	7360	8.6	49	2	3	7	11	16	21	36
65+	9655	10.6	72	2	3	8	13	20	27	45
GRAND TOTAL	**27675**	**8.8**	**55**	**2**	**3**	**7**	**11**	**17**	**22**	**39**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	2.6	2	<1	1	2	3	5	6	7
20-34	353	3.6	4	1	2	3	4	6	8	11
35-49	469	3.5	3	1	2	3	4	5	7	11
50-64	252	3.8	4	1	2	4	4	6	7	13
65+	83	4.6	19	2	2	4	5	7	10	31
2. MULTIPLE DX										
0-19 YRS	20	4.8	23	1	1	4	5	9	16	23
20-34	300	4.6	16	2	2	4	5	7	9	22
35-49	432	4.7	10	2	2	4	5	7	10	19
50-64	382	5.5	17	2	3	4	6	10	12	24
65+	168	8.6	75	3	3	6	10	15	24	48
TOT. SINGLE DX	1213	3.6	5	1	2	3	4	6	7	12
" MULTIPLE DX	1302	5.4	24	2	2	4	6	9	13	32
TOTAL 0-19 YRS	76	3.2	9	1	1	3	4	6	7	19
20-34	653	4.1	10	1	2	4	5	7	8	15
35-49	901	4.1	7	1	2	4	5	6	8	14
50-64	634	4.8	13	2	2	4	5	8	11	18
65+	251	7.3	60	2	3	5	8	14	22	47
GRAND TOTAL	**2515**	**4.6**	**16**	**1**	**2**	**4**	**5**	**8**	**10**	**22**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	3.0	3	<1	1	3	4	5	6	11
20-34	445	3.1	2	1	1	3	4	5	6	7
35-49	248	3.5	4	1	1	3	4	6	7	12
50-64	128	3.9	6	1	2	3	5	7	9	16
65+	80	4.5	6	2	2	4	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	54	4.1	6	1	1	4	5	7	10	13
20-34	420	4.7	11	1	2	4	5	8	9	19
35-49	448	5.1	14	2	2	4	6	8	11	22
50-64	367	6.2	61	2	2	4	6	10	15	47
65+	264	8.5	58	2	3	6	10	18	23	52
TOT. SINGLE DX	990	3.4	4	1	1	3	4	6	7	11
" MULTIPLE DX	1553	5.8	34	2	2	4	6	10	15	30
TOTAL 0-19 YRS	143	3.4	5	<1	1	3	4	6	8	11
20-34	865	3.9	7	1	2	3	5	6	8	13
35-49	696	4.5	11	1	2	4	5	8	10	16
50-64	495	5.6	48	1	2	4	6	9	14	29
65+	344	7.6	49	2	3	5	8	16	21	44
GRAND TOTAL	**2543**	**4.9**	**24**	**1**	**2**	**4**	**6**	**8**	**11**	**23**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.7	3	1	2	3	5	6	7	8
20-34	715	4.6	3	2	3	4	6	7	8	10
35-49	855	5.0	4	2	3	5	6	8	9	11
50-64	635	5.2	5	2	3	5	6	8	10	13
65+	190	5.7	5	3	3	5	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	110	5.1	8	2	3	5	6	7	8	19
20-34	2371	5.6	9	3	3	5	6	8	10	16
35-49	3567	6.1	15	3	3	5	7	10	12	20
50-64	2911	6.7	19	3	3	5	8	11	15	23
65+	1353	8.5	32	3	4	7	10	15	20	32
TOT. SINGLE DX	2420	5.0	5	2	3	5	6	8	9	12
" MULTIPLE DX	10312	6.5	18	3	3	5	7	10	14	24
TOTAL 0-19 YRS	135	4.9	8	2	3	5	6	7	8	16
20-34	3086	5.4	8	2	3	5	6	8	10	15
35-49	4422	5.9	14	3	3	5	7	9	12	19
50-64	3546	6.4	17	3	3	5	7	10	14	22
65+	1543	8.2	30	3	4	6	10	15	19	29
GRAND TOTAL	**12732**	**6.2**	**16**	**3**	**3**	**5**	**7**	**10**	**13**	**22**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	3.9	9	1	1	3	5	8	10	16
20-34	431	3.7	6	<1	1	3	5	7	8	13
35-49	345	3.7	8	1	1	3	4	7	9	15
50-64	211	4.1	7	1	1	3	5	7	9	15
65+	137	4.9	13	1	2	4	6	8	13	21
2. MULTIPLE DX										
0-19 YRS	59	6.7	89	2	2	5	7	11	14	68
20-34	321	5.5	44	1	2	4	7	9	13	33
35-49	358	6.2	48	1	2	5	7	12	15	33
50-64	374	7.3	43	2	2	5	9	14	21	36
65+	340	9.9	95	2	3	7	12	23	28	51
TOT. SINGLE DX	1213	3.9	8	1	1	3	5	7	9	15
" MULTIPLE DX	1452	7.2	62	2	2	5	8	14	20	37
TOTAL 0-19 YRS	148	5.0	43	1	1	3	6	9	11	20
20-34	752	4.5	24	1	1	3	5	8	10	19
35-49	703	5.0	31	1	1	4	6	9	13	22
50-64	585	6.1	33	1	2	4	7	12	16	31
65+	477	8.5	77	2	2	6	10	18	26	46
GRAND TOTAL	**2665**	**5.7**	**40**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	19.7	30	14	14	20	24	25	25	25
20-34	10	13.8	78	2	5	9	22	27	28	28
35-49	7	13.1	85	1	2	12	22	24	24	24
50-64	8	17.9	244	2	2	14	27	42	47	47
65+	7	8.4	94	1	1	2	16	24	25	25
2. MULTIPLE DX										
0-19 YRS	5	17.0	361	1	1	11	22	50	50	50
20-34	17	20.5	309	6	7	13	26	56	59	59
35-49	16	15.5	363	2	2	11	16	23	65	83
50-64	34	23.5	338	5	7	18	33	47	57	89
65+	59	25.0	370	3	5	21	33	49	65	90
TOT. SINGLE DX	35	14.0	118	1	2	11	23	26	31	47
" MULTIPLE DX	131	22.6	353	3	5	17	30	48	59	89
TOTAL 0-19 YRS	8	18.0	217	1	4	13	22	42	50	50
20-34	27	18.0	228	5	7	11	24	41	59	59
35-49	23	14.8	273	1	2	11	19	23	45	83
50-64	42	22.4	319	3	6	17	32	47	54	89
65+	66	23.3	365	2	3	19	31	46	58	89
GRAND TOTAL	**166**	**20.8**	**315**	**2**	**4**	**16**	**27**	**43**	**55**	**88**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	7.4	46	1	2	6	9	16	24	29
20-34	302	5.5	26	1	1	4	9	12	14	24
35-49	290	6.4	48	1	1	4	8	14	18	36
50-64	344	7.3	50	1	1	5	10	17	20	30
65+	237	8.4	60	1	1	6	12	19	25	33
2. MULTIPLE DX										
0-19 YRS	110	13.6	145	2	2	10	18	36	42	99+
20-34	513	11.3	120	1	2	9	13	23	32	67
35-49	763	10.6	80	1	2	8	14	21	26	44
50-64	1534	13.3	131	2	2	11	18	26	33	59
65+	1498	15.5	121	2	4	13	20	29	36	57
TOT. SINGLE DX	1233	6.9	47	1	1	4	10	15	20	33
" MULTIPLE DX	4418	13.3	121	2	2	11	18	27	34	58
TOTAL 0-19 YRS	170	11.4	119	2	2	8	15	29	38	91
20-34	815	9.2	93	1	1	7	11	19	26	56
35-49	1053	9.4	75	1	2	7	13	20	25	43
50-64	1878	12.2	122	1	2	10	17	25	32	57
65+	1735	14.5	119	2	3	12	20	28	35	55
GRAND TOTAL	**5651**	**11.9**	**112**	**1**	**2**	**9**	**16**	**25**	**32**	**54**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	539	7.4	9	4	4	7	8	11	13	17
20-34	5884	7.1	6	4	5	7	8	10	12	17
35-49	5168	7.5	9	4	5	7	8	11	13	18
50-64	4725	8.2	13	5	5	7	9	12	15	21
65+	2613	10.1	23	5	6	9	12	16	19	27
2. MULTIPLE DX										
0-19 YRS	320	10.0	27	5	5	9	12	16	19	27
20-34	4290	9.3	27	5	5	8	11	15	18	29
35-49	5471	10.3	40	5	5	8	12	17	21	34
50-64	8046	11.5	45	5	6	10	14	19	23	37
65+	8733	15.7	87	7	7	13	19	27	33	52
TOT. SINGLE DX	18929	7.9	13	4	5	7	9	12	14	20
" MULTIPLE DX	26860	12.3	61	5	6	10	15	21	26	44
TOTAL 0-19 YRS	859	8.3	18	4	5	7	9	14	16	24
20-34	10174	8.0	17	4	5	7	9	12	15	22
35-49	10639	9.0	27	5	5	8	10	14	18	28
50-64	12771	10.3	36	5	6	9	12	17	21	34
65+	11346	14.4	78	6	7	12	17	25	31	49
GRAND TOTAL	**45789**	**10.5**	**46**	**5**	**5**	**8**	**12**	**18**	**22**	**37**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	66	1	1	3	13	21	23	23
20-34	72	8.4	38	2	3	7	11	16	21	30
35-49	111	8.7	59	2	2	6	12	19	26	39
50-64	147	8.6	52	2	2	7	12	16	22	34
65+	240	14.3	89	2	3	13	19	26	32	42
2. MULTIPLE DX										
0-19 YRS	21	17.3	394	2	3	10	19	43	65	85
20-34	72	13.0	73	3	5	11	16	23	32	43
35-49	175	15.7	143	3	5	12	19	31	44	57
50-64	384	19.0	206	4	6	16	23	36	50	82
65+	882	20.6	157	4	7	18	27	37	46	68
TOT. SINGLE DX	577	10.9	75	2	2	9	15	22	28	39
" MULTIPLE DX	1534	19.3	172	4	6	16	25	35	46	70
TOTAL 0-19 YRS	28	14.9	324	1	2	9	17	36	53	85
20-34	144	10.7	61	2	3	9	13	21	29	41
35-49	286	13.0	122	2	3	10	17	27	37	51
50-64	531	16.1	186	2	3	13	21	32	44	79
65+	1122	19.3	150	3	5	17	25	35	43	67
GRAND TOTAL	**2111**	**17.0**	**159**	**3**	**4**	**14**	**22**	**32**	**42**	**67**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	9.7	57	1	2	9	12	19	27	31
20-34	118	7.2	39	1	1	6	10	17	20	30
35-49	190	7.9	70	1	1	5	11	17	26	52
50-64	176	10.5	136	1	1	6	15	26	34	58
65+	135	10.3	74	1	2	8	16	24	27	34
2. MULTIPLE DX										
0-19 YRS	27	17.3	202	3	4	11	23	35	55	55
20-34	165	12.5	164	2	2	9	14	26	42	69
35-49	369	15.6	219	2	3	11	20	35	46	77
50-64	545	17.6	263	2	4	12	23	39	53	89
65+	599	17.2	187	2	3	14	23	33	46	76
TOT. SINGLE DX	636	9.0	85	1	2	6	13	21	28	44
" MULTIPLE DX	1705	16.5	218	2	3	12	22	35	48	80
TOTAL 0-19 YRS	44	14.4	158	2	3	10	19	31	42	55
20-34	283	10.3	119	1	2	8	13	21	29	59
35-49	559	13.0	182	2	2	9	16	30	40	74
50-64	721	15.8	241	2	2	11	20	35	48	82
65+	734	15.9	174	2	3	13	22	32	42	73
GRAND TOTAL	**2341**	**14.5**	**193**	**2**	**2**	**10**	**19**	**32**	**43**	**77**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	587	4.4	9	1	2	4	6	8	10	16
20-34	1537	5.2	22	1	2	4	7	9	12	24
35-49	1424	5.3	18	1	2	4	7	10	13	23
50-64	1700	5.1	22	1	1	4	6	10	13	22
65+	1843	6.2	30	1	1	5	8	12	16	26
2. MULTIPLE DX										
0-19 YRS	522	5.7	21	1	2	5	7	10	13	22
20-34	2751	6.8	37	2	2	5	8	13	17	33
35-49	4180	7.2	38	2	2	5	9	14	18	33
50-64	7710	7.6	44	2	2	6	9	14	19	34
65+	14976	9.2	56	2	3	7	11	18	23	39
TOT. SINGLE DX	7091	5.4	23	1	1	4	7	10	13	23
" MULTIPLE DX	30139	8.2	49	2	3	6	10	16	21	36
TOTAL 0-19 YRS	1109	5.0	15	1	2	4	6	9	12	21
20-34	4288	6.3	33	2	2	5	8	11	15	31
35-49	5604	6.7	34	2	2	5	8	13	17	31
50-64	9410	7.2	42	1	2	5	9	13	18	33
65+	16819	8.9	54	2	3	7	11	17	23	38
GRAND TOTAL	**37230**	**7.7**	**46**	**2**	**2**	**6**	**9**	**15**	**20**	**35**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4398	2.2	2	<1	1	2	3	4	4	6
20-34	4561	3.5	1	2	2	3	4	5	6	8
35-49	3841	3.9	2	2	2	4	5	6	6	9
50-64	5564	4.3	3	2	2	4	5	6	7	11
65+	3914	5.1	6	2	3	5	6	8	9	15
2. MULTIPLE DX										
0-19 YRS	2268	2.6	12	<1	1	2	3	4	6	13
20-34	1572	4.3	5	2	2	4	5	7	8	14
35-49	2171	5.0	10	2	2	4	6	8	11	18
50-64	4483	5.9	17	2	3	5	7	10	13	23
65+	5455	7.9	37	3	3	6	9	14	19	33
TOT. SINGLE DX	22278	3.8	4	1	2	4	5	6	7	11
" MULTIPLE DX	15949	5.9	25	1	2	5	7	11	14	26
TOTAL 0-19 YRS	6666	2.3	6	<1	1	2	3	4	5	8
20-34	6133	3.7	3	2	2	3	4	5	6	9
35-49	6012	4.3	6	2	2	4	5	6	8	13
50-64	10047	5.0	11	2	3	4	6	8	10	17
65+	9369	6.7	27	3	3	5	8	12	15	28
GRAND TOTAL	**38227**	**4.6**	**14**	**1**	**2**	**4**	**5**	**8**	**10**	**19**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	577	2.1	1	<1	1	2	2	4	5	7
20-34	401	4.2	2	2	3	4	5	6	7	10
35-49	592	4.6	2	2	3	4	5	6	7	11
50-64	867	4.9	3	2	3	5	6	7	8	11
65+	555	5.7	5	3	3	5	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	503	3.4	62	<1	1	2	3	5	8	67
20-34	186	4.9	8	2	3	4	6	7	8	18
35-49	355	5.7	30	2	3	5	6	8	11	20
50-64	841	6.5	16	3	3	6	7	10	14	23
65+	929	8.9	50	3	4	7	10	15	20	34
TOT. SINGLE DX	2992	4.3	5	1	2	4	5	7	8	11
" MULTIPLE DX	2814	6.5	41	1	2	5	8	12	15	31
TOTAL 0-19 YRS	1080	2.7	30	<1	1	2	3	4	6	19
20-34	587	4.4	5	2	3	4	5	6	7	11
35-49	947	5.0	14	2	3	5	6	7	8	13
50-64	1708	5.7	10	3	3	5	6	9	11	19
65+	1484	7.7	36	3	4	6	9	13	17	31
GRAND TOTAL	**5806**	**5.4**	**24**	**1**	**2**	**5**	**6**	**9**	**12**	**23**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	3.0	2	1	1	3	4	5	5	7
20-34	107	3.9	2	2	2	4	5	6	6	9
35-49	162	4.1	5	2	2	4	5	6	8	15
50-64	227	4.7	4	2	2	4	6	7	8	12
65+	261	6.4	14	2	3	6	8	10	12	20
2. MULTIPLE DX										
0-19 YRS	8	8.8	73	3	3	5	12	24	26	26
20-34	45	5.2	8	2	3	4	6	9	10	16
35-49	71	6.2	10	2	3	5	8	10	12	19
50-64	174	7.6	28	2	3	6	9	13	18	31
65+	435	10.9	61	3	4	9	14	19	26	41
TOT. SINGLE DX	785	4.9	9	2	2	4	6	8	10	17
" MULTIPLE DX	733	9.3	50	3	4	7	11	17	23	37
TOTAL 0-19 YRS	36	4.3	22	1	1	3	4	7	15	26
20-34	152	4.3	4	2	2	4	5	6	8	14
35-49	233	4.7	8	2	2	4	5	8	11	16
50-64	401	5.9	17	2	3	5	7	10	13	24
65+	696	9.2	49	3	4	7	11	17	21	38
GRAND TOTAL	**1518**	**7.0**	**33**	**2**	**3**	**5**	**8**	**13**	**18**	**33**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	780	2.1	1	<1	1	2	2	3	4	6
20-34	336	3.4	2	1	2	3	4	5	6	8
35-49	442	3.7	3	1	2	3	5	6	7	12
50-64	360	4.2	4	1	2	4	5	7	8	12
65+	172	5.3	11	2	2	5	7	9	11	19
2. MULTIPLE DX										
0-19 YRS	178	3.4	16	1	1	2	3	7	9	21
20-34	190	5.1	15	2	2	4	6	9	11	24
35-49	428	6.3	57	2	2	5	7	11	15	27
50-64	551	7.2	26	2	3	6	9	13	17	26
65+	438	9.9	62	3	3	8	12	18	24	47
TOT. SINGLE DX	2090	3.3	5	1	1	3	4	6	7	11
" MULTIPLE DX	1785	7.0	44	2	2	5	8	14	18	29
TOTAL 0-19 YRS	958	2.3	4	<1	1	2	3	4	5	9
20-34	526	4.0	8	1	2	3	5	7	8	14
35-49	870	5.0	32	2	2	4	6	8	12	21
50-64	911	6.0	20	2	2	5	7	11	14	24
65+	610	8.6	52	2	3	7	10	16	21	35
GRAND TOTAL	**3875**	**5.0**	**26**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	2.6	2	<1	1	2	3	5	6	9
20-34	503	4.2	5	2	2	4	5	7	9	12
35-49	835	5.4	9	2	3	5	7	9	10	18
50-64	988	6.2	11	2	3	6	8	10	12	19
65+	596	7.3	17	3	3	6	9	12	14	23
2. MULTIPLE DX										
0-19 YRS	59	4.2	25	1	1	3	5	7	13	33
20-34	406	6.5	32	2	3	5	8	10	13	31
35-49	951	8.3	32	3	3	7	10	14	18	28
50-64	1498	9.2	38	3	4	8	11	16	21	33
65+	1461	11.7	82	4	5	9	14	20	27	47
TOT. SINGLE DX	3212	5.7	12	2	2	5	7	10	11	18
" MULTIPLE DX	4375	9.5	55	3	4	8	11	17	22	37
TOTAL 0-19 YRS	249	3.0	8	1	1	2	4	5	7	14
20-34	909	5.2	19	2	2	4	6	9	11	18
35-49	1786	6.9	24	2	3	6	8	12	15	24
50-64	2486	8.0	30	3	3	7	9	14	18	30
65+	2157	10.3	66	3	4	8	12	18	24	42
GRAND TOTAL	**7587**	**7.9**	**40**	**2**	**3**	**6**	**9**	**14**	**19**	**32**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	5.1	20	<1	1	4	6	13	16	18
20-34	30	6.8	25	2	2	5	9	11	21	23
35-49	58	8.8	22	2	3	8	11	14	17	26
50-64	79	9.1	16	3	4	9	10	14	20	21
65+	59	12.7	48	5	6	12	15	19	27	38
2. MULTIPLE DX										
0-19 YRS	24	10.9	100	1	2	8	13	26	34	42
20-34	72	10.7	22	5	6	9	13	19	20	24
35-49	175	11.1	38	5	6	9	13	17	22	36
50-64	276	12.6	40	6	7	11	16	20	26	35
65+	305	16.1	98	6	7	13	20	27	35	55
TOT. SINGLE DX	248	9.3	32	2	3	8	12	16	20	29
" MULTIPLE DX	852	13.3	66	5	7	11	16	23	28	47
TOTAL 0-19 YRS	46	8.1	70	1	1	6	10	18	27	42
20-34	102	9.6	26	3	4	8	12	18	21	23
35-49	233	10.5	35	4	6	9	13	16	20	34
50-64	355	11.8	38	5	6	10	14	19	25	34
65+	364	15.5	92	6	7	13	19	27	35	54
GRAND TOTAL	**1100**	**12.4**	**61**	**4**	**6**	**10**	**15**	**21**	**27**	**46**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	250	4.2	14	1	1	3	5	9	13	16
20-34	376	5.3	19	1	1	4	7	11	13	20
35-49	297	6.6	43	1	2	5	8	13	17	36
50-64	345	9.6	78	2	2	8	12	19	25	41
65+	285	10.0	56	2	2	8	13	21	24	34
2. MULTIPLE DX										
0-19 YRS	220	7.1	62	1	2	5	8	14	24	41
20-34	619	8.9	88	1	2	6	10	19	26	52
35-49	711	10.8	91	2	3	8	14	22	29	52
50-64	1459	14.2	151	2	3	11	19	28	37	64
65+	1756	16.9	164	3	4	14	22	33	41	65
TOT. SINGLE DX	1553	7.2	48	1	2	5	9	15	20	31
" MULTIPLE DX	4765	13.7	145	2	3	10	18	28	37	61
TOTAL 0-19 YRS	470	5.5	39	1	1	4	7	12	16	31
20-34	995	7.5	66	1	2	5	9	15	23	43
35-49	1008	9.6	81	2	2	7	12	20	27	46
50-64	1804	13.3	141	2	3	10	17	27	35	62
65+	2041	15.9	155	3	4	13	21	31	40	59
GRAND TOTAL	**6318**	**12.1**	**129**	**2**	**2**	**9**	**16**	**26**	**33**	**56**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	331	6.0	14	2	3	5	7	11	13	19
20-34	681	6.7	17	2	3	6	8	11	15	25
35-49	284	9.3	37	4	4	8	11	16	21	34
50-64	241	11.1	39	4	5	10	14	19	24	35
65+	236	14.9	67	6	7	13	18	25	30	44
2. MULTIPLE DX										
0-19 YRS	418	9.9	88	3	4	7	11	18	27	99+
20-34	1207	9.4	71	3	4	7	11	17	24	53
35-49	704	13.9	139	4	5	10	17	29	41	68
50-64	788	18.7	216	5	7	14	23	38	54	95
65+	1151	21.2	173	7	9	18	27	41	49	87
TOT. SINGLE DX	1773	8.7	38	3	3	7	11	16	21	33
" MULTIPLE DX	4268	15.1	163	4	5	11	19	31	43	77
TOTAL 0-19 YRS	749	8.2	60	2	3	6	9	15	19	64
20-34	1888	8.5	54	3	4	6	9	15	21	42
35-49	988	12.6	114	4	5	9	15	25	36	62
50-64	1029	16.9	185	5	6	13	20	33	46	94
65+	1387	20.1	161	7	8	17	25	37	47	78
GRAND TOTAL	**6041**	**13.2**	**135**	**3**	**4**	**9**	**16**	**27**	**37**	**67**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	657	3.6	6	1	1	3	5	8	9	12
20-34	2772	3.0	6	<1	1	2	4	6	8	13
35-49	447	2.9	9	<1	1	2	3	6	9	12
50-64	79	3.4	11	1	1	2	4	8	11	18
65+	33	6.1	44	1	1	3	8	13	19	33
2. MULTIPLE DX										
0-19 YRS	562	4.9	18	1	1	4	7	9	12	19
20-34	3364	4.0	16	<1	1	2	5	8	11	18
35-49	678	4.9	27	<1	1	3	6	11	14	27
50-64	160	8.5	89	<1	1	6	11	19	25	48
65+	80	11.2	137	2	2	9	15	25	30	68
TOT. SINGLE DX	3988	3.1	7	<1	1	2	4	7	8	13
" MULTIPLE DX	4844	4.5	24	<1	1	3	6	10	13	23
TOTAL 0-19 YRS	1219	4.2	13	1	1	3	6	8	10	16
20-34	6136	3.5	12	<1	1	2	5	7	10	16
35-49	1125	4.1	21	<1	1	2	5	9	12	22
50-64	239	6.8	70	1	1	4	9	15	22	43
65+	113	9.7	115	1	2	6	13	22	30	93
GRAND TOTAL	**8832**	**3.9**	**17**	**<1**	**1**	**2**	**5**	**8**	**11**	**19**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	6.6	12	1	2	6	9	11	13	16
20-34	599	6.5	19	1	2	6	8	12	14	24
35-49	397	9.3	41	2	3	8	12	16	22	34
50-64	330	10.6	41	3	4	9	13	18	22	34
65+	278	13.7	64	5	7	12	16	23	29	46
2. MULTIPLE DX										
0-19 YRS	245	10.2	118	2	2	7	12	21	32	64
20-34	1560	8.3	51	1	2	6	9	15	21	36
35-49	980	11.0	91	2	4	9	14	24	31	50
50-64	1007	16.0	136	4	5	13	20	30	41	63
65+	1243	19.4	173	6	8	16	24	36	45	84
TOT. SINGLE DX	1727	9.1	42	2	2	8	12	16	21	32
" MULTIPLE DX	5035	13.4	129	2	4	10	17	27	36	52
TOTAL 0-19 YRS	368	9.0	86	1	2	7	10	16	28	52
20-34	2159	7.8	44	1	2	6	9	14	19	33
35-49	1377	11.2	78	2	4	9	13	22	29	48
50-64	1337	14.7	119	4	5	12	18	27	37	60
65+	1521	18.4	159	6	7	15	23	33	43	76
GRAND TOTAL	6762	12.3	111	2	3	9	15	25	32	58

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	5.1	18	3	4	9	11	16	18	18
20-34	80	9.8	19	5	6	9	11	15	18	30
35-49	88	11.6	21	6	7	11	13	18	20	30
50-64	187	12.5	23	6	8	12	15	18	21	33
65+	173	15.4	49	8	9	14	18	25	30	44
2. MULTIPLE DX										
0-19 YRS	101	13.6	149	5	5	11	15	21	34	74
20-34	157	13.8	75	6	7	11	16	25	31	51
35-49	233	16.1	121	7	8	13	19	30	38	80
50-64	509	17.5	104	8	9	15	21	29	38	62
65+	733	19.8	115	9	10	17	24	34	43	65
TOT. SINGLE DX	570	12.6	34	6	7	11	15	20	23	38
" MULTIPLE DX	1733	17.7	116	7	8	15	21	30	40	65
TOTAL 0-19 YRS	143	12.3	114	4	5	10	14	20	25	71
20-34	237	12.4	60	6	7	10	14	21	28	41
35-49	321	14.9	98	7	8	12	17	24	34	70
50-64	696	16.2	88	7	8	13	19	27	33	56
65+	906	18.9	106	8	9	16	23	33	41	64
GRAND TOTAL	2303	16.5	100	7	8	14	20	29	35	61

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	7.9	40	2	2	7	11	16	17	33
20-34	416	9.2	30	2	2	8	12	16	19	30
35-49	391	9.6	49	2	3	8	11	15	19	43
50-64	373	10.0	47	2	3	9	12	18	22	38
65+	182	10.7	57	1	2	9	13	18	25	44
2. MULTIPLE DX										
0-19 YRS	232	11.6	89	2	3	9	15	22	29	51
20-34	625	13.2	112	2	3	10	17	26	34	51
35-49	651	13.9	114	2	3	11	17	26	35	56
50-64	797	14.5	123	3	5	12	18	26	37	64
65+	702	15.5	136	2	4	13	20	29	36	70
TOT. SINGLE DX	1553	9.5	44	2	2	9	12	16	20	36
" MULTIPLE DX	3007	14.1	121	2	4	11	18	27	35	58
TOTAL 0-19 YRS	423	9.9	71	2	2	8	13	19	25	42
20-34	1041	11.6	84	2	3	9	14	22	29	43
35-49	1042	12.3	94	2	3	10	15	23	30	55
50-64	1170	13.1	104	2	4	11	16	23	32	59
65+	884	14.5	124	2	3	12	18	28	34	58
GRAND TOTAL	4560	12.6	100	2	3	10	15	23	31	54

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	7.2	17	2	2	7	9	13	15	21
20-34	356	8.9	14	4	4	9	11	14	15	19
35-49	485	9.4	18	3	5	9	11	15	17	20
50-64	414	10.2	19	4	6	10	12	15	18	25
65+	169	10.8	28	3	6	10	13	16	17	26
2. MULTIPLE DX										
0-19 YRS	26	9.4	12	3	4	10	12	13	15	16
20-34	217	10.4	27	3	5	10	13	17	20	26
35-49	358	11.5	53	3	5	10	14	18	23	42
50-64	480	13.4	64	5	6	12	16	21	26	49
65+	406	15.5	93	4	6	14	20	28	35	47
TOT. SINGLE DX	1460	9.6	19	3	5	9	12	15	17	22
" MULTIPLE DX	1487	13.0	67	4	5	11	16	22	28	44
TOTAL 0-19 YRS	62	8.1	16	2	3	8	11	13	15	20
20-34	573	9.5	20	3	4	9	12	15	17	24
35-49	843	10.3	34	3	5	9	12	16	19	34
50-64	894	11.9	46	4	6	11	14	19	23	38
65+	575	14.1	79	3	6	12	17	25	33	45
GRAND TOTAL	**2947**	**11.3**	**46**	**4**	**5**	**10**	**14**	**18**	**23**	**38**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	198	8.3	9	3	4	8	10	12	13	18
20-34	31	10.3	35	4	5	9	11	16	21	35
35-49	21	19.1	354	7	9	13	18	35	66	92
50-64	11	18.4	88	11	11	16	20	34	41	42
65+	20	18.0	34	10	11	17	22	27	29	30
2. MULTIPLE DX										
0-19 YRS	249	10.2	28	4	5	9	12	16	18	27
20-34	90	13.7	77	6	7	11	16	22	30	84
35-49	61	18.8	169	6	8	15	23	32	52	65
50-64	75	23.2	277	8	9	18	28	41	71	98
65+	112	23.6	288	6	9	19	30	48	69	99+
TOT. SINGLE DX	281	10.4	56	4	4	9	12	17	21	40
" MULTIPLE DX	587	15.9	164	5	6	12	18	31	46	91
TOTAL 0-19 YRS	447	9.4	21	4	5	9	11	14	16	23
20-34	121	12.8	69	6	7	10	15	21	29	71
35-49	82	18.9	213	6	9	15	23	32	52	83
50-64	86	22.6	255	9	10	17	28	41	63	97
65+	132	22.7	253	7	10	18	29	47	62	99+
GRAND TOTAL	**868**	**14.1**	**136**	**4**	**6**	**11**	**16**	**27**	**37**	**83**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	5.0	13	<1	1	4	7	10	13	17
20-34	515	5.0	7	1	2	4	6	9	10	15
35-49	625	4.8	7	1	2	4	6	8	10	15
50-64	518	5.5	12	2	2	5	7	10	13	18
65+	201	7.0	36	2	2	5	9	13	16	32
2. MULTIPLE DX										
0-19 YRS	61	9.0	47	1	2	7	11	18	23	33
20-34	322	6.4	14	2	2	6	8	11	14	20
35-49	426	6.8	27	2	2	6	9	12	16	26
50-64	493	7.9	39	2	3	6	10	14	19	37
65+	367	11.2	89	2	3	9	14	22	29	47
TOT. SINGLE DX	1952	5.3	13	1	2	5	7	9	12	18
" MULTIPLE DX	1669	8.1	46	2	2	6	10	15	21	36
TOTAL 0-19 YRS	154	6.8	31	1	1	5	9	13	18	28
20-34	837	5.8	11	2	2	5	7	10	12	16
35-49	1051	5.6	17	2	2	5	7	10	12	21
50-64	1011	6.7	27	2	2	5	8	12	16	27
65+	568	9.7	75	2	3	7	12	19	26	44
GRAND TOTAL	**3621**	**6.6**	**30**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1010	2.5	5	<1	1	2	3	5	8	11
20-34	1597	4.1	13	<1	1	3	5	8	10	16
35-49	1729	4.3	16	1	1	3	5	9	12	19
50-64	2209	3.9	13	1	1	3	5	8	10	18
65+	2574	4.6	23	1	1	3	6	10	13	23
2. MULTIPLE DX										
0-19 YRS	1410	4.4	36	1	1	3	5	9	12	27
20-34	2986	6.9	54	1	2	5	9	14	19	41
35-49	3737	7.6	57	1	2	5	10	16	22	37
50-64	6762	7.8	64	1	2	6	10	16	22	41
65+	12140	10.0	89	1	2	7	13	21	29	47
TOT. SINGLE DX	9119	4.1	16	1	1	3	5	9	11	19
" MULTIPLE DX	27035	8.5	75	1	2	6	11	18	25	44
TOTAL 0-19 YRS	2420	3.6	25	<1	1	2	4	8	10	20
20-34	4583	5.9	42	1	1	4	8	12	16	34
35-49	5466	6.6	47	1	1	5	8	14	19	33
50-64	8971	6.9	55	1	1	5	9	15	20	37
65+	14714	9.1	83	1	2	6	12	20	27	44
GRAND TOTAL	**36154**	**7.4**	**64**	**1**	**1**	**5**	**9**	**16**	**22**	**41**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.3	10	1	1	3	7	9	10	11
20-34	114	3.2	7	1	1	2	4	6	9	16
35-49	258	3.7	6	1	1	3	5	7	9	12
50-64	1037	3.9	11	1	1	3	5	7	9	16
65+	2208	4.9	16	1	2	4	6	9	12	22
2. MULTIPLE DX										
0-19 YRS	32	5.0	10	1	1	5	7	8	11	16
20-34	180	6.8	53	1	2	4	8	15	21	39
35-49	412	5.4	35	1	2	3	7	11	15	34
50-64	1529	6.5	43	1	2	4	8	13	18	33
65+	4549	8.1	59	2	2	6	10	17	23	37
TOT. SINGLE DX	3636	4.5	14	1	2	3	5	8	11	20
" MULTIPLE DX	6702	7.5	55	2	2	5	9	16	22	35
TOTAL 0-19 YRS	51	4.8	10	1	1	5	7	9	11	16
20-34	294	5.4	38	1	1	3	6	11	18	36
35-49	670	4.8	25	1	1	3	6	9	12	25
50-64	2566	5.4	32	1	2	4	7	11	15	30
65+	6757	7.1	48	2	2	5	9	15	20	34
GRAND TOTAL	**10338**	**6.5**	**43**	**1**	**2**	**4**	**8**	**13**	**19**	**33**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	6.3	25	1	2	5	8	12	16	27
20-34	152	5.8	19	1	2	5	7	12	15	23
35-49	240	6.4	28	1	2	5	9	14	16	24
50-64	406	6.9	34	1	2	5	10	15	18	26
65+	623	7.9	57	2	2	5	11	18	23	33
2. MULTIPLE DX										
0-19 YRS	240	9.7	91	2	3	7	12	18	24	52
20-34	341	11.3	179	2	2	7	13	25	38	79
35-49	419	8.9	77	1	2	6	12	19	25	48
50-64	958	11.3	121	2	2	8	15	25	31	59
65+	2214	13.9	141	2	3	11	19	28	38	61
TOT. SINGLE DX	1544	7.1	41	1	2	5	9	16	19	28
" MULTIPLE DX	4172	12.3	134	2	2	9	16	26	34	61
TOTAL 0-19 YRS	363	8.5	71	2	2	7	11	16	23	48
20-34	493	9.6	136	1	2	6	12	19	28	65
35-49	659	8.0	61	1	2	6	11	17	22	39
50-64	1364	10.0	99	1	2	7	14	22	28	51
65+	2837	12.6	129	2	2	9	17	26	35	60
GRAND TOTAL	**5716**	**10.9**	**114**	**2**	**2**	**8**	**15**	**24**	**31**	**56**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	1.6		<1	<1	1	2	3	4	5
20-34	33	2.4	2	<1	1	2	3	5	6	6
35-49	22	2.7	1	1	1	3	3	4	5	6
50-64	31	3.4	10	1	1	2	5	7	9	16
65+	15	3.7	9	<1	1	2	6	8	10	10
2. MULTIPLE DX										
0-19 YRS	193	3.0	7	1	1	2	4	6	9	13
20-34	62	3.2	6	1	1	2	4	7	8	13
35-49	43	4.4	12	2	2	3	6	8	13	17
50-64	84	6.1	72	1	1	3	8	13	19	53
65+	83	7.5	42	2	2	5	9	17	21	30
TOT. SINGLE DX	337	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	465	4.5	29	1	1	3	5	9	14	26
TOTAL 0-19 YRS	429	2.3	4	<1	<1	2	2	5	6	12
20-34	95	2.9	5	1	1	2	4	6	8	12
35-49	65	3.8	9	2	2	3	4	7	10	17
50-64	115	5.4	57	1	1	3	6	11	17	45
65+	98	6.9	40	1	2	5	8	16	20	30
GRAND TOTAL	**802**	**3.5**	**19**	**<1**	**1**	**2**	**4**	**7**	**11**	**20**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	486	5.4	12	1	1	5	8	10	11	16
20-34	202	4.1	17	<1	1	3	5	9	10	25
35-49	141	4.8	9	1	2	4	7	9	11	15
50-64	158	4.9	14	1	2	4	7	10	11	20
65+	159	4.7	12	2	2	4	5	9	13	18
2. MULTIPLE DX										
0-19 YRS	277	4.9	25	1	1	3	7	9	14	28
20-34	205	5.8	34	1	1	4	8	12	16	33
35-49	204	7.1	46	1	2	5	9	14	18	36
50-64	295	7.8	79	1	2	5	10	16	22	40
65+	448	8.2	65	2	2	6	10	17	23	45
TOT. SINGLE DX	1146	4.9	14	1	1	4	7	10	11	17
" MULTIPLE DX	1429	7.0	55	1	2	5	9	14	20	36
TOTAL 0-19 YRS	763	5.2	17	1	1	4	7	10	12	22
20-34	407	4.9	27	1	1	3	6	10	13	30
35-49	345	6.2	33	1	2	5	8	12	16	31
50-64	453	6.8	59	1	2	4	8	14	19	36
65+	607	7.3	54	2	2	5	9	15	20	37
GRAND TOTAL	**2575**	**6.1**	**38**	**1**	**1**	**4**	**8**	**12**	**16**	**32**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	391	2.1	2	<1	1	1	2	4	5	9
20-34	252	3.1	5	<1	1	2	4	6	8	13
35-49	233	3.9	34	<1	1	2	4	8	11	22
50-64	277	3.7	16	1	1	2	4	8	10	18
65+	333	4.2	14	1	1	3	5	9	12	19
2. MULTIPLE DX										
0-19 YRS	719	3.1	13	1	1	2	4	7	9	20
20-34	781	5.8	34	1	1	4	8	12	16	29
35-49	946	7.1	50	1	2	5	9	14	20	38
50-64	1348	7.7	57	1	2	6	10	17	21	37
65+	2237	9.7	73	2	2	7	13	20	27	41
TOT. SINGLE DX	1486	3.3	14	<1	1	2	4	7	9	16
" MULTIPLE DX	6031	7.5	59	1	1	5	10	16	22	38
TOTAL 0-19 YRS	1110	2.7	10	<1	1	2	3	6	8	15
20-34	1033	5.1	29	1	1	3	7	11	14	24
35-49	1179	6.4	49	1	1	4	8	13	19	38
50-64	1625	7.0	53	1	2	5	9	15	20	35
65+	2570	9.0	70	2	2	7	12	19	26	40
GRAND TOTAL	**7517**	**6.7**	**53**	**1**	**1**	**4**	**9**	**15**	**20**	**36**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	150	2.4	2	<1	1	2	3	4	5	10
20-34	235	3.5	5	1	1	3	4	6	9	12
35-49	180	4.3	8	1	2	3	5	9	10	14
50-64	187	5.3	15	2	2	4	8	10	12	19
65+	217	5.1	10	2	2	4	7	9	11	18
2. MULTIPLE DX										
0-19 YRS	167	3.2	12	1	1	2	4	6	8	17
20-34	271	6.1	68	1	2	3	6	13	22	59
35-49	226	6.2	27	1	2	4	8	14	18	23
50-64	372	6.5	28	2	2	5	9	12	16	28
65+	690	8.6	63	2	2	6	11	17	23	40
TOT. SINGLE DX	969	4.2	10	1	1	3	5	8	10	15
" MULTIPLE DX	1726	6.9	50	1	2	4	9	15	19	36
TOTAL 0-19 YRS	317	2.9	8	1	1	2	3	5	8	12
20-34	506	4.9	41	1	2	3	5	9	13	35
35-49	406	5.3	20	1	2	4	7	11	15	21
50-64	559	6.1	24	2	2	4	8	11	16	27
65+	907	7.8	53	2	2	5	10	16	21	38
GRAND TOTAL	**2695**	**5.9**	**37**	**1**	**2**	**4**	**7**	**12**	**16**	**32**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.0		6	6	7	8	8	8	8
20-34	110	7.7	9	4	5	7	8	10	13	20
35-49	434	8.2	6	5	5	8	9	11	13	17
50-64	344	9.4	15	5	6	8	10	14	17	24
65+	206	10.0	12	6	6	9	11	15	16	24
2. MULTIPLE DX										
0-19 YRS	3	6.7	12	3	3	7	9	10	10	10
20-34	186	9.2	39	5	5	8	10	13	17	40
35-49	693	9.7	25	5	6	8	11	15	19	28
50-64	670	10.9	35	6	6	9	12	18	22	34
65+	399	12.6	45	6	7	10	15	22	27	38
TOT. SINGLE DX	1098	8.8	12	5	6	8	10	13	15	21
" MULTIPLE DX	1951	10.6	36	5	6	9	12	17	22	34
TOTAL 0-19 YRS	7	6.9	4	3	4	7	8	10	10	10
20-34	296	8.6	29	5	5	8	9	12	17	27
35-49	1127	9.1	19	5	6	8	10	13	16	25
50-64	1014	10.4	29	5	6	9	11	17	20	31
65+	605	11.7	36	6	7	10	13	19	26	34
GRAND TOTAL	**3049**	**10.0**	**28**	**5**	**6**	**9**	**11**	**16**	**20**	**30**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	38	7.1	5	3	4	7	8	10	11	15
35-49	105	8.1	7	4	5	8	9	12	14	17
50-64	109	8.4	13	4	4	8	9	12	14	25
65+	66	8.8	9	5	6	8	10	14	15	17
2. MULTIPLE DX										
0-19 YRS	5	5.6	5	3	3	6	7	9	9	9
20-34	31	8.6	11	3	4	8	11	13	15	18
35-49	127	10.0	34	4	5	8	11	17	22	35
50-64	169	9.8	26	4	5	9	11	16	20	28
65+	111	12.0	46	5	6	10	15	20	24	38
TOT. SINGLE DX	318	8.2	10	4	5	8	9	12	14	18
" MULTIPLE DX	443	10.3	33	4	5	9	12	18	22	33
TOTAL 0-19 YRS	5	5.6	5	3	3	6	7	9	9	9
20-34	69	7.8	9	3	4	7	9	12	13	17
35-49	232	9.1	23	4	5	8	10	13	18	32
50-64	278	9.2	21	4	5	9	10	14	18	28
65+	177	10.8	35	5	6	9	13	18	22	32
GRAND TOTAL	**761**	**9.4**	**25**	**4**	**5**	**8**	**11**	**15**	**19**	**30**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.7	6	<1	<1	3	5	7	9	9
20-34	24	3.9	5	<1	1	4	5	7	8	11
35-49	29	4.9	12	1	2	4	7	11	13	13
50-64	17	6.1	58	1	2	2	5	20	24	26
65+	21	7.7	31	1	2	6	11	16	19	21
2. MULTIPLE DX										
0-19 YRS	7	4.9	6	2	2	5	7	8	8	8
20-34	35	7.3	37	2	2	5	10	16	21	27
35-49	42	9.0	55	1	2	7	12	19	22	39
50-64	52	9.5	57	2	3	8	13	15	24	42
65+	84	9.3	68	1	2	7	11	22	28	37
TOT. SINGLE DX	101	5.3	23	1	1	4	6	12	16	23
" MULTIPLE DX	220	8.8	57	2	2	7	11	19	24	38
TOTAL 0-19 YRS	17	4.2	6	<1	1	5	5	8	9	9
20-34	59	5.9	27	1	2	4	7	13	16	27
35-49	71	7.3	41	1	2	6	9	15	20	36
50-64	69	8.6	59	2	2	6	12	18	24	40
65+	105	9.0	61	1	2	7	11	21	26	37
GRAND TOTAL	**321**	**7.7**	**49**	**1**	**2**	**5**	**10**	**17**	**22**	**37**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.3	50	2	2	8	14	19	19	19
20-34	11	10.3	29	1	5	9	12	18	23	23
35-49	9	8.3	18	<1	<1	10	11	12	12	12
50-64	11	8.9	67	1	1	7	12	21	27	28
65+	10	6.6	9	1	2	7	9	10	11	11
2. MULTIPLE DX										
0-19 YRS	5	9.0	3	6	6	10	10	10	10	10
20-34	25	10.6	68	2	4	8	14	19	30	39
35-49	26	16.6	163	2	4	13	21	39	45	47
50-64	44	13.9	88	2	4	13	18	22	27	57
65+	51	17.7	165	3	6	14	23	33	42	62
TOT. SINGLE DX	45	8.6	32	1	1	9	11	14	20	28
" MULTIPLE DX	151	15.0	127	3	5	12	19	30	39	57
TOTAL 0-19 YRS	9	9.1	20	2	4	9	10	16	19	19
20-34	36	10.5	56	1	4	9	13	19	26	39
35-49	35	14.5	138	1	2	10	19	36	43	47
50-64	55	12.9	87	1	2	11	17	22	27	56
65+	61	15.9	157	3	5	12	20	32	42	61
GRAND TOTAL	**196**	**13.5**	**112**	**2**	**3**	**10**	**17**	**27**	**35**	**56**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.0	5	2	2	6	7	9	9	9
20-34	9	5.2	20	2	2	4	5	12	17	17
35-49	119	6.5	11	3	4	6	8	10	12	22
50-64	2327	6.9	11	4	4	6	8	10	12	17
65+	4754	7.8	15	4	5	7	9	12	14	23
2. MULTIPLE DX										
0-19 YRS	16	12.9	52	6	7	10	17	24	29	31
20-34	24	9.9	149	3	4	6	11	13	31	65
35-49	180	9.3	33	4	4	7	11	17	20	27
50-64	4525	9.7	39	4	5	8	11	17	21	34
65+	14983	12.0	68	5	5	9	14	22	27	45
TOT. SINGLE DX	7215	7.5	14	4	5	7	9	11	14	20
" MULTIPLE DX	19728	11.4	62	4	5	9	14	21	26	43
TOTAL 0-19 YRS	22	11.0	49	4	6	9	13	22	27	31
20-34	33	8.6	117	2	3	5	10	14	17	65
35-49	299	8.2	26	3	4	7	10	15	19	26
50-64	6852	8.7	31	4	5	7	10	15	19	30
65+	19737	11.0	59	4	5	9	13	20	25	41
GRAND TOTAL	**26943**	**10.4**	**53**	**4**	**5**	**8**	**12**	**18**	**24**	**39**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.8	11	2	2	6	8	9	9	9
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	8	12.9	36	4	4	15	16	20	21	21
50-64	188	12.7	24	7	8	11	15	19	21	29
65+	309	14.1	40	6	8	13	17	21	26	36
2. MULTIPLE DX										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	5	12.8	14	9	9	12	14	19	19	19
35-49	16	12.8	47	1	2	14	19	21	22	23
50-64	282	16.1	64	8	9	14	19	25	32	48
65+	887	17.6	84	8	9	16	21	28	34	53
TOT. SINGLE DX	512	13.4	35	6	8	12	16	20	24	35
" MULTIPLE DX	1192	17.1	80	8	9	15	20	27	34	52
TOTAL 0-19 YRS	6	6.8	24	2	2	6	9	14	15	15
20-34	8	9.0	37	1	1	10	12	17	19	19
35-49	24	12.8	42	2	3	15	18	21	22	23
50-64	470	14.7	51	8	8	13	17	23	28	43
65+	1196	16.7	75	8	9	15	20	27	32	52
GRAND TOTAL	**1704**	**16.0**	**69**	**8**	**9**	**14**	**19**	**25**	**31**	**47**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	1.7		1	1	2	2	3	3	3
35-49	76	3.3	11	1	1	2	3	7	9	20
50-64	618	3.3	9	1	1	2	4	6	9	15
65+	899	3.8	13	1	1	2	4	8	11	19
2. MULTIPLE DX										
0-19 YRS	8	5.9	14	<1	1	5	9	11	11	11
20-34	14	3.4	2	1	2	3	4	5	7	7
35-49	96	5.9	31	2	2	4	7	15	17	28
50-64	749	6.4	36	1	2	4	9	13	18	28
65+	1663	8.9	67	2	2	6	12	19	25	40
TOT. SINGLE DX	1604	3.6	12	1	1	2	4	7	10	18
" MULTIPLE DX	2530	8.0	58	2	2	5	11	17	23	38
TOTAL 0-19 YRS	8	5.9	15	<1	1	5	9	11	11	11
20-34	25	2.7	2	1	1	2	3	4	5	7
35-49	172	4.8	24	1	1	3	6	10	15	23
50-64	1367	5.0	27	1	2	3	6	11	14	26
65+	2562	7.1	54	1	2	4	9	16	22	37
GRAND TOTAL	**4134**	**6.3**	**45**	**1**	**2**	**4**	**8**	**14**	**19**	**32**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	2.6	3	<1	1	2	3	5	6	9
20-34	155	3.1	3	1	1	3	4	6	7	9
35-49	129	3.8	17	1	1	3	4	6	9	21
50-64	129	3.7	7	2	2	3	4	6	8	16
65+	83	5.3	45	1	2	4	5	8	17	39
2. MULTIPLE DX										
0-19 YRS	123	3.3	11	1	1	2	3	7	12	18
20-34	155	5.4	35	1	2	4	6	10	18	42
35-49	108	6.1	59	1	2	3	7	12	17	46
50-64	164	7.7	85	2	2	5	8	17	27	97
65+	178	10.1	95	2	3	7	13	22	33	46
TOT. SINGLE DX	685	3.5	13	1	1	3	4	6	8	16
" MULTIPLE DX	728	6.8	66	1	2	4	8	16	22	45
TOTAL 0-19 YRS	312	2.9	6	1	1	2	3	5	7	14
20-34	310	4.2	21	1	1	3	5	8	10	31
35-49	237	4.8	38	1	1	3	5	10	13	41
50-64	293	6.0	55	2	2	4	6	11	20	64
65+	261	8.5	84	2	2	5	9	21	30	44
GRAND TOTAL	**1413**	**5.2**	**43**	**1**	**1**	**3**	**5**	**10**	**17**	**40**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	241	3.3	8	1	1	3	4	6	8	14
20-34	279	4.7	18	1	2	4	6	8	11	23
35-49	143	4.3	11	2	2	3	5	8	9	16
50-64	133	4.7	14	2	2	3	5	9	15	19
65+	314	5.9	21	2	2	4	8	12	15	23
2. MULTIPLE DX										
0-19 YRS	185	3.4	8	1	1	3	4	6	8	17
20-34	231	6.4	37	2	2	4	7	16	21	27
35-49	115	6.3	71	2	2	4	7	11	15	52
50-64	249	8.7	76	2	2	6	10	17	27	53
65+	924	11.0	102	2	3	8	14	22	30	53
TOT. SINGLE DX	1110	4.7	17	1	2	3	5	9	13	22
" MULTIPLE DX	1704	8.9	85	2	2	6	11	19	26	47
TOTAL 0-19 YRS	426	3.3	9	1	1	3	4	6	8	16
20-34	510	5.5	27	1	2	4	6	11	17	26
35-49	258	5.2	39	2	2	4	6	9	13	29
50-64	382	7.3	58	2	2	4	9	15	21	45
65+	1238	9.7	87	2	3	7	12	20	27	48
GRAND TOTAL	**2814**	**7.2**	**62**	**2**	**2**	**4**	**9**	**16**	**22**	**39**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1159	2.5	1	1	1	2	3	4	5	7
20-34	136	2.5	2	1	1	2	3	5	6	8
35-49	12	4.0	4	1	2	4	5	7	9	9
50-64	4	3.0	1	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	613	3.0	4	1	1	2	4	5	7	11
20-34	65	3.9	10	1	1	3	5	7	10	19
35-49	5	3.4	3	2	2	3	4	6	6	6
50-64	4	4.8	5	3	3	4	6	8	8	8
65+	5	10.4	127	2	2	8	14	30	30	30
TOT. SINGLE DX	1311	2.5	2	1	1	2	3	4	5	8
" MULTIPLE DX	692	3.1	6	1	1	3	4	5	8	13
TOTAL 0-19 YRS	1772	2.7	3	1	1	2	3	5	6	9
20-34	201	3.0	5	1	1	2	4	5	7	14
35-49	17	3.8	4	1	2	3	5	6	8	9
50-64	8	3.9	4	2	2	3	5	7	8	8
65+	5	10.4	127	2	2	8	14	30	30	30
GRAND TOTAL	**2003**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	226	2.3	5	1	1	2	3	4	5	10
20-34	181	2.6	3	<1	1	2	3	4	6	9
35-49	47	3.1	3	1	1	3	4	5	6	10
50-64	30	3.8	7	2	2	3	5	9	10	11
65+	7	6.4	38	3	3	3	7	17	20	20
2. MULTIPLE DX										
0-19 YRS	82	3.1	4	1	1	3	4	6	8	11
20-34	97	2.9	2	1	1	2	4	5	7	9
35-49	50	4.5	10	2	2	3	5	10	12	14
50-64	29	6.2	20	1	1	5	8	14	17	17
65+	13	14.8	97	4	6	10	24	30	34	35
TOT. SINGLE DX	491	2.7	5	1	1	2	3	4	6	11
" MULTIPLE DX	271	4.2	18	1	1	3	5	9	11	25
TOTAL 0-19 YRS	308	2.5	5	1	1	2	3	4	5	10
20-34	278	2.7	3	1	1	2	3	5	6	9
35-49	97	3.8	8	1	2	3	4	9	10	14
50-64	59	5.0	15	1	2	3	7	10	14	17
65+	20	11.9	91	3	3	9	16	27	32	35
GRAND TOTAL	**762**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	157	1.7	12	<1	<1	1	2	2	3	6
35-49	67	2.3	8	<1	<1	1	2	4	9	16
50-64	21	3.9	10	<1	<1	2	6	9	10	11
65+	18	8.5	38	3	5	7	9	12	24	31
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	94	4.3	28	<1	1	3	5	9	14	30
35-49	103	4.6	29	<1	1	2	6	13	18	26
50-64	37	7.4	32	1	2	6	9	13	19	30
65+	96	12.7	59	4	5	11	15	25	29	38
TOT. SINGLE DX	265	2.5	16	<1	<1	1	2	6	8	17
" MULTIPLE DX	331	7.2	51	1	1	5	9	16	23	32
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	251	2.6	20	<1	<1	1	2	5	8	28
35-49	170	3.7	22	<1	<1	2	4	8	16	25
50-64	58	6.1	27	<1	1	5	8	12	16	29
65+	114	12.0	58	4	5	10	14	25	30	37
GRAND TOTAL	**596**	**5.1**	**41**	**<1**	**1**	**2**	**7**	**13**	**18**	**31**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	710	2.3	1	1	1	2	3	4	5	7
20-34	924	2.5	1	1	1	2	3	4	5	7
35-49	569	2.8	2	1	1	2	3	5	5	9
50-64	558	3.4	3	1	2	3	4	6	7	10
65+	272	3.5	3	2	2	3	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	388	2.8	6	1	1	2	3	5	6	11
20-34	626	3.1	5	1	1	3	3	5	7	11
35-49	426	4.0	9	1	1	3	5	8	10	15
50-64	526	5.0	14	2	2	4	6	10	12	20
65+	419	6.2	26	2	2	5	7	12	16	26
TOT. SINGLE DX	3033	2.8	3	1	1	2	3	5	5	9
" MULTIPLE DX	2385	4.2	13	1	1	3	5	8	11	20
TOTAL 0-19 YRS	1098	2.5	4	1	1	2	3	4	5	8
20-34	1550	2.7	3	1	1	2	3	4	5	10
35-49	995	3.3	6	1	1	3	4	6	8	12
50-64	1084	4.2	9	1	2	3	5	8	10	17
65+	691	5.2	19	2	2	4	6	9	14	24
GRAND TOTAL	**5418**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	654	1.7	2	<1	1	2	2	2	3	8
20-34	305	2.1	3	1	1	2	2	3	4	6
35-49	203	2.1	4	1	1	2	2	3	4	16
50-64	176	2.2	2	<1	1	2	2	3	4	11
65+	115	2.7	3	1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	260	4.0	37	1	1	2	3	8	17	32
20-34	243	3.6	16	1	1	2	4	8	10	18
35-49	329	4.8	32	1	2	3	6	10	14	36
50-64	385	4.9	24	1	2	3	6	10	13	24
65+	376	6.8	54	1	2	4	9	15	21	37
TOT. SINGLE DX	1691	2.0	3	<1	1	2	2	3	4	9
" MULTIPLE DX	1784	5.0	36	1	1	3	6	11	16	32
TOTAL 0-19 YRS	1056	2.4	15	<1	1	2	2	3	6	23
20-34	616	2.7	9	1	1	2	3	5	8	15
35-49	603	3.7	22	1	1	2	4	8	12	26
50-64	633	4.0	18	1	1	2	4	9	12	19
65+	567	5.9	46	1	2	3	7	13	19	32
GRAND TOTAL	**3475**	**3.6**	**22**	**1**	**1**	**2**	**3**	**8**	**12**	**25**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	3.2	4	<1	1	3	4	7	7	9
20-34	133	3.7	15	<1	<1	2	4	9	10	18
35-49	90	4.1	9	<1	1	3	5	7	10	17
50-64	185	5.2	16	2	2	4	6	9	10	19
65+	110	5.8	19	1	2	4	7	12	13	23
2. MULTIPLE DX										
0-19 YRS	113	4.6	12	1	2	4	6	8	10	21
20-34	139	6.7	54	1	2	4	8	14	25	40
35-49	191	6.6	51	2	2	5	7	10	16	47
50-64	386	5.9	19	2	2	5	7	10	12	28
65+	205	7.9	51	2	2	5	9	17	25	40
TOT. SINGLE DX	625	4.5	14	1	1	4	6	9	11	18
" MULTIPLE DX	1034	6.4	37	2	2	5	7	11	16	35
TOTAL 0-19 YRS	220	4.0	9	1	1	3	5	7	8	16
20-34	272	5.3	37	<1	1	3	7	10	15	35
35-49	281	5.8	39	1	2	5	6	10	14	27
50-64	571	5.7	19	2	2	5	7	10	12	26
65+	315	7.2	41	2	2	5	9	15	22	37
GRAND TOTAL	**1659**	**5.7**	**29**	**1**	**2**	**4**	**7**	**10**	**15**	**31**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	407	5.7	5	3	3	5	7	9	10	14
20-34	1246	5.5	4	2	3	5	6	8	9	13
35-49	151	6.2	7	2	3	6	7	9	12	15
50-64	33	6.7	14	1	2	6	8	10	15	19
65+	28	10.7	22	4	5	10	13	19	19	20
2. MULTIPLE DX										
0-19 YRS	399	6.3	11	3	4	6	7	9	11	19
20-34	2225	6.5	12	3	4	6	7	10	12	19
35-49	361	8.2	25	2	4	7	10	14	18	25
50-64	96	12.9	64	5	6	11	15	23	28	45
65+	97	18.2	88	7	9	16	23	30	39	48
TOT. SINGLE DX	1865	5.7	6	2	3	5	7	8	10	14
" MULTIPLE DX	3178	7.2	23	3	4	6	8	11	16	28
TOTAL 0-19 YRS	806	6.0	9	3	3	6	7	9	10	15
20-34	3471	6.1	10	2	3	6	7	9	11	18
35-49	512	7.6	21	2	4	6	9	13	16	23
50-64	129	11.3	59	4	5	9	13	22	27	41
65+	125	16.6	84	6	7	14	21	29	36	47
GRAND TOTAL	**5043**	**6.7**	**17**	**2**	**4**	**6**	**7**	**10**	**14**	**23**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	214	6.4	5	4	4	6	7	9	10	15
20-34	1373	6.1	4	4	4	6	7	8	10	15
35-49	463	6.5	5	4	4	6	7	9	11	15
50-64	82	8.7	17	4	5	7	10	14	19	23
65+	55	11.7	73	5	6	9	14	19	22	58
2. MULTIPLE DX										
0-19 YRS	241	7.3	13	4	4	6	8	11	13	23
20-34	2585	7.1	10	4	5	6	8	10	13	20
35-49	1133	8.4	27	4	5	7	9	13	17	29
50-64	207	12.6	68	5	6	10	17	23	29	44
65+	188	18.4	152	7	8	15	23	32	40	69
TOT. SINGLE DX	2187	6.5	8	4	4	6	7	9	11	17
" MULTIPLE DX	4354	8.2	30	4	5	7	9	13	18	31
TOTAL 0-19 YRS	455	6.8	10	4	4	6	8	10	12	19
20-34	3958	6.7	8	4	4	6	7	10	12	18
35-49	1596	7.9	22	4	5	7	9	12	16	27
50-64	289	11.5	57	5	5	9	14	21	25	41
65+	243	16.9	142	6	7	14	21	31	37	67
GRAND TOTAL	**6541**	**7.6**	**23**	**4**	**5**	**6**	**8**	**12**	**15**	**28**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.0	6	5	5	6	9	11	11	11
20-34	137	6.6	6	3	4	6	8	9	11	16
35-49	234	7.4	10	4	5	7	8	11	13	23
50-64	112	8.2	8	5	5	8	10	12	15	18
65+	58	11.9	66	6	6	9	14	22	34	39
2. MULTIPLE DX										
0-19 YRS	17	7.4	9	4	5	6	8	13	14	15
20-34	502	7.7	13	4	5	7	9	12	15	23
35-49	903	9.0	23	5	5	7	10	14	18	28
50-64	383	12.7	81	6	6	10	15	22	29	54
65+	225	16.4	129	7	7	13	19	28	39	58
TOT. SINGLE DX	546	7.9	17	4	5	7	9	12	15	27
" MULTIPLE DX	2030	10.2	51	5	5	8	11	18	23	40
TOTAL 0-19 YRS	22	7.3	9	4	5	6	8	12	14	15
20-34	639	7.5	12	4	5	7	8	11	14	22
35-49	1137	8.6	21	5	5	7	10	14	17	27
50-64	495	11.7	69	5	6	9	13	20	26	51
65+	283	15.5	120	6	7	12	19	27	38	50
GRAND TOTAL	**2576**	**9.7**	**45**	**5**	**5**	**8**	**11**	**16**	**22**	**37**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	4.4	11	1	1	4	6	8	10	18
20-34	325	3.7	6	1	1	3	5	7	8	12
35-49	43	4.0	8	<1	1	3	6	7	10	13
50-64	5	6.6	64	1	1	3	11	20	20	20
65+	5	12.0	74	2	2	10	19	24	24	24
2. MULTIPLE DX										
0-19 YRS	112	5.4	17	1	2	5	7	9	12	26
20-34	739	5.4	12	1	2	5	7	9	11	18
35-49	113	5.6	25	1	1	5	7	10	14	27
50-64	9	7.2	41	1	1	5	12	18	18	18
65+	6	11.8	37	4	4	11	14	21	22	22
TOT. SINGLE DX	490	4.0	10	1	1	3	5	7	9	16
" MULTIPLE DX	979	5.5	15	1	2	5	7	9	12	22
TOTAL 0-19 YRS	224	4.9	15	1	1	4	6	8	11	25
20-34	1064	4.9	11	1	1	5	6	8	10	15
35-49	156	5.1	21	1	1	5	6	10	13	19
50-64	14	7.0	45	1	1	4	10	18	20	20
65+	11	11.9	49	2	3	10	16	23	24	24
GRAND TOTAL	**1469**	**5.0**	**14**	**1**	**1**	**5**	**6**	**8**	**11**	**20**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	1.4		<1	<1	1	2	2	3	3
20-34	2967	1.4		<1	<1	1	2	2	2	4
35-49	1067	1.4		<1	<1	1	2	2	2	4
50-64	6	1.2		<1	<1	1	1	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	14	2.3	2	1	1	2	3	5	6	6
20-34	2342	2.0	4	<1	<1	2	2	3	5	10
35-49	1054	2.0	8	<1	<1	1	2	3	5	10
50-64	7	4.3	48	<1	<1	2	3	17	20	20
65+										
TOT. SINGLE DX	4059	1.4		<1	<1	1	2	2	2	4
" MULTIPLE DX	3417	2.0	6	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	33	1.8	1	<1	<1	1	2	3	5	6
20-34	5309	1.7	2	<1	<1	1	2	3	3	8
35-49	2121	1.7	5	<1	<1	1	2	2	4	7
50-64	13	2.8	27	<1	<1	1	2	6	17	20
65+										
GRAND TOTAL	**7476**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**2**	**4**	**8**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	4.0	4	1	2	4	6	7	8	9
20-34	2977	2.5	2	1	1	2	3	4	5	7
35-49	907	2.4	1	1	1	2	3	4	5	7
50-64	10	6.1	30	1	1	5	8	15	18	18
65+										
2. MULTIPLE DX										
0-19 YRS	31	5.1	4	2	2	5	6	8	9	11
20-34	4228	3.7	8	1	1	3	5	6	7	12
35-49	1175	3.6	9	1	1	3	4	6	8	15
50-64	18	8.4	94	2	2	5	11	17	32	42
65+										
TOT. SINGLE DX	3918	2.5	2	1	1	2	3	4	5	7
" MULTIPLE DX	5452	3.7	9	1	1	3	5	6	7	13
TOTAL 0-19 YRS	55	4.6	5	2	2	5	6	8	9	11
20-34	7205	3.2	6	1	1	3	4	5	6	10
35-49	2082	3.1	7	1	1	3	4	5	7	11
50-64	28	7.6	71	1	2	5	10	17	20	42
65+										
GRAND TOTAL	9370	3.2	7	1	1	3	4	5	6	11

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	5.2	2	3	3	5	6	7	8	11
20-34	2253	5.1	3	2	3	5	6	7	8	11
35-49	227	5.2	4	2	3	5	6	8	8	11
50-64	4	7.5	51	3	3	5	12	18	18	18
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	175	6.3	8	3	3	6	7	9	12	20
20-34	2425	5.7	6	2	3	5	7	8	10	14
35-49	352	5.7	8	1	2	6	7	9	11	15
50-64	15	13.0	289	2	2	9	12	23	59	71
65+	5	13.4	6	11	11	12	15	17	17	17
TOT. SINGLE DX	2640	5.1	4	2	3	5	6	7	8	11
" MULTIPLE DX	2972	5.8	9	2	3	5	7	8	10	16
TOTAL 0-19 YRS	329	5.8	6	3	3	5	7	8	10	16
20-34	4678	5.4	5	2	3	5	6	8	9	13
35-49	579	5.5	7	1	2	5	7	8	10	14
50-64	19	11.8	239	2	2	7	12	21	49	71
65+	7	10.0	38	1	1	12	14	17	17	17
GRAND TOTAL	5612	5.5	6	2	3	5	6	8	9	13

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	2.1		1	1	2	3	3	4	5
20-34	945	2.2	1	1	1	2	3	3	4	7
35-49	327	2.5	2	1	1	2	3	4	6	9
50-64	146	2.6	3	1	1	2	3	4	7	9
65+	41	3.2	4	1	1	3	3	6	9	10
2. MULTIPLE DX										
0-19 YRS	34	2.5	2	1	1	2	3	4	4	10
20-34	748	2.6	4	1	1	2	3	4	6	11
35-49	369	3.4	12	1	1	2	3	7	10	19
50-64	187	4.2	17	1	2	3	4	9	14	22
65+	75	5.9	47	1	2	3	6	17	22	34
TOT. SINGLE DX	1499	2.3	2	1	1	2	3	3	4	8
" MULTIPLE DX	1413	3.2	11	1	1	2	3	6	9	18
TOTAL 0-19 YRS	74	2.3	2	1	1	2	3	3	4	9
20-34	1693	2.4	3	1	1	2	3	4	5	9
35-49	696	3.0	8	1	1	2	3	5	8	17
50-64	333	3.5	12	1	1	2	4	7	10	18
65+	116	4.9	34	1	2	3	4	11	18	30
GRAND TOTAL	2912	2.7	6	1	1	2	3	4	7	15

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.1	1	<1	<1	2	3	4	4	7
20-34	521	2.0	1	<1	<1	2	2	3	4	8
35-49	369	2.3	3	<1	<1	2	2	4	5	11
50-64	269	3.1	10	<1	1	2	3	6	9	15
65+	176	4.8	19	1	1	3	7	10	13	24
2. MULTIPLE DX										
0-19 YRS	56	3.4	32	<1	1	2	3	6	8	40
20-34	776	3.7	25	<1	1	2	4	7	10	27
35-49	847	3.8	17	<1	1	2	4	8	11	22
50-64	640	5.2	43	1	1	3	6	11	15	31
65+	498	8.0	55	2	2	6	10	17	21	37
TOT. SINGLE DX	1382	2.7	7	<1	<1	2	3	5	8	13
" MULTIPLE DX	2817	4.8	35	1	1	3	6	11	15	30
TOTAL 0-19 YRS	103	2.8	18	<1	<1	2	3	5	6	26
20-34	1297	3.0	17	<1	<1	2	3	6	8	18
35-49	1216	3.3	14	<1	<1	2	4	7	10	20
50-64	909	4.6	35	1	1	3	5	10	13	29
65+	674	7.2	48	1	2	5	9	15	20	35
GRAND TOTAL	4199	4.1	27	<1	1	2	4	9	13	24

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.8	1	1	1	3	3	4	5	7
20-34	1221	2.9	2	1	1	3	4	4	5	9
35-49	88	2.9	3	1	1	3	4	5	5	12
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	21	5.0	9	1	1	5	7	9	11	13
20-34	276	4.2	12	1	1	3	5	7	10	17
35-49	31	4.1	17	1	1	3	5	7	10	24
50-64	3	2.7	8	1	1	1	5	6	6	6
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	1368	2.9	3	1	1	3	4	4	5	8
" MULTIPLE DX	332	4.2	13	1	1	3	5	8	10	18
TOTAL 0-19 YRS	78	3.4	5	1	1	3	4	7	8	12
20-34	1497	3.1	5	1	1	3	4	5	6	11
35-49	119	3.2	7	1	1	3	4	5	6	17
50-64	5	2.6	5	1	1	1	4	6	6	6
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**1700**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.8	6	<1	1	3	6	8	8	8
20-34	389	4.9	6	<1	1	5	7	8	9	11
35-49	112	4.3	8	<1	1	4	6	8	10	12
50-64	36	3.6	15	<1	<1	2	4	8	13	19
65+	24	5.0	43	1	1	2	5	15	23	27
2. MULTIPLE DX										
0-19 YRS	19	5.9	20	<1	1	5	7	11	16	20
20-34	573	5.4	9	1	1	6	7	9	10	14
35-49	222	5.6	17	1	1	6	8	9	13	20
50-64	100	6.3	33	<1	1	4	9	14	19	26
65+	79	11.5	123	1	2	8	16	24	35	51
TOT. SINGLE DX	586	4.6	9	<1	1	5	7	8	9	13
" MULTIPLE DX	993	6.0	25	1	1	6	8	10	14	26
TOTAL 0-19 YRS	44	4.7	13	<1	1	4	7	8	11	20
20-34	962	5.2	8	1	1	6	7	8	10	13
35-49	334	5.2	15	1	1	5	7	9	12	17
50-64	136	5.6	30	<1	1	3	8	14	18	25
65+	103	10.0	111	1	2	6	14	23	32	48
GRAND TOTAL	**1579**	**5.5**	**20**	**1**	**1**	**5**	**7**	**9**	**12**	**23**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	7.8	4	5	6	7	8	11	13	14
20-34	1860	7.1	3	5	5	7	8	9	10	14
35-49	3237	7.3	4	5	6	7	8	9	11	16
50-64	1101	8.3	8	5	6	8	9	12	14	20
65+	522	9.6	18	6	6	8	11	14	16	25
2. MULTIPLE DX										
0-19 YRS	73	8.7	21	4	5	7	9	14	18	29
20-34	9141	7.8	8	5	5	7	8	11	13	20
35-49	18809	8.1	10	5	6	7	9	11	14	21
50-64	5384	9.2	20	6	6	8	10	14	17	28
65+	2005	13.2	65	7	7	11	15	22	29	47
TOT. SINGLE DX	6749	7.6	6	5	6	7	8	10	12	17
" MULTIPLE DX	35412	8.5	16	5	6	7	9	12	15	25
TOTAL 0-19 YRS	102	8.5	17	4	5	7	9	13	16	27
20-34	11001	7.6	8	5	5	7	8	10	12	19
35-49	22046	8.0	10	5	6	7	9	11	13	20
50-64	6485	9.1	18	6	6	8	10	13	17	27
65+	2527	12.4	58	6	7	10	14	21	27	45
GRAND TOTAL	**42161**	**8.3**	**15**	**5**	**6**	**7**	**9**	**12**	**15**	**24**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.7		5	5	6	6	6	6	6
20-34	889	6.0	2	4	4	6	7	8	9	12
35-49	972	6.8	5	4	5	6	8	10	11	17
50-64	522	8.2	7	5	6	8	9	11	13	18
65+	490	9.1	10	6	6	8	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	8	7.9	23	1	1	9	12	13	14	14
20-34	3052	6.7	6	4	5	6	7	9	11	16
35-49	5177	7.3	9	4	5	7	8	10	12	18
50-64	1957	8.8	13	5	6	8	10	13	15	21
65+	1414	10.1	18	6	6	9	11	15	18	27
TOT. SINGLE DX	2876	7.2	7	4	5	7	8	10	12	17
" MULTIPLE DX	11608	7.7	12	4	5	7	9	11	14	20
TOTAL 0-19 YRS	11	7.3	18	1	2	6	11	13	14	14
20-34	3941	6.6	6	4	5	6	7	9	11	15
35-49	6149	7.2	9	4	5	7	8	10	12	18
50-64	2479	8.6	12	5	6	8	10	12	15	21
65+	1904	9.8	17	6	6	9	11	14	17	26
GRAND TOTAL	**14484**	**7.6**	**11**	**4**	**5**	**7**	**9**	**11**	**13**	**20**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	42	11.7	13	6	8	11	14	17	18	20
35-49	41	11.8	14	5	7	12	14	16	18	22
50-64	27	13.0	18	7	8	12	15	19	21	26
65+	11	17.7	39	8	9	18	24	26	26	26
2. MULTIPLE DX										
0-19 YRS										
20-34	30	12.4	28	5	6	11	15	20	23	24
35-49	39	16.0	115	6	7	12	19	30	42	54
50-64	48	18.8	136	7	8	16	22	33	36	71
65+	45	23.0	177	9	11	17	32	45	47	65
TOT. SINGLE DX	122	12.5	20	6	8	12	15	18	21	26
" MULTIPLE DX	162	18.1	135	7	8	15	21	34	45	64
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	72	12.0	20	5	7	11	15	18	20	24
35-49	80	13.8	67	6	7	12	15	22	29	52
50-64	75	16.7	101	7	8	14	19	27	34	65
65+	56	21.9	153	9	11	18	26	44	46	64
GRAND TOTAL	**284**	**15.7**	**93**	**6**	**8**	**13**	**18**	**25**	**36**	**52**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	1.7		<1	<1	1	2	3	3	5
20-34	133	2.0	2	<1	1	2	2	4	6	8
35-49	20	2.0	2	<1	<1	1	3	5	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	3.7	11	<1	<1	2	7	8	10	12
20-34	135	4.5	18	1	1	3	6	10	13	21
35-49	38	3.7	17	1	1	2	4	9	15	19
50-64										
65+										
TOT. SINGLE DX	184	1.9	2	<1	<1	1	2	4	5	7
" MULTIPLE DX	196	4.2	17	1	1	3	6	10	13	20
TOTAL 0-19 YRS	54	2.5	6	<1	<1	2	3	7	8	12
20-34	268	3.2	12	<1	1	2	4	7	10	16
35-49	58	3.1	13	<1	1	2	4	6	12	19
50-64										
65+										
GRAND TOTAL	**380**	**3.1**	**11**	**<1**	**1**	**2**	**4**	**7**	**10**	**16**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3428	1.9	2	<1	1	2	2	3	5	8
20-34	21612	1.8	2	<1	<1	1	2	3	4	7
35-49	6912	1.8	2	<1	<1	2	2	3	4	8
50-64	2619	2.0	2	<1	1	2	2	3	4	8
65+	809	3.1	8	1	1	2	3	6	9	15
2. MULTIPLE DX										
0-19 YRS	1326	3.6	13	1	1	3	4	7	10	16
20-34	12406	3.3	12	1	1	2	4	7	9	16
35-49	8999	3.4	16	<1	1	2	4	8	10	20
50-64	4092	3.8	24	<1	1	2	4	9	12	25
65+	1883	6.1	59	1	1	3	7	13	19	48
TOT. SINGLE DX	35380	1.9	3	<1	<1	1	2	3	4	8
" MULTIPLE DX	28706	3.6	19	1	1	2	4	8	11	21
TOTAL 0-19 YRS	4754	2.4	6	<1	1	2	3	5	7	12
20-34	34018	2.4	7	<1	1	2	3	4	7	12
35-49	15911	2.7	11	<1	1	2	3	6	8	16
50-64	6711	3.1	17	<1	1	2	3	6	10	20
65+	2692	5.2	46	1	1	3	6	12	17	37
GRAND TOTAL	**64086**	**2.7**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**16**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	711	1.2		<1	<1	1	1	2	2	4
20-34	1400	1.3	1	<1	<1	1	1	2	2	5
35-49	120	1.2		<1	<1	1	1	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	85	3.6	9	<1	1	2	4	10	11	12
20-34	513	3.3	13	<1	<1	2	4	7	9	21
35-49	118	3.1	13	<1	<1	2	3	5	11	21
50-64										
65+										
TOT. SINGLE DX	2231	1.2	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	716	3.3	13	<1	<1	2	4	7	10	21
TOTAL 0-19 YRS	796	1.4	2	<1	<1	1	1	2	3	10
20-34	1913	1.8	5	<1	<1	1	2	3	6	12
35-49	238	2.1	8	<1	<1	1	2	4	5	18
50-64										
65+										
GRAND TOTAL	**2947**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	329	1.5		<1	<1	1	2	3	4	5
20-34	1652	1.5	1	<1	<1	1	2	2	4	6
35-49	161	1.6	3	<1	<1	1	2	3	4	7
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	53	2.8	12	<1	1	2	3	5	7	23
20-34	379	2.6	8	<1	1	2	3	5	6	13
35-49	64	3.5	17	<1	1	2	4	7	9	27
50-64	10	12.6	522	<1	<1	2	12	50	73	73
65+	8	15.5	144	2	2	14	24	33	35	35
TOT. SINGLE DX	2143	1.5	2	<1	<1	1	2	2	4	6
" MULTIPLE DX	514	3.1	25	<1	1	2	3	5	8	28
TOTAL 0-19 YRS	382	1.7	3	<1	<1	1	2	3	4	7
20-34	2031	1.7	3	<1	<1	1	2	3	4	8
35-49	225	2.2	8	<1	<1	1	2	4	7	12
50-64	10	12.6	522	<1	<1	2	12	50	73	73
65+	9	14.0	147	2	2	11	21	33	35	35
GRAND TOTAL	**2657**	**1.8**	**7**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	53	5.5	3	3	3	6	6	7	9	10
35-49	8	6.8	1	5	5	7	8	8	8	8
50-64	6	9.7	13	7	7	8	9	16	17	17
65+	7	9.9	6	6	6	11	12	13	13	13
2. MULTIPLE DX										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	172	6.0	5	3	4	6	7	8	9	16
35-49	19	8.6	38	2	4	7	9	16	23	29
50-64	14	8.1	5	6	6	7	9	11	13	13
65+	16	11.8	45	6	7	10	13	19	29	33
TOT. SINGLE DX	76	6.3	6	3	4	6	7	9	11	16
" MULTIPLE DX	224	6.8	14	3	4	6	8	10	14	22
TOTAL 0-19 YRS	5	4.8	3	3	3	5	6	7	7	7
20-34	225	5.9	5	3	4	6	7	8	9	16
35-49	27	8.0	28	3	5	7	8	15	18	29
50-64	20	8.6	8	6	6	8	9	12	15	17
65+	23	11.2	34	6	7	11	12	16	25	33
GRAND TOTAL	**300**	**6.7**	**12**	**3**	**4**	**6**	**8**	**9**	**13**	**19**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	2.9	5	1	1	2	4	6	7	12
20-34	212	2.8	4	<1	<1	2	4	6	7	10
35-49	61	3.4	5	<1	1	3	5	7	8	11
50-64	64	3.7	2	1	2	4	4	5	6	10
65+	43	5.0	24	3	3	4	5	7	7	36
2. MULTIPLE DX										
0-19 YRS	28	3.5	4	1	1	3	5	6	7	8
20-34	276	4.2	12	1	1	4	6	8	10	16
35-49	85	4.2	11	1	1	3	5	8	12	18
50-64	88	4.1	10	2	2	3	4	6	9	23
65+	106	5.3	24	2	3	4	5	9	16	29
TOT. SINGLE DX	441	3.2	7	<1	1	3	4	6	7	11
" MULTIPLE DX	583	4.4	14	1	1	4	5	8	10	19
TOTAL 0-19 YRS	89	3.1	5	1	1	2	5	6	7	11
20-34	488	3.6	10	<1	1	3	5	7	9	12
35-49	146	3.9	9	1	1	3	5	7	9	16
50-64	152	3.9	7	2	2	3	4	5	7	11
65+	149	5.2	25	2	3	4	5	8	13	36
GRAND TOTAL	**1024**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	144	6.4	6	3	3	6	8	10	11	14
35-49	372	7.1	8	4	4	7	8	11	12	15
50-64	735	7.3	7	4	4	7	8	11	13	17
65+	477	7.6	9	4	5	7	9	11	13	20
2. MULTIPLE DX										
0-19 YRS	2	13.0	128	5	5	13	21	21	21	21
20-34	260	7.7	16	3	4	7	9	12	15	24
35-49	846	8.6	15	4	5	8	10	13	16	23
50-64	1304	8.9	18	4	5	8	10	13	17	24
65+	973	9.9	23	5	5	9	12	16	19	28
TOT. SINGLE DX	1728	7.2	8	4	4	7	8	11	12	17
" MULTIPLE DX	3385	9.0	19	4	5	8	10	14	18	25
TOTAL 0-19 YRS	2	13.0	128	5	5	13	21	21	21	21
20-34	404	7.2	13	3	4	7	8	12	13	19
35-49	1218	8.1	14	4	5	7	10	12	15	22
50-64	2039	8.3	15	4	5	7	10	13	15	23
65+	1450	9.1	20	4	5	8	11	14	18	26
GRAND TOTAL	**5113**	**8.4**	**16**	**4**	**5**	**8**	**10**	**13**	**16**	**23**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	4.2	12	1	1	3	6	10	12	12
20-34	244	4.0	6	1	1	4	5	7	9	11
35-49	96	4.6	9	1	1	4	6	8	10	16
50-64	59	5.7	11	1	1	5	8	10	13	15
65+	28	9.4	91	2	3	7	11	14	28	51
2. MULTIPLE DX										
0-19 YRS	75	4.8	123	<1	1	3	5	7	13	76
20-34	163	5.3	20	1	2	4	6	10	13	24
35-49	114	7.0	26	1	2	6	9	11	16	29
50-64	121	9.7	74	2	4	8	11	16	28	51
65+	109	11.8	119	3	5	9	12	19	29	69
TOT. SINGLE DX	459	4.7	15	1	1	4	6	9	11	15
" MULTIPLE DX	582	7.7	71	1	2	6	9	14	18	43
TOTAL 0-19 YRS	107	4.6	90	1	1	3	5	8	12	50
20-34	407	4.5	13	1	1	4	6	8	10	22
35-49	210	5.9	20	1	1	5	8	10	13	23
50-64	180	8.4	57	1	2	7	10	14	21	39
65+	137	11.3	114	3	4	9	12	18	28	61
GRAND TOTAL	**1041**	**6.4**	**48**	**1**	**1**	**5**	**8**	**11**	**15**	**31**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	3.1	8	<1	<1	2	4	6	8	17
20-34	497	3.2	6	<1	<1	2	4	7	8	12
35-49	168	4.3	19	<1	1	3	5	10	14	25
50-64	120	4.9	13	1	1	4	7	10	12	16
65+	157	6.1	16	2	2	5	8	11	14	23
2. MULTIPLE DX										
0-19 YRS	150	4.3	10	1	1	3	6	10	11	14
20-34	488	5.1	24	1	1	4	7	10	13	19
35-49	225	7.4	46	1	1	6	9	16	22	31
50-64	347	7.6	45	2	2	6	9	14	19	46
65+	492	10.8	85	2	3	8	13	23	30	48
TOT. SINGLE DX	1116	3.9	12	<1	1	3	5	8	10	17
" MULTIPLE DX	1702	7.5	54	1	2	5	9	15	21	40
TOTAL 0-19 YRS	324	3.7	10	<1	1	3	5	7	10	16
20-34	985	4.1	17	<1	1	3	5	9	11	17
35-49	393	6.1	37	<1	1	4	8	14	19	28
50-64	467	6.9	38	1	2	6	9	13	18	41
65+	649	9.6	73	2	3	7	12	20	28	46
GRAND TOTAL	**2818**	**6.1**	**40**	**1**	**1**	**4**	**8**	**13**	**17**	**35**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	198	2.5	2	<1	1	2	3	4	5	9
20-34	863	2.4	4	<1	1	2	3	4	5	9
35-49	374	2.6	4	<1	1	2	3	4	6	14
50-64	219	2.8	3	<1	1	2	3	5	7	11
65+	129	4.7	33	1	1	3	5	9	13	37
2. MULTIPLE DX										
0-19 YRS	103	4.4	29	1	1	3	5	8	12	33
20-34	409	3.9	13	1	1	3	4	8	11	21
35-49	306	5.1	30	1	1	3	6	11	15	34
50-64	249	6.9	81	1	1	4	8	15	23	38
65+	262	9.1	105	2	2	6	12	18	25	54
TOT. SINGLE DX	1783	2.7	6	<1	1	2	3	5	6	12
" MULTIPLE DX	1329	5.8	53	1	1	3	7	13	17	36
TOTAL 0-19 YRS	301	3.2	12	1	1	2	3	6	8	16
20-34	1272	2.9	8	<1	1	2	3	5	7	15
35-49	680	3.7	18	<1	1	2	4	7	11	23
50-64	468	5.0	49	1	1	3	5	11	15	33
65+	391	7.6	86	1	2	4	9	17	24	47
GRAND TOTAL	**3112**	**4.0**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**26**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.0	1	3	3	4	5	5	5	5
20-34	15	9.3	211	<1	2	5	9	20	49	59
35-49	23	9.0	36	2	3	7	13	19	21	21
50-64	37	8.8	38	2	2	7	12	17	23	25
65+	46	10.3	53	3	3	8	14	21	27	33
2. MULTIPLE DX										
0-19 YRS	3	9.3	56	2	2	9	15	17	17	17
20-34	17	9.9	52	2	3	9	13	16	26	31
35-49	29	10.7	82	2	2	9	14	28	43	99+
50-64	36	16.5	219	2	3	13	21	32	50	70
65+	104	17.4	143	4	4	14	25	38	44	99+
TOT. SINGLE DX	125	9.3	62	2	3	7	12	20	23	39
" MULTIPLE DX	185	15.4	146	2	4	12	23	33	43	99+
TOTAL 0-19 YRS	7	6.3	28	2	2	5	8	15	17	17
20-34	32	9.7	122	1	2	6	12	17	30	59
35-49	52	9.9	62	2	3	8	13	21	31	98
50-64	73	12.6	141	2	3	9	17	25	32	66
65+	150	15.2	126	3	4	12	23	32	41	99
GRAND TOTAL	**314**	**13.0**	**121**	**2**	**3**	**9**	**17**	**28**	**39**	**80**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.2	10	1	1	2	4	9	11	13
20-34	102	3.3	4	<1	1	3	4	6	7	12
35-49	26	3.7	7	<1	1	3	5	7	9	12
50-64	15	4.0	6	2	2	3	4	7	11	12
65+	14	4.9	8	2	2	4	7	9	11	11
2. MULTIPLE DX										
0-19 YRS	45	3.6	34	<1	<1	2	3	7	13	32
20-34	76	4.4	6	2	2	4	6	7	9	14
35-49	30	7.4	69	1	2	3	9	19	28	34
50-64	31	6.7	23	2	2	5	9	12	18	23
65+	15	8.0	31	1	2	7	10	17	18	19
TOT. SINGLE DX	191	3.9	7	1	1	3	4	7	9	13
" MULTIPLE DX	197	5.3	29	1	1	4	6	11	16	30
TOTAL 0-19 YRS	79	3.4	24	<1	1	2	4	7	11	30
20-34	178	3.8	6	1	1	3	5	6	9	13
35-49	56	5.7	43	1	1	3	7	14	21	34
50-64	46	5.8	19	2	2	4	7	12	14	23
65+	29	6.5	22	2	2	5	9	14	17	19
GRAND TOTAL	**388**	**4.4**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	28	2.8	10	<1	<1	2	3	7	9	16
35-49	6	2.2	1	1	1	2	2	4	4	4
50-64	6	1.7		<1	<1	2	2	2	2	2
65+	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	17	3.8	40	<1	1	2	4	5	20	28
20-34	35	4.5	23	<1	<1	2	6	11	15	21
35-49	8	5.0	29	<1	<1	3	8	14	15	15
50-64	11	6.4	28	1	1	5	9	15	17	17
65+	11	10.6	154	1	1	7	11	31	42	43
TOT. SINGLE DX	49	2.5	6	<1	<1	2	3	4	7	16
" MULTIPLE DX	82	5.5	48	<1	1	3	6	14	19	38
TOTAL 0-19 YRS	22	3.5	32	<1	1	2	4	5	14	28
20-34	63	3.8	18	<1	<1	2	4	9	14	20
35-49	14	3.8	18	<1	1	2	4	12	14	15
50-64	17	4.7	23	<1	1	2	6	13	16	17
65+	15	8.5	123	1	2	4	9	23	38	43
GRAND TOTAL	**131**	**4.4**	**34**	**<1**	**<1**	**2**	**4**	**11**	**15**	**31**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2726	3.3	1	2	2	3	4	4	5	6
20-34	13480	3.5	1	2	2	3	4	5	5	7
35-49	542	3.6	1	2	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3577	3.7	4	2	2	3	4	5	6	9
20-34	17274	3.9	3	2	3	4	4	5	6	9
35-49	916	4.1	4	2	3	4	5	6	7	14
50-64										
65+										
TOT. SINGLE DX	16748	3.5	1	2	2	3	4	5	5	7
" MULTIPLE DX	21767	3.9	4	2	3	4	4	5	6	9
TOTAL 0-19 YRS	6303	3.5	3	2	2	3	4	5	5	8
20-34	30754	3.7	2	2	3	3	4	5	6	8
35-49	1458	3.9	3	2	3	4	4	5	6	11
50-64										
65+										
GRAND TOTAL	**38515**	**3.7**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	3.1		2	2	3	4	4	4	5
20-34	283	3.3	1	2	2	3	4	5	5	6
35-49	17	3.7		2	3	4	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	109	3.1	2	1	1	3	4	4	6	10
20-34	750	3.7	5	1	2	3	4	5	6	12
35-49	75	4.2	7	1	2	4	5	6	8	18
50-64										
65+										
TOT. SINGLE DX	333	3.3	1	2	2	3	4	5	5	6
" MULTIPLE DX	934	3.6	5	1	2	3	4	5	6	12
TOTAL 0-19 YRS	142	3.1	2	1	2	3	4	4	5	8
20-34	1033	3.6	4	1	2	3	4	5	6	10
35-49	92	4.1	6	1	2	4	5	6	8	16
50-64										
65+										
GRAND TOTAL	**1267**	**3.5**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	337	3.4		2	2	3	4	5	5	6
20-34	2155	3.7	1	2	2	4	4	5	6	7
35-49	100	3.8	1	2	2	4	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	613	3.9	2	2	3	4	4	5	6	9
20-34	3863	4.1	3	2	3	4	5	6	6	10
35-49	229	4.3	3	2	3	4	5	6	7	13
50-64										
65+										
TOT. SINGLE DX	2592	3.6	1	2	2	4	4	5	5	7
" MULTIPLE DX	4705	4.1	3	2	3	4	5	6	6	10
TOTAL 0-19 YRS	950	3.7	2	2	2	3	4	5	6	8
20-34	6018	3.9	3	2	3	4	4	5	6	9
35-49	329	4.1	3	2	3	4	5	6	6	13
50-64										
65+										
GRAND TOTAL	**7297**	**3.9**	**3**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12396	3.1	1	2	2	3	4	4	5	6
20-34	76617	3.2	1	2	2	3	4	4	5	6
35-49	3285	3.4	2	2	2	3	4	5	5	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	9604	3.4	3	2	2	3	4	5	6	9
20-34	63955	3.5	3	2	2	3	4	5	6	9
35-49	3726	3.8	4	2	2	4	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	92298	3.2	1	2	2	3	4	4	5	6
" MULTIPLE DX	77285	3.5	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	22000	3.2	2	2	2	3	4	4	5	7
20-34	140572	3.4	2	2	2	3	4	5	5	7
35-49	7011	3.6	3	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**169583**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1399	5.8	4	4	4	6	6	7	8	12
20-34	12769	5.9	3	4	4	6	7	7	8	11
35-49	622	6.4	12	4	5	6	7	8	8	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4238	6.5	10	4	4	6	7	9	11	19
20-34	33979	6.5	11	4	5	6	7	8	10	19
35-49	2492	7.1	17	4	5	6	7	9	11	27
50-64										
65+										
TOT. SINGLE DX	14290	5.9	4	4	4	6	7	7	8	11
" MULTIPLE DX	40709	6.5	11	4	5	6	7	8	10	20
TOTAL 0-19 YRS	5637	6.4	9	4	4	6	7	8	10	17
20-34	46248	6.3	9	4	5	6	7	8	9	17
35-49	3114	6.9	17	4	5	6	7	9	11	25
50-64										
65+										
GRAND TOTAL	**54999**	**6.4**	**9**	**4**	**5**	**6**	**7**	**8**	**9**	**18**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	5.8	4	4	4	5	6	8	9	13
20-34	854	6.0	6	4	4	6	6	8	8	15
35-49	35	6.8	10	4	5	6	7	8	13	22
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	323	6.5	11	4	4	6	7	9	11	25
20-34	2358	6.5	10	4	5	6	7	8	11	19
35-49	179	8.1	56	4	5	6	7	11	17	48
50-64										
65+										
TOT. SINGLE DX	1026	6.0	7	4	4	6	6	8	8	15
" MULTIPLE DX	2860	6.6	13	4	5	6	7	9	11	23
TOTAL 0-19 YRS	460	6.3	9	4	4	6	7	9	11	22
20-34	3212	6.4	9	4	4	6	7	8	10	18
35-49	214	7.9	49	4	5	6	7	10	15	41
50-64										
65+										
GRAND TOTAL	**3886**	**6.4**	**12**	**4**	**4**	**6**	**7**	**8**	**10**	**19**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0		4	4	5	6	6	6	6
20-34	51	5.0	2	3	3	5	6	7	7	10
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	6.9	6	5	5	6	7	11	13	13
20-34	68	6.4	17	3	4	6	6	10	14	28
35-49	8	6.6	6	3	3	6	8	10	11	11
50-64										
65+										
TOT. SINGLE DX	56	5.1	2	3	4	5	6	7	7	10
" MULTIPLE DX	84	6.5	15	3	4	6	7	10	13	26
TOTAL 0-19 YRS	12	6.3	5	4	4	6	7	9	12	13
20-34	119	5.8	11	3	4	5	6	8	12	21
35-49	9	6.7	6	3	4	7	8	10	11	11
50-64										
65+										
GRAND TOTAL	**140**	**5.9**	**10**	**3**	**4**	**5**	**6**	**8**	**12**	**18**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	614	1.7		1	1	2	2	2	3	3
20-34	497	1.6		1	1	2	2	2	3	3
35-49	30	1.5		1	1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	150	2.1	2	1	1	2	2	3	3	6
20-34	195	2.1	1	1	1	2	3	3	4	7
35-49	22	2.2	2	<1	<1	2	3	3	5	8
50-64										
65+										
TOT. SINGLE DX	1141	1.7		1	1	2	2	2	3	3
" MULTIPLE DX	367	2.1	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS	764	1.7	1	1	1	2	2	2	3	3
20-34	692	1.8	1	1	1	2	2	3	3	4
35-49	52	1.8	1	1	1	2	2	3	3	8
50-64										
65+										
GRAND TOTAL	**1508**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	4.5	25	<1	1	3	6	10	14	28
20-34	440	3.9	25	<1	<1	2	5	8	12	25
35-49	35	3.6	13	<1	<1	3	4	6	11	20
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	49	5.7	32	1	1	4	7	10	16	36
20-34	301	6.4	57	<1	1	4	7	14	20	44
35-49	27	6.4	65	<1	<1	4	7	18	22	38
50-64										
65+										
TOT. SINGLE DX	553	4.0	24	<1	<1	2	5	8	12	25
" MULTIPLE DX	377	6.3	55	<1	1	4	7	14	20	43
TOTAL 0-19 YRS	127	4.9	28	<1	1	3	6	10	14	31
20-34	741	4.9	40	<1	<1	3	6	10	16	37
35-49	62	4.9	37	<1	<1	3	6	11	19	36
50-64										
65+										
GRAND TOTAL	**930**	**4.9**	**38**	**<1**	**<1**	**3**	**6**	**10**	**15**	**36**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1106	2.3	1	<1	<1	2	3	4	4	6
20-34	5649	2.5	2	<1	<1	3	3	4	5	7
35-49	235	2.6	2	<1	<1	3	3	4	5	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	877	3.0	2	<1	1	3	4	4	5	8
20-34	5333	3.4	3	1	2	3	4	5	6	9
35-49	279	4.0	6	2	2	4	4	5	7	17
50-64										
65+										
TOT. SINGLE DX	6990	2.5	2	<1	<1	3	3	4	5	7
" MULTIPLE DX	6489	3.3	4	1	2	3	4	5	6	9
TOTAL 0-19 YRS	1983	2.6	2	<1	<1	3	3	4	5	7
20-34	10982	2.9	3	<1	<1	3	4	4	5	8
35-49	514	3.4	5	<1	<1	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**13479**	**2.9**	**3**	**<1**	**<1**	**3**	**4**	**4**	**5**	**8**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1638	3.0		2	2	3	3	4	5	6
20-34	10519	3.1	1	1	2	3	4	4	5	6
35-49	626	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2775	3.4	3	2	2	3	4	5	5	10
20-34	16458	3.4	3	2	2	3	4	5	5	8
35-49	1029	3.7	5	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	12783	3.1	1	1	2	3	4	4	5	6
" MULTIPLE DX	20262	3.4	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	4413	3.2	3	2	2	3	4	4	5	9
20-34	26977	3.3	2	2	2	3	4	5	5	7
35-49	1655	3.5	4	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**33045**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	3.5	9	<1	1	3	4	6	7	20
20-34	50	3.3	8	1	1	2	4	8	11	13
35-49	45	3.9	36	1	1	2	3	7	11	40
50-64	63	4.8	37	<1	1	2	6	12	15	36
65+	52	5.0	19	<1	1	3	7	12	17	18
2. MULTIPLE DX										
0-19 YRS	30	7.0	33	2	2	5	9	18	19	21
20-34	43	6.1	44	2	2	4	6	11	26	33
35-49	49	7.4	111	1	1	4	9	16	31	56
50-64	97	8.9	122	1	2	4	12	22	26	60
65+	83	11.4	110	2	2	8	18	29	42	99+
TOT. SINGLE DX	251	4.2	23	<1	1	3	5	9	14	22
" MULTIPLE DX	302	8.8	100	1	2	5	12	22	29	60
TOTAL 0-19 YRS	71	5.0	22	1	2	3	6	10	18	21
20-34	93	4.6	27	1	1	3	5	9	12	30
35-49	94	5.7	78	1	1	3	5	12	18	51
50-64	160	7.3	93	<1	1	3	9	19	23	57
65+	135	9.0	85	1	2	6	14	22	30	99+
GRAND TOTAL	**553**	**6.7**	**70**	**1**	**1**	**3**	**8**	**17**	**23**	**50**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	3.8	1	2	3	4	4	5	6	7
20-34	838	3.6	2	2	2	3	4	5	6	7
35-49	290	3.8	2	2	2	3	4	6	7	9
50-64	137	3.6	4	2	2	3	4	6	8	12
65+	15	5.5	48	2	2	3	4	12	25	29
2. MULTIPLE DX										
0-19 YRS	369	4.3	7	2	3	4	5	6	7	20
20-34	453	4.2	4	2	3	4	5	6	8	14
35-49	177	4.9	26	2	2	4	5	7	10	31
50-64	84	6.9	110	2	3	4	6	11	16	69
65+	43	8.0	98	2	2	4	8	20	25	56
TOT. SINGLE DX	1897	3.7	3	2	2	3	4	5	6	8
" MULTIPLE DX	1126	4.7	21	2	2	4	5	7	9	24
TOTAL 0-19 YRS	986	4.0	4	2	3	4	4	5	6	8
20-34	1291	3.8	3	2	2	4	5	5	7	9
35-49	467	4.2	12	2	2	4	5	6	7	19
50-64	221	4.8	47	2	2	3	5	8	11	41
65+	58	7.3	85	2	2	4	8	18	26	54
GRAND TOTAL	**3023**	**4.1**	**10**	**2**	**2**	**4**	**5**	**6**	**7**	**14**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	3.2	4	1	1	3	4	6	8	12
20-34	197	3.0	6	1	1	2	4	5	7	9
35-49	40	3.2	6	1	1	3	4	5	7	15
50-64	11	2.9	6	<1	<1	2	3	8	8	8
65+	4	4.3	7	2	2	3	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	353	4.6	37	1	1	3	5	8	12	36
20-34	645	4.8	26	1	1	3	5	9	13	23
35-49	153	6.1	27	2	2	5	7	12	16	24
50-64	78	8.7	112	2	2	6	10	14	25	68
65+	58	11.0	77	2	3	8	14	26	32	36
TOT. SINGLE DX	380	3.1	6	1	1	2	4	5	8	12
" MULTIPLE DX	1287	5.4	39	1	2	4	6	11	15	33
TOTAL 0-19 YRS	481	4.3	29	1	1	3	5	8	11	29
20-34	842	4.3	22	1	1	3	5	8	11	23
35-49	193	5.5	25	1	2	4	6	12	15	24
50-64	89	7.9	102	2	2	5	10	13	20	66
65+	62	10.6	76	2	3	8	13	25	32	36
GRAND TOTAL	**1667**	**4.9**	**33**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	3.8	7	1	1	3	4	8	10	14
20-34	247	3.5	4	1	2	3	4	6	8	10
35-49	97	4.1	6	1	2	3	5	7	9	12
50-64	24	5.3	14	1	2	4	8	9	12	18
65+	17	7.5	54	1	1	5	10	18	25	28
2. MULTIPLE DX										
0-19 YRS	375	6.3	65	1	2	4	7	12	19	40
20-34	921	5.8	34	1	2	4	7	11	16	30
35-49	352	6.7	80	1	2	4	7	13	18	45
50-64	149	7.7	56	2	2	6	9	15	23	39
65+	84	12.6	148	2	3	9	15	29	40	63
TOT. SINGLE DX	482	3.9	8	1	1	3	5	7	9	16
" MULTIPLE DX	1881	6.5	58	1	2	4	8	13	18	41
TOTAL 0-19 YRS	472	5.8	55	1	2	4	7	11	16	35
20-34	1168	5.3	29	1	2	4	6	10	15	28
35-49	449	6.1	65	1	2	4	7	11	17	43
50-64	173	7.4	51	2	2	6	9	15	21	37
65+	101	11.7	136	1	3	8	14	27	37	62
GRAND TOTAL	**2363**	**6.0**	**49**	**1**	**2**	**4**	**7**	**11**	**17**	**36**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	4.1	6	1	1	4	5	9	9	10
20-34	39	3.1	7	<1	<1	2	4	8	9	11
35-49	39	4.5	10	1	1	4	7	9	10	16
50-64	26	4.0	7	1	2	3	6	9	9	10
65+	13	4.0	3	1	2	4	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	28	4.6	7	2	2	4	6	9	10	13
20-34	38	5.1	28	<1	1	3	6	12	19	24
35-49	32	6.2	25	2	2	4	7	16	17	18
50-64	33	5.1	8	1	1	5	7	10	11	99+
65+	13	9.0	35	3	4	6	13	18	20	21
TOT. SINGLE DX	141	3.9	8	<1	1	3	6	8	9	12
" MULTIPLE DX	144	5.6	21	1	2	4	7	12	17	28
TOTAL 0-19 YRS	52	4.4	7	1	2	4	6	9	10	13
20-34	77	4.1	19	<1	<1	3	5	9	12	23
35-49	71	5.2	18	1	1	4	7	11	16	18
50-64	59	4.6	8	1	1	4	7	9	10	91
65+	26	6.5	25	2	2	5	7	16	18	21
GRAND TOTAL	**285**	**4.8**	**15**	**1**	**1**	**4**	**6**	**9**	**13**	**21**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	609	5.2	28	1	2	4	6	10	14	32
20-34	680	4.8	32	1	1	3	5	9	12	36
35-49	473	5.1	21	1	2	4	6	9	13	24
50-64	571	6.5	26	2	2	6	8	10	13	21
65+	208	8.5	32	3	3	7	10	16	19	26
2. MULTIPLE DX										
0-19 YRS	356	7.4	76	2	2	5	7	14	25	46
20-34	605	6.5	100	2	2	4	6	13	21	70
35-49	634	6.4	66	2	2	4	6	12	20	50
50-64	850	7.9	65	2	2	6	9	15	23	46
65+	368	13.1	149	3	3	9	17	28	34	71
TOT. SINGLE DX	2541	5.6	29	1	2	4	7	10	14	26
" MULTIPLE DX	2813	7.9	90	2	2	5	8	16	25	52
TOTAL 0-19 YRS	965	6.0	47	1	2	4	6	11	17	39
20-34	1285	5.6	65	1	2	4	6	10	16	47
35-49	1107	5.9	47	2	2	4	6	10	16	43
50-64	1421	7.3	50	2	2	6	8	13	19	42
65+	576	11.4	112	3	3	8	14	24	31	60
GRAND TOTAL	**5354**	**6.8**	**62**	**2**	**2**	**5**	**8**	**13**	**20**	**45**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	425	3.6	2	2	2	3	4	6	6	8
20-34	855	3.7	3	2	2	3	5	6	7	9
35-49	776	4.0	3	2	2	4	5	6	7	10
50-64	976	4.2	4	2	2	4	5	6	8	11
65+	431	4.7	5	2	2	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	477	4.0	2	2	2	4	5	6	7	11
20-34	1236	4.3	8	2	2	4	5	6	8	15
35-49	1586	4.6	11	2	2	4	5	7	9	19
50-64	2720	5.1	13	2	3	4	6	8	10	19
65+	1588	6.2	29	2	3	5	7	10	13	29
TOT. SINGLE DX	3463	4.0	4	2	2	4	5	6	7	11
" MULTIPLE DX	7607	5.0	15	2	2	4	6	8	10	21
TOTAL 0-19 YRS	902	3.8	3	2	2	4	5	6	7	9
20-34	2091	4.1	7	2	2	4	5	6	7	12
35-49	2362	4.4	9	2	2	4	5	7	8	16
50-64	3696	4.9	12	2	3	4	6	8	9	16
65+	2019	5.9	25	2	3	5	6	9	13	25
GRAND TOTAL	**11070**	**4.7**	**12**	**2**	**2**	**4**	**5**	**7**	**9**	**18**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1772	3.6	13	1	1	3	4	6	8	23
20-34	2329	4.0	22	1	1	3	4	7	9	20
35-49	1663	4.6	24	1	1	3	5	9	12	29
50-64	1356	4.9	33	1	2	3	5	9	13	34
65+	615	7.5	64	1	2	4	9	18	23	42
2. MULTIPLE DX										
0-19 YRS	861	7.3	104	1	2	4	7	18	28	57
20-34	1929	7.2	110	1	1	4	7	17	29	60
35-49	1783	7.2	88	1	2	4	7	16	24	54
50-64	2173	9.5	131	2	2	5	11	22	33	68
65+	1545	14.1	188	2	3	10	19	31	42	80
TOT. SINGLE DX	7735	4.5	27	1	1	3	5	8	12	29
" MULTIPLE DX	8291	9.1	132	1	2	5	10	22	32	65
TOTAL 0-19 YRS	2633	4.8	46	1	1	3	5	8	16	36
20-34	4258	5.4	65	1	1	3	5	10	18	46
35-49	3446	6.0	59	1	2	4	6	12	19	43
50-64	3529	7.7	99	1	2	4	8	17	28	58
65+	2160	12.2	162	2	2	8	16	28	38	73
GRAND TOTAL	**16026**	**6.9**	**87**	**1**	**2**	**4**	**7**	**16**	**25**	**52**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	572	5.6	33	1	2	4	6	10	15	31
20-34	502	5.3	34	1	2	4	6	9	12	34
35-49	207	5.6	20	1	2	4	7	11	14	24
50-64	170	8.2	44	2	2	6	10	18	25	32
65+	210	15.8	86	3	5	14	21	27	31	49
2. MULTIPLE DX										
0-19 YRS	277	10.1	161	1	2	5	11	26	39	76
20-34	414	10.3	158	1	2	6	11	24	41	61
35-49	228	11.5	152	2	2	8	15	24	36	85
50-64	330	16.1	251	3	4	12	19	33	53	81
65+	945	19.0	120	6	8	17	23	33	41	64
TOT. SINGLE DX	1661	7.1	52	1	2	5	8	15	22	35
" MULTIPLE DX	2194	15.0	171	2	3	12	20	31	41	70
TOTAL 0-19 YRS	849	7.1	79	1	2	4	7	14	25	44
20-34	916	7.6	97	1	2	5	8	15	26	54
35-49	435	8.7	98	1	2	6	10	18	25	63
50-64	500	13.4	195	2	3	9	17	27	40	74
65+	1155	18.4	116	5	8	17	23	32	40	62
GRAND TOTAL	**3855**	**11.6**	**135**	**2**	**2**	**7**	**16**	**25**	**34**	**61**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1118	2.8	7	<1	1	2	3	5	6	17
20-34	1681	3.2	17	1	1	2	3	5	7	20
35-49	747	3.6	28	1	1	2	4	6	8	32
50-64	707	3.7	20	1	1	3	4	6	10	24
65+	559	6.6	47	1	2	4	8	15	19	35
2. MULTIPLE DX										
0-19 YRS	341	4.8	36	1	1	3	4	11	18	31
20-34	677	6.5	97	1	1	3	7	13	20	53
35-49	430	7.5	128	1	1	4	7	17	28	64
50-64	557	8.4	100	1	2	5	10	19	29	49
65+	901	13.9	184	2	3	10	18	29	40	79
TOT. SINGLE DX	4812	3.6	22	1	1	2	4	6	10	24
" MULTIPLE DX	2906	9.1	134	1	2	5	11	22	32	62
TOTAL 0-19 YRS	1459	3.3	15	1	1	2	3	5	8	23
20-34	2358	4.1	43	1	1	2	4	7	11	36
35-49	1177	5.0	69	1	1	3	5	9	16	48
50-64	1264	5.8	61	1	1	3	6	13	19	39
65+	1460	11.1	145	2	2	7	15	24	34	63
GRAND TOTAL	**7718**	**5.7**	**71**	**1**	**1**	**3**	**5**	**13**	**20**	**44**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	17.2	127	4	5	16	25	35	37	45
20-34	23	14.0	61	5	7	11	17	27	32	36
35-49	17	13.1	89	6	7	10	13	22	38	46
50-64	49	11.0	21	4	6	10	13	19	20	22
65+	244	17.5	90	8	10	15	20	27	33	70
2. MULTIPLE DX										
0-19 YRS	163	20.9	197	3	6	18	28	42	48	64
20-34	111	23.3	391	6	8	16	26	55	78	98
35-49	72	24.1	412	6	7	15	33	55	70	87
50-64	207	18.5	220	6	7	13	21	35	54	80
65+	1440	20.6	134	9	10	18	24	34	44	69
TOT. SINGLE DX	396	16.2	90	5	7	14	19	27	34	62
" MULTIPLE DX	1993	20.7	174	7	9	17	25	36	49	79
TOTAL 0-19 YRS	226	19.9	180	4	5	17	27	38	46	62
20-34	134	21.7	346	6	7	15	25	49	72	97
35-49	89	22.0	368	6	7	14	27	49	67	86
50-64	256	17.0	190	6	7	13	19	33	48	77
65+	1684	20.1	129	8	10	17	24	33	43	70
GRAND TOTAL	**2389**	**19.9**	**163**	**7**	**9**	**17**	**24**	**35**	**47**	**73**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	10.5	53	3	4	9	14	19	28	38
20-34	91	12.8	68	5	6	11	16	20	25	53
35-49	52	13.2	53	6	6	12	16	21	29	43
50-64	218	14.0	61	6	7	13	17	21	23	48
65+	1161	17.6	53	8	10	16	21	26	31	43
2. MULTIPLE DX										
0-19 YRS	285	17.7	198	5	6	13	20	35	46	75
20-34	471	19.5	192	6	7	16	23	38	54	99+
35-49	337	19.5	227	6	7	15	23	36	51	99
50-64	997	19.1	165	7	9	16	22	34	43	89
65+	7374	20.7	117	9	11	18	24	33	42	65
TOT. SINGLE DX	1633	16.2	61	6	8	15	19	25	30	43
" MULTIPLE DX	9464	20.3	133	8	10	18	24	34	43	70
TOTAL 0-19 YRS	396	15.7	168	4	5	12	18	30	43	69
20-34	562	18.4	178	6	7	15	22	36	52	98
35-49	389	18.7	208	6	7	15	22	35	49	99
50-64	1215	18.2	151	7	8	15	21	32	41	83
65+	8535	20.3	110	9	11	18	24	33	40	63
GRAND TOTAL	**11097**	**19.7**	**125**	**8**	**9**	**17**	**23**	**33**	**41**	**68**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	12.4	162	1	2	8	17	27	34	62
20-34	16	15.9	285	1	2	7	31	44	51	53
35-49	8	11.5	43	6	7	10	12	22	27	27
50-64	15	9.2	88	1	3	5	13	18	33	38
65+	57	18.7	266	3	4	14	24	38	48	92
2. MULTIPLE DX										
0-19 YRS	343	18.3	292	1	2	14	27	37	48	90
20-34	75	21.7	381	3	4	18	28	47	59	96
35-49	29	30.2	542	4	5	28	39	65	71	88
50-64	58	21.9	352	3	5	18	33	59	92	99+
65+	223	21.3	279	4	6	17	28	43	63	99+
TOT. SINGLE DX	292	13.7	188	1	2	9	19	30	39	64
" MULTIPLE DX	728	20.3	317	2	3	17	28	43	62	99
TOTAL 0-19 YRS	539	16.1	253	1	2	11	24	34	45	85
20-34	91	20.6	366	2	3	15	28	46	53	95
35-49	37	26.1	491	4	5	19	36	64	68	88
50-64	73	19.3	323	3	4	15	25	54	83	99+
65+	280	20.8	277	4	5	16	27	42	61	98
GRAND TOTAL	**1020**	**18.4**	**289**	**2**	**3**	**14**	**25**	**40**	**53**	**95**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	4.6	42	<1	1	2	4	12	18	30
20-34	234	3.6	16	<1	<1	2	4	7	11	25
35-49	153	4.1	11	1	1	3	5	9	11	14
50-64	159	4.9	38	1	1	3	5	11	13	32
65+	120	6.0	67	1	1	3	6	14	20	48
2. MULTIPLE DX										
0-19 YRS	403	6.8	82	1	1	3	8	19	24	45
20-34	484	6.5	65	1	1	4	8	14	19	44
35-49	272	7.8	106	1	1	5	9	17	27	56
50-64	392	6.8	76	1	1	4	8	15	21	46
65+	489	10.2	127	1	2	6	13	26	33	59
TOT. SINGLE DX	944	4.5	34	<1	1	3	5	10	14	27
" MULTIPLE DX	2040	7.7	93	1	1	4	9	18	27	51
TOTAL 0-19 YRS	681	5.9	67	<1	1	2	6	16	22	37
20-34	718	5.5	51	<1	1	3	6	12	17	39
35-49	425	6.5	75	1	1	4	7	13	21	49
50-64	551	6.2	66	1	1	3	8	14	20	45
65+	609	9.3	118	1	2	5	12	23	31	56
GRAND TOTAL	**2984**	**6.7**	**77**	**1**	**1**	**4**	**8**	**15**	**23**	**46**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1182	3.5	7	1	1	3	4	6	8	15
20-34	1533	4.3	12	1	1	4	5	8	10	18
35-49	919	5.5	24	1	2	4	7	10	12	23
50-64	757	6.4	26	2	2	5	8	11	14	26
65+	539	8.7	38	2	3	7	11	17	21	30
2. MULTIPLE DX										
0-19 YRS	1963	5.2	43	1	1	3	6	10	15	37
20-34	3290	6.8	73	1	2	5	7	12	21	48
35-49	2046	7.5	68	1	2	5	8	14	21	48
50-64	2287	8.8	69	2	3	7	10	16	22	45
65+	2033	12.4	104	3	4	10	16	24	32	52
TOT. SINGLE DX	4930	5.2	21	1	1	4	6	10	13	23
" MULTIPLE DX	11619	8.0	77	1	2	5	9	16	23	47
TOTAL 0-19 YRS	3145	4.6	31	1	1	3	5	8	12	29
20-34	4823	6.0	55	1	2	4	7	11	17	45
35-49	2965	6.9	55	1	2	5	8	12	18	41
50-64	3044	8.2	60	2	3	6	10	15	20	42
65+	2572	11.7	93	3	4	9	15	23	30	48
GRAND TOTAL	**16549**	**7.2**	**62**	**1**	**2**	**5**	**8**	**14**	**21**	**43**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2765	2.4	10	<1	1	1	2	5	7	1[illegible]
20-34	755	3.6	15	1	1	3	4	7	9	20
35-49	512	3.7	11	1	1	3	5	8	10	15
50-64	661	4.0	22	1	1	3	5	8	11	26
65+	705	5.0	27	1	1	3	6	12	15	25
2. MULTIPLE DX										
0-19 YRS	3632	3.4	32	1	1	2	3	7	11	27
20-34	1667	5.9	57	1	1	4	7	12	19	44
35-49	1158	6.1	63	1	1	4	7	13	18	45
50-64	1633	6.7	63	1	1	4	8	15	21	42
65+	2387	9.2	102	1	1	6	12	20	28	52
TOT. SINGLE DX	5398	3.2	16	1	1	2	4	7	10	21
" MULTIPLE DX	10477	5.9	65	1	1	3	7	14	20	44
TOTAL 0-19 YRS	6397	3.0	24	1	1	2	3	6	9	22
20-34	2422	5.2	45	1	1	3	6	11	16	37
35-49	1670	5.4	49	1	1	4	6	11	15	38
50-64	2294	5.9	53	1	1	4	7	13	19	38
65+	3092	8.2	88	1	1	5	11	18	25	48
GRAND TOTAL	**15875**	**5.0**	**50**	**1**	**1**	**3**	**6**	**11**	**17**	**37**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	239	4.7	40	<1	1	2	5	15	20	30
20-34	215	3.0	16	<1	1	2	3	6	10	23
35-49	96	3.7	25	<1	1	2	4	8	13	30
50-64	111	3.1	15	<1	1	2	4	7	10	23
65+	183	5.8	48	1	1	3	7	14	23	33
2. MULTIPLE DX										
0-19 YRS	301	5.9	78	<1	1	3	6	14	24	42
20-34	389	5.7	75	<1	1	3	6	13	23	46
35-49	221	7.1	78	1	1	4	9	17	25	53
50-64	278	7.0	98	1	1	4	8	16	25	53
65+	477	9.3	125	1	1	5	12	23	32	65
TOT. SINGLE DX	844	4.2	32	<1	1	2	4	10	16	29
" MULTIPLE DX	1666	7.2	97	1	1	4	8	17	26	52
TOTAL 0-19 YRS	540	5.3	62	<1	1	2	6	14	22	34
20-34	604	4.8	56	<1	1	2	5	11	19	36
35-49	317	6.1	65	<1	1	3	8	15	21	48
50-64	389	5.9	78	1	1	3	7	12	21	50
65+	660	8.3	107	1	1	4	10	21	29	52
GRAND TOTAL	**2510**	**6.2**	**77**	**<1**	**1**	**3**	**7**	**16**	**23**	**44**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	4.6	27	1	1	3	5	11	15	29
20-34	262	3.4	6	1	1	3	4	6	7	15
35-49	101	4.6	14	1	2	3	5	8	12	23
50-64	48	5.0	14	1	2	4	6	12	13	15
65+	42	11.6	67	1	2	10	16	21	23	46
2. MULTIPLE DX										
0-19 YRS	141	4.3	24	1	1	3	5	9	13	21
20-34	298	4.6	26	1	2	4	5	8	11	26
35-49	142	5.8	79	1	2	4	6	10	18	40
50-64	133	8.5	87	1	2	5	11	19	28	51
65+	132	17.3	208	3	3	13	23	38	47	87
TOT. SINGLE DX	597	4.6	22	1	1	3	5	9	14	24
" MULTIPLE DX	846	7.4	92	1	2	4	8	16	27	50
TOTAL 0-19 YRS	285	4.4	26	1	1	3	5	9	14	27
20-34	560	4.2	17	1	2	3	5	7	9	19
35-49	243	5.3	53	1	2	4	6	9	14	29
50-64	181	7.6	70	1	2	5	10	15	25	47
65+	174	15.9	180	2	3	12	21	36	45	79
GRAND TOTAL	**1443**	**6.3**	**65**	**1**	**1**	**4**	**6**	**13**	**20**	**44**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1161	3.7	14	1	1	3	4	6	9	21
20-34	1053	3.6	9	1	1	3	4	6	8	17
35-49	495	4.3	27	1	1	3	5	7	11	32
50-64	374	6.7	80	1	2	4	7	16	26	45
65+	139	12.3	141	2	2	8	17	27	36	53
2. MULTIPLE DX										
0-19 YRS	667	5.3	43	1	1	3	5	11	19	35
20-34	871	5.3	46	1	1	4	6	9	16	34
35-49	557	6.7	77	1	2	4	7	14	24	49
50-64	522	10.6	151	2	2	5	13	26	41	65
65+	487	19.3	288	2	3	15	27	42	58	93
TOT. SINGLE DX	3222	4.5	32	1	1	3	5	8	14	30
" MULTIPLE DX	3104	8.7	132	1	2	4	9	22	33	63
TOTAL 0-19 YRS	1828	4.3	25	1	1	3	4	8	13	29
20-34	1924	4.4	27	1	1	3	5	7	11	28
35-49	1052	5.6	55	1	1	3	6	10	18	42
50-64	896	9.0	125	1	2	4	10	22	33	57
65+	626	17.8	264	2	3	14	24	39	54	88
GRAND TOTAL	**6326**	**6.5**	**85**	**1**	**1**	**3**	**6**	**15**	**25**	**50**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	9.2	18	4	4	9	11	15	17	24
20-34	3067	9.9	31	4	5	9	12	17	21	31
35-49	5026	10.5	34	4	5	9	13	18	22	30
50-64	2429	11.6	39	5	5	10	14	19	23	33
65+	588	13.8	57	6	6	12	17	23	28	41
2. MULTIPLE DX										
0-19 YRS	46	13.5	196	2	3	10	16	26	36	87
20-34	1041	13.2	84	5	6	11	16	23	31	50
35-49	2348	13.9	80	5	6	12	17	24	32	49
50-64	2248	15.6	101	6	7	13	19	27	34	56
65+	1048	20.2	162	7	8	17	25	37	46	68
TOT. SINGLE DX	11251	10.7	37	4	5	9	13	18	22	31
" MULTIPLE DX	6731	15.3	107	5	6	13	19	27	35	57
TOTAL 0-19 YRS	187	10.3	65	3	4	9	12	16	22	37
20-34	4108	10.8	47	4	5	9	13	18	22	37
35-49	7374	11.6	52	4	5	10	14	20	25	38
50-64	4677	13.5	73	5	6	11	17	23	29	46
65+	1636	17.9	134	6	7	15	22	31	41	60
GRAND TOTAL	**17982**	**12.5**	**68**	**4**	**5**	**10**	**15**	**22**	**27**	**44**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1081	2.9	3	1	1	3	4	5	6	9
20-34	2641	3.2	4	1	1	3	4	5	6	10
35-49	1496	3.4	6	1	1	3	4	6	7	12
50-64	971	3.7	9	1	1	3	5	7	8	16
65+	271	4.3	11	1	2	3	5	8	12	17
2. MULTIPLE DX										
0-19 YRS	1023	3.3	7	1	1	3	4	6	7	13
20-34	2503	3.7	8	1	1	3	5	7	8	15
35-49	1633	4.0	13	1	1	3	5	7	9	20
50-64	1794	4.4	14	1	2	3	5	9	11	20
65+	741	5.6	33	1	2	4	7	11	16	32
TOT. SINGLE DX	6460	3.3	6	1	1	3	4	6	7	12
" MULTIPLE DX	7694	4.1	14	1	1	3	5	7	10	19
TOTAL 0-19 YRS	2104	3.1	6	1	1	3	4	5	6	11
20-34	5144	3.4	6	1	1	3	4	6	7	13
35-49	3129	3.7	10	1	1	3	5	7	8	16
50-64	2765	4.2	13	1	1	3	5	8	10	19
65+	1012	5.3	28	1	2	4	6	11	15	28
GRAND TOTAL	**14154**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1983	2.5	6	<1	1	2	3	4	5	11
20-34	2844	2.7	6	<1	1	2	3	5	6	12
35-49	1603	3.1	6	1	1	2	4	6	8	13
50-64	981	3.8	16	1	1	3	4	7	11	22
65+	383	5.5	32	1	2	4	6	12	17	31
2. MULTIPLE DX										
0-19 YRS	1183	3.3	16	1	1	2	3	6	9	25
20-34	2154	3.7	24	1	1	2	4	7	10	23
35-49	1336	5.0	44	1	1	3	5	10	16	29
50-64	1367	6.0	55	1	2	4	7	13	19	43
65+	634	9.0	111	1	2	5	11	21	27	49
TOT. SINGLE DX	7794	3.0	10	<1	1	2	3	5	7	16
" MULTIPLE DX	6674	4.9	45	1	1	3	5	10	16	35
TOTAL 0-19 YRS	3166	2.8	11	<1	1	2	3	5	6	17
20-34	4998	3.2	15	<1	1	2	3	6	8	18
35-49	2939	3.9	25	1	1	3	4	7	11	24
50-64	2348	5.1	40	1	1	3	5	10	16	36
65+	1017	7.7	85	1	2	4	9	18	24	45
GRAND TOTAL	**14468**	**3.9**	**27**	**1**	**1**	**2**	**4**	**7**	**11**	**26**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	12.1	19	6	7	12	14	17	21	27
20-34	308	11.2	49	5	6	10	13	18	20	39
35-49	537	10.5	28	5	5	9	13	18	23	28
50-64	273	11.0	43	5	5	9	13	18	22	38
65+	39	12.5	52	5	5	10	17	22	27	36
2. MULTIPLE DX										
0-19 YRS	135	19.9	306	6	8	14	23	54	82	99+
20-34	300	18.2	249	6	7	13	21	40	58	99+
35-49	353	14.4	103	5	6	12	17	25	32	87
50-64	358	15.7	142	5	6	12	20	29	38	80
65+	107	23.6	287	8	8	18	33	49	61	91
TOT. SINGLE DX	1331	11.0	36	5	5	10	13	18	22	31
" MULTIPLE DX	1253	17.1	194	6	7	13	20	33	50	99+
TOTAL 0-19 YRS	309	15.5	159	6	7	12	16	26	42	99+
20-34	608	14.6	160	5	6	11	16	26	43	95
35-49	890	12.[illegible]	62	5	5	10	15	21	25	42
50-64	631	13.[illegible]	105	5	6	11	16	25	32	58
65+	146	20.[illegible]	249	6	8	15	26	41	56	85
GRAND TOTAL	**2584**	**13.9**	**122**	**5**	**6**	**11**	**16**	**25**	**34**	**83**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	168	4.2	7	2	2	3	5	7	10	14
20-34	379	4.7	20	1	2	4	6	8	10	19
35-49	322	5.2	17	2	2	4	6	10	14	19
50-64	396	5.4	23	1	2	4	6	9	12	31
65+	240	6.3	59	1	1	4	7	15	20	46
2. MULTIPLE DX										
0-19 YRS	137	5.3	15	2	2	4	6	10	13	22
20-34	301	7.2	90	1	2	5	7	13	22	52
35-49	315	6.6	30	2	2	5	8	12	18	30
50-64	483	7.4	52	2	2	5	9	15	21	32
65+	329	10.3	120	2	2	6	12	24	32	69
TOT. SINGLE DX	1505	5.2	26	1	2	4	6	9	13	23
" MULTIPLE DX	1565	7.6	69	2	2	5	9	15	23	43
TOTAL 0-19 YRS	305	4.7	11	2	2	4	5	8	11	18
20-34	680	5.8	53	1	2	4	6	10	14	34
35-49	637	5.9	24	2	2	5	7	11	15	26
50-64	879	6.5	41	2	2	5	8	12	17	31
65+	569	8.6	99	1	2	5	10	20	29	53
GRAND TOTAL	**3070**	**6.4**	**49**	**2**	**2**	**5**	**7**	**12**	**18**	**35**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	14.2	69	6	7	13	15	28	34	35
20-34	103	12.7	23	7	8	12	14	19	22	32
35-49	204	14.0	32	8	9	13	16	19	26	38
50-64	878	14.5	25	9	9	14	17	20	23	30
65+	1637	16.5	36	9	11	16	18	23	27	40
2. MULTIPLE DX										
0-19 YRS	15	19.1	257	4	8	14	20	34	60	69
20-34	124	16.2	93	8	9	14	17	25	36	54
35-49	265	17.1	82	9	10	15	19	30	39	55
50-64	1131	18.0	99	9	10	16	20	28	37	58
65+	2890	20.7	115	10	12	18	24	33	41	64
TOT. SINGLE DX	2833	15.6	34	9	10	15	18	22	26	38
" MULTIPLE DX	4425	19.7	111	10	11	17	22	32	40	63
TOTAL 0-19 YRS	26	17.0	178	5	7	13	20	34	42	69
20-34	227	14.6	65	8	8	13	16	22	30	52
35-49	469	15.8	63	8	9	14	17	25	33	51
50-64	2009	16.5	70	9	10	15	18	24	31	54
65+	4527	19.2	91	10	11	17	22	30	37	60
GRAND TOTAL	**7258**	**18.1**	**85**	**9**	**10**	**16**	**20**	**28**	**35**	**57**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	11.7	112	2	3	8	13	30	36	37
20-34	29	12.3	42	3	4	11	16	24	25	27
35-49	50	11.8	17	5	6	11	14	16	19	26
50-64	210	15.5	40	8	9	14	17	23	28	39
65+	1000	17.2	41	9	11	16	20	25	28	40
2. MULTIPLE DX										
0-19 YRS	19	17.1	121	3	4	13	26	30	39	45
20-34	27	18.6	111	8	9	15	23	34	39	50
35-49	83	18.3	136	8	10	15	21	30	39	76
50-64	508	19.6	123	8	10	17	24	33	46	76
65+	4575	20.6	113	10	11	18	24	33	41	65
TOT. SINGLE DX	1300	16.6	43	9	10	16	19	24	28	39
" MULTIPLE DX	5212	20.5	115	9	11	18	24	33	41	66
TOTAL 0-19 YRS	30	15.1	121	3	4	12	23	30	37	45
20-34	56	15.3	85	4	7	12	20	27	34	49
35-49	133	15.8	101	7	9	13	18	26	35	52
50-64	718	18.4	102	8	10	16	22	31	40	66
65+	5575	20.0	102	10	11	17	23	31	39	61
GRAND TOTAL	**6512**	**19.7**	**103**	**9**	**11**	**17**	**23**	**31**	**39**	**61**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	645	4.4	4	2	2	4	5	7	8	11
20-34	903	5.1	16	2	2	4	6	8	10	18
35-49	340	6.7	26	1	2	5	10	15	17	24
50-64	894	13.3	47	2	4	13	17	20	25	37
65+	1791	16.8	49	7	10	16	19	24	30	42
2. MULTIPLE DX										
0-19 YRS	803	5.3	10	2	3	5	6	8	10	17
20-34	1386	5.9	20	2	2	5	7	9	12	25
35-49	571	7.4	46	1	2	5	9	16	21	35
50-64	1156	14.3	93	2	3	14	18	25	32	51
65+	2578	19.3	94	8	10	17	23	30	37	58
TOT. SINGLE DX	4573	11.3	63	2	3	11	16	20	25	37
" MULTIPLE DX	6494	12.8	101	2	3	11	18	25	31	49
TOTAL 0-19 YRS	1448	4.9	8	2	2	5	6	7	9	14
20-34	2289	5.5	19	2	2	5	6	9	11	22
35-49	911	7.2	40	1	2	5	9	15	18	32
50-64	2050	13.9	74	2	3	13	17	23	29	44
65+	4369	18.3	78	8	10	17	21	28	34	53
GRAND TOTAL	**11067**	**12.2**	**86**	**2**	**3**	**11**	**17**	**23**	**29**	**44**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	766	3.4	2	1	2	3	4	5	6	8
20-34	1692	3.6	3	1	2	3	4	5	7	10
35-49	759	4.0	11	1	2	3	5	6	9	13
50-64	826	5.0	16	2	2	4	6	9	13	23
65+	360	6.9	30	2	2	5	9	15	18	26
2. MULTIPLE DX										
0-19 YRS	357	3.7	7	1	2	3	4	6	7	17
20-34	882	4.0	8	1	2	3	5	7	9	14
35-49	633	4.9	20	2	2	4	6	8	10	22
50-64	1002	6.3	38	2	2	5	7	12	16	32
65+	609	9.1	76	2	3	6	11	19	27	41
TOT. SINGLE DX	4403	4.2	10	1	2	3	5	7	9	17
" MULTIPLE DX	3483	5.7	34	1	2	4	6	11	16	31
TOTAL 0-19 YRS	1123	3.5	4	1	2	3	4	5	6	10
20-34	2574	3.7	5	1	2	3	4	6	7	12
35-49	1392	4.4	16	1	2	4	5	7	10	18
50-64	1828	5.7	29	2	2	4	6	11	15	25
65+	969	8.3	60	2	3	6	10	17	23	39
GRAND TOTAL	**7886**	**4.8**	**21**	**1**	**2**	**4**	**5**	**8**	**12**	**24**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	4.3	22	<1	1	3	5	9	15	26
20-34	435	4.0	14	1	1	3	5	8	10	20
35-49	445	3.8	20	<1	1	3	4	7	10	20
50-64	380	3.0	8	<1	1	2	3	5	8	15
65+	115	4.9	48	1	1	3	5	13	19	39
2. MULTIPLE DX										
0-19 YRS	317	6.0	50	1	1	4	6	14	22	44
20-34	369	7.2	61	1	2	4	8	16	25	38
35-49	304	7.4	73	1	2	5	9	16	25	54
50-64	389	7.9	87	1	2	5	9	16	30	48
65+	242	13.0	207	1	2	8	19	30	44	70
TOT. SINGLE DX	1763	3.9	19	<1	1	3	4	8	11	23
" MULTIPLE DX	1621	8.0	95	1	2	4	9	19	29	53
TOTAL 0-19 YRS	705	5.1	36	1	1	3	5	11	17	34
20-34	804	5.5	39	1	1	3	6	12	17	35
35-49	749	5.3	47	1	1	3	6	11	16	49
50-64	769	5.5	55	<1	1	3	6	11	17	38
65+	357	10.4	170	1	1	4	15	25	37	67
GRAND TOTAL	**3384**	**5.9**	**60**	**1**	**1**	**3**	**6**	**13**	**20**	**43**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	820	2.4	10	<1	<1	2	2	4	5	14
20-34	1325	2.3	3	<1	<1	2	2	4	5	10
35-49	835	2.9	7	<1	1	2	3	5	8	15
50-64	729	3.7	20	<1	1	2	4	7	12	24
65+	304	5.1	31	<1	1	3	6	12	16	29
2. MULTIPLE DX										
0-19 YRS	175	4.1	36	1	1	2	5	8	12	29
20-34	465	5.9	62	1	1	3	6	12	22	44
35-49	622	7.3	66	1	2	4	9	17	25	45
50-64	742	8.8	107	1	2	5	11	20	26	50
65+	574	12.5	177	2	2	8	16	28	38	78
TOT. SINGLE DX	4013	2.9	12	<1	1	2	3	5	8	18
" MULTIPLE DX	2578	8.4	106	1	2	5	11	19	28	53
TOTAL 0-19 YRS	995	2.7	15	<1	1	2	3	4	7	16
20-34	1790	3.2	21	<1	1	2	3	6	10	26
35-49	1457	4.8	37	<1	1	3	5	11	16	32
50-64	1471	6.3	71	1	1	3	7	15	21	43
65+	878	9.9	139	1	2	6	13	21	32	68
GRAND TOTAL	**6591**	**5.1**	**56**	**<1**	**1**	**2**	**5**	**12**	**18**	**39**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.0	2	<1	<1	2	2	4	4	10
20-34	75	2.5	3	<1	1	2	3	4	6	12
35-49	162	2.9	3	<1	1	2	3	5	6	11
50-64	501	2.5	1	1	1	2	3	4	5	7
65+	316	2.7	2	1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	24	3.8	8	1	1	2	4	9	10	11
20-34	52	4.6	54	1	1	3	4	10	16	49
35-49	88	3.7	11	1	1	3	4	8	12	17
50-64	287	4.4	45	1	2	3	4	9	12	24
65+	238	5.0	27	1	2	3	6	11	15	31
TOT. SINGLE DX	1095	2.6	3	1	1	2	3	4	5	9
" MULTIPLE DX	689	4.5	34	1	2	3	5	9	13	28
TOTAL 0-19 YRS	65	2.7	5	<1	<1	2	3	5	9	11
20-34	127	3.4	25	1	1	2	3	5	9	26
35-49	250	3.2	7	1	1	2	3	5	8	15
50-64	788	3.2	18	1	1	2	3	5	8	15
65+	554	3.7	15	1	2	2	4	7	11	17
GRAND TOTAL	**1784**	**3.3**	**16**	**1**	**1**	**2**	**3**	**6**	**9**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	2.1	2	<1	1	2	2	3	4	8
20-34	617	2.7	5	<1	1	2	3	5	8	13
35-49	293	3.0	7	<1	1	2	3	6	8	13
50-64	173	3.0	6	1	1	2	3	5	7	15
65+	53	3.0	10	1	1	2	3	5	6	23
2. MULTIPLE DX										
0-19 YRS	676	2.3	4	1	1	2	3	4	5	13
20-34	1044	2.6	8	1	1	2	3	5	6	15
35-49	429	3.0	23	<1	1	2	3	5	8	22
50-64	278	3.5	17	1	1	2	4	7	12	17
65+	127	5.0	48	1	1	3	6	10	15	45
TOT. SINGLE DX	1524	2.6	5	<1	1	2	3	5	7	13
" MULTIPLE DX	2554	2.8	13	1	1	2	3	5	7	18
TOTAL 0-19 YRS	1064	2.2	4	<1	1	2	2	4	5	10
20-34	1661	2.6	7	<1	1	2	3	5	7	15
35-49	722	3.0	17	<1	1	2	3	5	8	19
50-64	451	3.3	13	1	1	2	4	6	11	17
65+	180	4.4	38	1	1	3	5	9	13	37
GRAND TOTAL	**4078**	**2.7**	**10**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	2.8	4	<1	1	2	3	5	7	12
20-34	428	3.2	9	1	1	3	4	5	7	15
35-49	459	3.4	4	1	1	3	4	6	7	12
50-64	525	4.3	12	1	2	4	5	7	9	16
65+	222	4.9	15	1	2	4	6	10	12	22
2. MULTIPLE DX										
0-19 YRS	278	2.9	6	1	1	2	3	5	7	17
20-34	553	5.1	59	1	1	3	5	9	15	44
35-49	496	5.1	33	1	1	4	6	10	14	29
50-64	650	6.3	43	2	2	5	7	12	18	36
65+	328	8.9	105	1	2	6	11	20	30	43
TOT. SINGLE DX	1841	3.7	10	1	1	3	4	7	9	15
" MULTIPLE DX	2305	5.7	52	1	1	4	6	11	17	38
TOTAL 0-19 YRS	485	2.8	6	<1	1	2	3	5	7	12
20-34	981	4.2	39	1	1	3	4	8	11	39
35-49	955	4.3	20	1	1	3	5	7	11	24
50-64	1175	5.4	31	1	2	4	6	9	14	31
65+	550	7.3	73	1	2	5	9	15	22	40
GRAND TOTAL	**4146**	**4.8**	**34**	**1**	**1**	**3**	**5**	**9**	**13**	**31**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	716	3.4	6	1	1	3	4	6	7	14
20-34	524	4.1	11	1	2	3	5	7	9	20
35-49	279	3.9	10	1	1	3	5	7	8	16
50-64	180	4.6	12	1	2	4	5	8	10	13
65+	68	8.7	98	2	3	5	11	18	27	62
2. MULTIPLE DX										
0-19 YRS	543	4.3	28	1	2	3	5	7	9	32
20-34	485	5.3	43	1	1	4	6	10	16	39
35-49	313	5.7	35	1	2	4	6	10	15	33
50-64	265	6.8	67	1	2	4	7	13	20	45
65+	149	10.0	62	2	3	7	13	22	25	37
TOT. SINGLE DX	1767	4.0	14	1	1	3	5	7	9	18
" MULTIPLE DX	1755	5.7	45	1	2	4	6	11	18	36
TOTAL 0-19 YRS	1259	3.8	16	1	1	3	4	6	8	18
20-34	1009	4.7	28	1	1	3	5	8	13	31
35-49	592	4.8	24	1	2	4	5	8	12	30
50-64	445	5.9	46	1	2	4	6	11	16	37
65+	217	9.6	74	2	3	7	12	21	26	39
GRAND TOTAL	**3522**	**4.9**	**30**	**1**	**2**	**4**	**5**	**8**	**13**	**30**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	1.8	2	<1	<1	1	2	3	6	9
20-34	125	2.8	6	<1	1	2	3	6	7	15
35-49	71	3.9	48	1	1	2	3	10	16	44
50-64	62	2.9	11	<1	1	2	3	6	11	19
65+	41	3.9	22	<1	1	2	5	7	14	26
2. MULTIPLE DX										
0-19 YRS	107	3.5	23	1	1	2	3	8	12	29
20-34	295	4.6	47	1	1	2	4	11	19	39
35-49	196	5.5	116	1	1	2	4	11	24	64
50-64	221	6.2	105	1	1	3	6	17	25	75
65+	153	8.8	180	1	1	4	9	21	40	72
TOT. SINGLE DX	355	3.0	17	1	1	2	3	6	10	20
" MULTIPLE DX	972	5.7	95	1	1	2	5	13	24	52
TOTAL 0-19 YRS	163	2.9	17	1	1	2	3	6	9	27
20-34	420	4.1	36	1	1	2	4	8	15	34
35-49	267	5.1	99	1	1	2	4	11	20	61
50-64	283	5.5	87	1	1	2	5	13	23	66
65+	194	7.8	151	1	1	3	8	18	39	64
GRAND TOTAL	**1327**	**5.0**	**76**	**1**	**1**	**2**	**4**	**11**	**20**	**48**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	8	8.4	166	1	1	4	6	30	40	40
35-49	7	7.4	27	2	3	5	10	16	17	17
50-64	5	6.6	16	1	1	7	9	12	12	12
65+	9	9.9	58	1	1	8	16	21	21	21
2. MULTIPLE DX										
0-19 YRS	11	13.7	277	1	2	6	19	44	50	51
20-34	21	8.9	88	1	1	4	13	20	29	40
35-49	16	14.4	565	<1	1	5	14	76	92	99+
50-64	24	23.6	503	2	3	16	32	57	72	75
65+	22	24.7	200	10	11	19	33	48	54	55
TOT. SINGLE DX	33	7.7	64	1	1	5	10	18	21	40
" MULTIPLE DX	94	17.9	352	1	2	12	23	51	66	90
TOTAL 0-19 YRS	15	10.9	225	1	1	5	9	39	48	51
20-34	29	8.8	105	1	1	4	12	20	40	40
35-49	23	12.3	404	1	2	5	12	71	85	99+
50-64	29	20.7	459	1	3	12	26	56	71	75
65+	31	20.4	203	2	5	18	26	45	54	55
GRAND TOTAL	**127**	**15.2**	**296**	**1**	**2**	**9**	**20**	**43**	**55**	**83**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.9	3	1	1	2	3	6	7	9
20-34	42	6.4	45	1	1	4	7	16	21	31
35-49	39	6.9	55	1	2	4	9	13	16	45
50-64	92	8.0	73	1	2	5	9	20	29	42
65+	127	10.5	144	2	2	7	12	24	35	58
2. MULTIPLE DX										
0-19 YRS	47	7.9	91	1	2	4	9	19	25	55
20-34	109	11.1	146	2	2	7	13	33	38	74
35-49	169	16.6	246	2	2	12	23	38	53	76
50-64	515	20.6	272	3	4	16	28	45	57	84
65+	845	21.2	268	3	5	17	28	43	56	81
TOT. SINGLE DX	336	8.1	93	1	2	5	9	20	29	46
" MULTIPLE DX	1685	19.5	265	2	3	15	27	43	55	80
TOTAL 0-19 YRS	83	5.7	59	1	1	3	6	13	20	46
20-34	151	9.8	122	1	2	5	12	30	37	56
35-49	208	14.8	225	2	2	10	21	36	48	71
50-64	607	18.7	263	2	3	14	26	43	54	79
65+	972	19.8	265	3	4	16	27	41	54	80
GRAND TOTAL	**2021**	**17.6**	**255**	**2**	**3**	**13**	**24**	**40**	**52**	**78**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.7	21	3	3	10	13	15	16	16
20-34	10	17.1	160	5	5	16	19	38	44	44
35-49	9	15.8	82	6	6	15	24	29	31	31
50-64	28	22.8	299	6	8	20	26	31	49	99
65+	84	21.4	131	9	10	20	27	33	41	63
2. MULTIPLE DX										
0-19 YRS	12	29.7	690	5	6	17	45	69	88	91
20-34	37	27.2	443	6	7	23	42	64	80	99+
35-49	87	26.6	267	9	10	22	36	53	73	99+
50-64	411	31.5	310	11	13	28	43	61	75	99+
65+	1105	31.6	326	11	13	27	41	60	74	99+
TOT. SINGLE DX	141	20.2	164	5	8	18	25	32	40	68
" MULTIPLE DX	1652	31.2	325	10	13	27	41	60	74	99+
TOTAL 0-19 YRS	22	20.6	474	4	5	13	19	51	72	91
20-34	47	25.0	396	6	6	18	39	51	79	99+
35-49	96	25.6	259	8	9	22	33	53	70	99+
50-64	439	31.0	314	11	13	27	42	60	74	99+
65+	1189	30.9	319	10	13	26	40	59	73	99+
GRAND TOTAL	**1793**	**30.3**	**321**	**9**	**12**	**26**	**40**	**59**	**73**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	13.5	61	8	8	13	19	19	19	19
35-49	8	18.6	278	5	6	12	24	47	55	55
50-64	12	21.3	279	4	6	17	21	54	57	58
65+	84	20.4	164	7	9	16	26	34	46	69
2. MULTIPLE DX										
0-19 YRS	8	19.5	406	3	4	9	31	53	58	58
20-34	20	27.7	365	8	9	18	44	62	82	99+
35-49	43	28.0	307	7	10	24	41	71	99+	99+
50-64	220	28.1	323	8	11	24	39	55	79	99+
65+	1202	27.1	298	9	11	22	35	54	67	99+
TOT. SINGLE DX	107	20.1	179	7	8	16	25	34	52	67
" MULTIPLE DX	1493	27.2	304	8	11	22	36	55	69	99+
TOTAL 0-19 YRS	9	18.2	370	3	4	9	26	52	58	58
20-34	22	26.4	351	7	8	18	43	60	79	99+
35-49	51	26.5	309	6	8	22	40	67	96	99+
50-64	232	27.7	322	8	11	23	38	55	78	99+
65+	1286	26.7	293	9	11	22	34	54	66	99
GRAND TOTAL	**1600**	**26.8**	**298**	**8**	**10**	**22**	**35**	**54**	**68**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.3	15	1	1	5	6	12	13	13
20-34	8	11.3	68	2	2	9	18	22	24	24
35-49	9	9.9	34	4	4	8	14	19	21	21
50-64	12	16.1	170	2	3	10	28	35	36	36
65+	16	21.8	245	5	6	16	31	43	54	59
2. MULTIPLE DX										
0-19 YRS	15	19.3	359	2	3	10	34	52	56	58
20-34	25	29.6	495	4	5	27	45	70	81	99+
35-49	42	31.4	549	7	11	25	38	78	87	94
50-64	104	29.9	303	9	11	27	41	59	81	99+
65+	210	31.3	388	8	12	27	40	62	76	97
TOT. SINGLE DX	52	14.6	160	2	3	10	21	35	40	59
" MULTIPLE DX	396	30.4	390	6	10	26	40	62	80	99+
TOTAL 0-19 YRS	22	14.9	289	1	2	7	18	45	54	58
20-34	33	25.2	450	2	4	21	34	67	75	99+
35-49	51	27.6	525	4	6	21	33	60	86	94
50-64	116	28.4	306	7	9	26	39	58	74	99+
65+	226	30.6	383	6	11	26	39	61	73	97
GRAND TOTAL	**448**	**28.5**	**388**	**5**	**7**	**25**	**38**	**59**	**76**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.6	3	<1	1	2	3	5	6	8
20-34	10	3.9	36	<1	<1	2	2	14	20	20
35-49	6	4.3	24	<1	<1	2	5	13	14	14
50-64	4	4.3	3	2	2	4	5	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	32	4.7	14	1	1	4	6	10	15	16
20-34	49	7.9	71	1	1	5	10	20	23	48
35-49	24	10.5	377	1	2	5	9	18	47	98
50-64	18	7.2	26	1	1	6	10	15	18	19
65+	9	7.8	80	2	2	5	9	23	30	30
TOT. SINGLE DX	43	3.3	13	<1	1	2	4	6	10	20
" MULTIPLE DX	132	7.5	108	1	1	5	9	16	22	57
TOTAL 0-19 YRS	55	3.8	11	1	1	3	5	8	10	16
20-34	59	7.3	67	1	1	5	9	19	22	46
35-49	30	9.3	310	1	1	5	8	15	25	98
50-64	22	6.7	24	1	1	5	10	13	18	19
65+	9	7.8	80	2	2	5	9	23	30	30
GRAND TOTAL	**175**	**6.5**	**88**	**1**	**1**	**4**	**8**	**14**	**20**	**43**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	3.4	12	1	1	2	4	6	12	18
20-34	65	3.0	6	<1	1	2	3	5	9	13
35-49	52	4.8	43	1	1	3	5	11	24	98
50-64	45	5.9	34	1	1	4	8	12	19	29
65+	33	11.1	74	1	2	11	14	24	31	32
2. MULTIPLE DX										
0-19 YRS	36	3.3	13	1	1	2	4	5	7	23
20-34	88	6.6	103	1	1	3	6	15	24	56
35-49	49	6.6	47	1	1	4	11	26	93	99+
50-64	139	14.9	274	2	2	8	19	34	54	92
65+	175	17.4	257	3	4	12	24	39	55	97
TOT. SINGLE DX	230	5.2	37	1	1	3	6	12	18	34
" MULTIPLE DX	487	12.6	221	1	2	7	17	32	47	99+
TOTAL 0-19 YRS	71	3.4	13	1	1	2	4	6	9	22
20-34	153	5.0	65	1	1	3	5	11	15	50
35-49	101	5.6	45	1	1	3	7	15	32	99+
50-64	184	12.7	231	1	2	7	16	29	47	89
65+	208	16.4	233	2	4	12	22	35	47	93
GRAND TOTAL	**717**	**10.2**	**174**	**1**	**1**	**5**	**13**	**27**	**39**	**93**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	6	3.2	2	1	1	3	4	5	5	5
35-49	6	3.3	3	1	1	3	5	6	6	6
50-64	12	8.5	33	3	3	5	13	17	19	19
65+	6	9.8	29	1	1	11	14	15	15	15
2. MULTIPLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	8	4.5	3	2	2	4	6	7	8	8
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	14	16.5	480	2	3	10	19	33	75	87
65+	28	14.4	117	3	4	12	20	28	34	49
TOT. SINGLE DX	31	7.5	47	1	2	5	12	16	19	32
" MULTIPLE DX	55	12.5	199	2	2	8	16	28	31	85
TOTAL 0-19 YRS	3	12.0	300	2	2	2	25	32	32	32
20-34	14	3.9	3	1	2	4	5	6	8	8
35-49	9	3.4	3	1	1	3	5	6	6	6
50-64	26	12.8	281	3	3	7	15	26	39	87
65+	34	13.6	104	2	4	12	17	28	31	49
GRAND TOTAL	**86**	**10.7**	**149**	**2**	**2**	**6**	**14**	**26**	**29**	**73**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	439	2.1	1	<1	1	2	2	3	4	7
20-34	1914	2.3	2	<1	1	2	3	3	4	9
35-49	3733	2.4	3	<1	1	2	3	4	5	10
50-64	2177	2.9	8	1	1	2	3	5	8	15
65+	1226	3.9	13	1	2	2	4	9	12	19
2. MULTIPLE DX										
0-19 YRS	95	4.3	46	1	1	2	5	7	10	48
20-34	1005	4.2	24	1	1	2	4	9	12	25
35-49	2355	4.5	29	1	2	3	5	9	14	25
50-64	2193	5.9	41	1	2	3	8	13	17	34
65+	1956	8.8	82	2	2	6	12	19	26	48
TOT. SINGLE DX	9489	2.7	6	<1	1	2	3	4	7	13
" MULTIPLE DX	7604	5.9	49	1	2	3	7	13	18	36
TOTAL 0-19 YRS	534	2.5	10	<1	1	2	3	4	5	11
20-34	2919	2.9	11	<1	1	2	3	5	8	17
35-49	6088	3.2	15	1	1	2	3	6	9	19
50-64	4370	4.4	27	1	1	3	5	10	13	26
65+	3182	6.9	61	1	2	4	9	16	21	40
GRAND TOTAL	17093	4.1	28	1	1	2	4	9	13	26

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	3.0	3	1	1	3	4	5	8	10
20-34	93	3.1	2	1	1	3	4	5	7	9
35-49	136	4.8	12	2	2	4	6	8	10	18
50-64	135	5.4	13	2	2	4	7	11	13	17
65+	253	7.2	21	2	2	7	9	13	16	22
2. MULTIPLE DX										
0-19 YRS	13	5.5	121	<1	1	3	3	11	36	42
20-34	45	4.9	13	1	2	4	6	8	11	20
35-49	135	8.0	43	2	3	6	10	15	20	41
50-64	238	9.6	100	2	3	7	11	19	24	62
65+	546	11.6	70	3	4	9	15	22	27	47
TOT. SINGLE DX	689	5.4	16	1	2	4	7	10	13	20
" MULTIPLE DX	977	10.2	75	2	3	8	12	20	26	49
TOTAL 0-19 YRS	85	3.4	21	1	1	3	3	4	8	31
20-34	138	3.7	7	1	2	3	4	6	8	18
35-49	271	6.4	31	2	2	5	8	11	15	33
50-64	373	8.1	73	2	2	6	10	15	20	50
65+	799	10.2	59	2	3	8	13	20	25	41
GRAND TOTAL	1666	8.2	56	2	2	6	10	17	21	39

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.7	7	1	1	3	4	8	10	10
20-34	138	8.1	8	4	5	8	10	12	13	16
35-49	725	7.8	7	4	5	7	9	11	13	17
50-64	1211	8.5	11	5	5	8	10	12	14	20
65+	1128	9.2	14	5	6	8	11	13	16	22
2. MULTIPLE DX										
0-19 YRS	7	7.0	24	1	1	7	11	14	14	14
20-34	117	8.6	14	4	5	8	10	12	14	26
35-49	734	9.4	34	4	5	8	10	14	18	32
50-64	1573	10.2	26	5	6	9	12	16	20	29
65+	2049	12.0	46	6	6	10	14	19	24	38
TOT. SINGLE DX	3211	8.5	12	5	5	8	10	12	14	21
" MULTIPLE DX	4480	10.8	38	5	6	9	12	17	22	34
TOTAL 0-19 YRS	16	5.1	17	1	1	4	8	12	13	14
20-34	255	8.4	11	4	5	8	10	12	13	25
35-49	1459	8.6	22	4	5	8	10	12	15	27
50-64	2784	9.4	21	5	5	8	11	14	18	26
65+	3177	11.0	37	5	6	9	13	17	21	35
GRAND TOTAL	7691	9.9	28	5	6	9	11	15	19	30

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	342	3.2	2	1	2	3	4	5	6	8
20-34	912	3.5	5	1	1	3	4	6	7	11
35-49	709	4.3	12	1	2	4	5	7	9	13
50-64	337	4.2	5	1	2	4	5	7	8	12
65+	74	3.8	4	<1	2	3	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	111	4.5	10	2	2	4	5	7	12	18
20-34	540	4.7	13	1	2	4	5	8	11	22
35-49	914	5.3	20	2	2	4	6	8	12	24
50-64	490	5.5	24	2	2	4	6	10	12	20
65+	131	7.2	55	2	2	5	8	15	22	39
TOT. SINGLE DX	2374	3.8	7	1	1	3	5	6	8	12
" MULTIPLE DX	2186	5.3	21	1	2	4	6	9	12	24
TOTAL 0-19 YRS	453	3.5	4	1	2	3	4	5	6	12
20-34	1452	4.0	9	1	1	3	5	7	9	16
35-49	1623	4.8	17	1	2	4	6	8	10	20
50-64	827	5.0	17	1	2	4	6	9	11	18
65+	205	6.0	40	1	2	4	7	12	17	31
GRAND TOTAL	**4560**	**4.5**	**15**	**1**	**2**	**4**	**5**	**7**	**10**	**18**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1039	3.8	4	1	2	3	5	6	8	11
20-34	1926	3.8	4	1	2	3	5	6	7	11
35-49	303	3.8	3	1	2	4	5	6	8	10
50-64	64	4.3	10	1	2	4	5	7	9	22
65+	17	5.1	22	1	2	4	5	15	17	17
2. MULTIPLE DX										
0-19 YRS	137	5.4	14	2	2	4	6	10	13	20
20-34	385	5.7	26	2	2	4	6	12	16	34
35-49	169	6.1	28	2	2	5	7	12	14	27
50-64	63	6.3	18	2	3	5	8	11	15	25
65+	27	12.8	201	2	3	7	20	52	99+	99+
TOT. SINGLE DX	3349	3.8	5	1	2	3	5	6	8	11
" MULTIPLE DX	781	6.0	31	2	2	4	7	12	16	37
TOTAL 0-19 YRS	1176	4.0	5	1	2	4	5	6	8	13
20-34	2311	4.1	9	1	2	4	5	6	8	16
35-49	472	4.6	14	1	2	4	5	8	11	19
50-64	127	5.2	15	2	2	4	6	10	11	24
65+	44	9.8	145	2	2	5	15	36	67	99+
GRAND TOTAL	**4130**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1515	2.5	8	<1	<1	2	3	4	7	13
20-34	1578	3.5	17	<1	1	2	4	7	10	22
35-49	1247	3.9	25	<1	1	2	4	8	11	24
50-64	1240	4.4	38	<1	1	3	4	9	14	30
65+	922	5.3	42	<1	1	3	6	12	18	36
2. MULTIPLE DX										
0-19 YRS	670	6.7	151	1	1	3	5	14	32	74
20-34	1402	8.7	127	1	1	5	10	21	32	69
35-49	1926	8.8	94	1	2	6	11	20	28	50
50-64	2711	9.7	98	2	2	7	12	21	30	59
65+	3575	11.6	126	2	2	8	15	24	32	64
TOT. SINGLE DX	6502	3.8	25	<1	1	2	4	7	11	26
" MULTIPLE DX	10284	9.8	117	1	2	6	12	22	31	62
TOTAL 0-19 YRS	2185	3.8	56	<1	1	2	3	6	11	44
20-34	2980	5.9	76	<1	1	3	6	13	22	44
35-49	3173	6.9	73	1	1	4	8	15	23	44
50-64	3951	8.0	86	1	2	5	10	18	26	50
65+	4497	10.3	115	1	2	7	13	23	30	60
GRAND TOTAL	**16786**	**7.5**	**90**	**1**	**1**	**4**	**9**	**17**	**26**	**50**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1470	4.6	31	<1	1	3	6	10	14	30
20-34	1615	5.3	41	<1	1	3	6	11	16	33
35-49	947	6.3	60	<1	1	4	8	13	21	42
50-64	818	7.3	64	1	1	5	9	17	23	46
65+	722	9.0	92	1	2	6	12	21	29	48
2. MULTIPLE DX										
0-19 YRS	3832	5.3	60	<1	1	3	6	12	19	43
20-34	6134	6.4	93	<1	<1	3	7	15	26	54
35-49	3268	9.1	139	<1	<1	5	11	23	33	61
50-64	3402	12.4	189	<1	1	8	17	29	42	72
65+	4745	15.8	234	1	2	11	21	37	50	79
TOT. SINGLE DX	5572	6.0	54	<1	1	4	7	13	20	38
" MULTIPLE DX	21381	9.7	157	<1	1	5	12	25	37	65
TOTAL 0-19 YRS	5302	5.1	52	<1	1	3	6	11	17	39
20-34	7749	6.1	83	<1	<1	3	7	14	23	51
35-49	4215	8.4	123	<1	1	5	10	21	31	58
50-64	4220	11.4	170	<1	1	7	15	27	40	67
65+	5467	14.9	221	1	2	10	20	36	48	77
GRAND TOTAL	**26953**	**8.9**	**138**	**<1**	**1**	**5**	**11**	**23**	**34**	**61**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	237	6.3	44	1	1	4	8	13	22	33
20-34	265	8.0	84	1	1	5	11	18	27	48
35-49	149	9.8	97	1	2	6	14	23	31	49
50-64	159	12.1	112	1	2	9	17	26	33	51
65+	181	16.6	208	2	2	14	24	35	41	95
2. MULTIPLE DX										
0-19 YRS	349	13.4	218	1	2	8	19	33	41	74
20-34	514	14.1	187	1	2	11	20	33	43	80
35-49	354	15.8	225	1	2	11	24	35	47	79
50-64	508	20.1	302	1	2	17	28	46	60	99+
65+	787	25.4	319	3	6	23	35	52	68	99+
TOT. SINGLE DX	991	10.1	117	1	1	7	14	25	32	54
" MULTIPLE DX	2512	19.0	285	1	2	15	27	43	56	96
TOTAL 0-19 YRS	586	10.5	160	1	1	6	13	26	34	60
20-34	779	12.0	161	1	1	8	16	28	39	66
35-49	503	14.0	195	1	2	9	20	32	42	71
50-64	667	18.2	269	1	2	15	25	42	55	98
65+	968	23.7	310	2	5	21	32	49	65	99+
GRAND TOTAL	**3503**	**16.5**	**253**	**1**	**2**	**12**	**24**	**38**	**51**	**85**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	4.4	54	<1	1	2	4	10	18	41
20-34	133	5.3	60	1	1	2	6	11	16	44
35-49	52	5.8	62	<1	1	3	6	17	35	98
50-64	44	6.8	61	1	1	4	9	15	22	37
65+	37	11.2	203	1	1	8	15	23	29	80
2. MULTIPLE DX										
0-19 YRS	95	5.2	76	1	1	2	4	10	26	46
20-34	158	13.6	269	1	1	6	24	47	59	99+
35-49	111	16.8	486	1	1	5	26	65	81	99+
50-64	121	19.2	521	1	2	9	27	61	75	99+
65+	115	22.6	436	2	3	16	34	52	72	94
TOT. SINGLE DX	345	6.0	77	1	1	3	7	15	22	43
" MULTIPLE DX	600	15.7	390	1	1	6	25	50	68	99+
TOTAL 0-19 YRS	174	4.8	66	<1	1	2	4	10	25	42
20-34	291	9.8	191	1	1	4	10	36	52	99+
35-49	163	13.3	377	1	1	4	18	51	74	99+
50-64	165	15.9	428	1	2	7	19	52	72	99
65+	152	19.8	402	1	2	14	29	48	70	91
GRAND TOTAL	**945**	**12.2**	**298**	**1**	**1**	**4**	**15**	**40**	**58**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	599	2.4	4	<1	1	2	3	4	6	10
20-34	389	3.2	6	<1	1	2	4	6	8	13
35-49	315	3.8	14	<1	1	3	5	7	9	19
50-64	366	3.3	11	1	1	3	4	6	8	15
65+	131	3.2	6	<1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	369	3.5	24	<1	1	2	4	6	10	22
20-34	515	5.2	21	<1	1	4	7	10	16	23
35-49	573	6.8	67	1	2	5	8	13	17	51
50-64	793	7.2	58	1	2	5	8	16	21	41
65+	683	10.6	95	1	2	8	14	21	30	49
TOT. SINGLE DX	1800	3.1	8	<1	1	2	4	6	8	15
" MULTIPLE DX	2933	7.1	63	1	1	5	9	16	21	42
TOTAL 0-19 YRS	968	2.8	13	<1	1	2	3	5	8	18
20-34	904	4.3	16	<1	1	3	5	9	11	22
35-49	888	5.7	50	1	1	4	6	11	15	42
50-64	1159	6.0	47	1	2	4	7	13	20	36
65+	814	9.4	88	1	2	6	12	19	28	47
GRAND TOTAL	**4733**	**5.5**	**46**	**1**	**1**	**3**	**6**	**12**	**17**	**36**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	3.7	5	<1	1	3	5	5	6	17
20-34	62	7.5	84	1	2	4	7	20	29	46
35-49	60	5.4	18	1	1	4	7	12	14	21
50-64	41	6.8	38	1	1	4	9	17	20	25
65+	37	6.3	14	1	2	6	8	11	14	17
2. MULTIPLE DX										
0-19 YRS	109	7.5	96	1	2	5	8	12	22	57
20-34	189	8.3	63	2	3	6	9	16	22	45
35-49	191	9.9	65	2	3	7	12	20	29	36
50-64	301	10.5	86	3	3	8	13	21	26	42
65+	549	13.0	93	3	4	10	16	25	32	51
TOT. SINGLE DX	252	5.9	36	1	2	4	7	13	17	33
" MULTIPLE DX	1339	10.9	88	3	3	8	13	22	29	48
TOTAL 0-19 YRS	161	6.3	70	1	2	4	7	10	16	38
20-34	251	8.1	68	2	2	5	9	17	24	47
35-49	251	8.8	58	2	2	6	11	17	25	35
50-64	342	10.1	82	2	3	8	12	20	25	41
65+	586	12.6	91	3	4	10	16	24	31	50
GRAND TOTAL	**1591**	**10.1**	**83**	**2**	**3**	**8**	**12**	**21**	**27**	**46**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	286	4.4	14	1	1	3	6	10	12	18
20-34	3804	5.7	25	1	1	4	8	12	15	23
35-49	5344	5.9	28	1	2	4	8	13	16	25
50-64	2918	5.9	33	1	2	4	8	13	16	25
65+	783	7.0	46	1	2	5	9	15	20	31
2. MULTIPLE DX										
0-19 YRS	165	7.6	66	1	2	5	9	17	21	38
20-34	2346	8.5	47	2	2	7	11	17	21	32
35-49	3877	8.8	51	2	2	7	12	18	22	34
50-64	3647	9.7	70	2	2	8	13	20	25	40
65+	1850	12.2	93	2	3	10	17	24	31	46
TOT. SINGLE DX	13135	5.9	29	1	2	4	8	13	16	25
" MULTIPLE DX	11885	9.5	65	2	2	8	13	19	24	39
TOTAL 0-19 YRS	451	5.6	35	1	1	3	7	12	16	29
20-34	6150	6.7	36	1	2	5	9	14	18	27
35-49	9221	7.1	40	1	2	5	10	15	19	30
50-64	6565	8.0	57	1	2	6	11	17	22	36
65+	2633	10.7	85	2	2	8	15	22	28	44
GRAND TOTAL	**25020**	**7.6**	**50**	**1**	**2**	**5**	**10**	**16**	**21**	**33**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	5.3	25	1	2	4	7	11	14	29
20-34	400	5.8	36	1	2	4	7	12	17	27
35-49	520	5.8	36	1	2	4	7	12	16	29
50-64	1099	5.2	25	2	2	3	7	11	15	23
65+	1037	5.6	39	2	2	4	7	12	17	29
2. MULTIPLE DX										
0-19 YRS	95	8.5	99	2	2	6	9	21	32	86
20-34	433	9.1	78	2	2	6	12	20	25	43
35-49	801	8.9	103	2	2	6	10	18	24	60
50-64	2647	9.0	76	2	2	7	11	18	25	51
65+	3403	9.6	81	2	2	7	12	19	26	46
TOT. SINGLE DX	3194	5.5	33	2	2	4	7	11	15	28
" MULTIPLE DX	7379	9.3	82	2	2	7	11	19	25	50
TOTAL 0-19 YRS	233	6.6	57	1	2	4	8	13	23	48
20-34	833	7.5	61	2	2	5	9	16	22	40
35-49	1321	7.7	79	2	2	5	9	15	21	50
50-64	3746	7.9	64	2	2	6	10	17	22	44
65+	4440	8.7	75	2	2	6	11	18	24	45
GRAND TOTAL	**10573**	**8.1**	**70**	**2**	**2**	**6**	**10**	**17**	**23**	**45**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.5	17	2	2	6	9	12	12	12
20-34	16	3.9	8	2	2	2	5	9	10	11
35-49	155	3.6	13	1	2	2	3	8	11	18
50-64	340	3.7	12	1	1	2	4	8	11	19
65+	114	3.8	11	1	2	2	4	9	12	18
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	48	5.4	20	2	2	4	7	12	15	20
35-49	484	5.4	24	2	2	3	7	13	16	23
50-64	1189	6.0	36	2	2	3	8	14	18	27
65+	523	7.6	44	2	2	6	11	16	22	32
TOT. SINGLE DX	629	3.7	13	1	2	2	4	8	11	19
" MULTIPLE DX	2245	6.2	36	2	2	4	9	14	18	28
TOTAL 0-19 YRS	5	6.0	15	2	2	5	8	12	12	12
20-34	64	5.0	18	2	2	3	7	11	14	20
35-49	639	5.0	22	2	2	3	7	12	15	23
50-64	1529	5.5	32	1	2	3	8	13	17	26
65+	637	6.9	41	2	2	4	10	15	20	32
GRAND TOTAL	**2874**	**5.7**	**32**	**1**	**2**	**3**	**8**	**13**	**17**	**27**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	5.8	50	1	1	3	7	13	17	56
20-34	982	6.2	26	1	1	5	9	13	16	23
35-49	1087	6.1	26	1	2	4	9	13	16	24
50-64	1758	5.7	26	1	2	4	8	12	15	23
65+	1640	5.9	30	1	2	4	8	13	16	25
2. MULTIPLE DX										
0-19 YRS	217	7.4	50	1	2	5	10	16	20	33
20-34	1274	8.5	58	1	2	7	11	17	23	37
35-49	2563	8.2	51	2	2	7	11	16	21	35
50-64	6190	8.6	62	2	2	7	12	18	23	40
65+	7613	10.4	82	2	2	8	14	21	27	47
TOT. SINGLE DX	5649	5.9	29	1	2	4	8	13	16	24
" MULTIPLE DX	17857	9.3	70	2	2	7	12	19	24	41
TOTAL 0-19 YRS	399	6.7	51	1	2	4	9	14	18	38
20-34	2256	7.5	46	1	2	6	10	15	20	32
35-49	3650	7.6	45	2	2	6	10	15	20	32
50-64	7948	8.0	56	2	2	6	11	16	21	37
65+	9253	9.6	76	2	2	8	13	19	25	44
GRAND TOTAL	**23506**	**8.5**	**62**	**2**	**2**	**6**	**11**	**17**	**22**	**39**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22253	4.1	21	1	1	3	5	7	9	20
20-34	30092	4.7	24	1	1	3	6	9	12	26
35-49	20678	5.6	27	1	1	4	7	11	15	27
50-64	17860	6.3	32	1	2	5	8	12	16	29
65+	16650	7.5	40	2	2	6	9	14	19	33
2. MULTIPLE DX										
0-19 YRS	29246	5.2	40	1	1	4	6	9	13	35
20-34	42181	6.2	36	1	2	5	7	12	17	32
35-49	47081	7.4	39	2	2	6	9	14	19	32
50-64	76822	8.4	48	2	3	7	10	16	21	36
65+	139220	10.2	62	3	3	8	13	19	25	41
TOT. SINGLE DX	107533	5.4	30	1	1	4	7	11	14	28
" MULTIPLE DX	334550	8.4	54	2	2	6	10	16	22	37
TOTAL 0-19 YRS	51499	4.7	33	1	1	3	5	8	11	29
20-34	72273	5.6	32	1	1	4	7	11	15	30
35-49	67759	6.9	37	1	2	5	8	13	17	31
50-64	94682	8.0	46	2	2	6	10	15	20	35
65+	155870	9.9	61	2	3	8	12	19	24	40
GRAND TOTAL	**442083**	**7.7**	**50**	**1**	**2**	**6**	**10**	**15**	**21**	**36**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7618	7.5	121	1	2	4	7	17	30	63
20-34	6396	10.0	105	2	2	7	12	22	30	52
35-49	5893	9.3	65	2	3	7	11	19	26	43
50-64	4672	9.2	63	2	3	7	11	18	25	41
65+	4067	10.2	74	2	3	8	13	19	27	45
2. MULTIPLE DX										
0-19 YRS	8894	8.4	122	1	2	5	8	20	31	64
20-34	9768	9.7	95	2	2	7	12	20	29	51
35-49	11049	9.5	68	2	3	7	11	18	24	44
50-64	15992	10.2	72	2	3	8	12	19	26	47
65+	30520	12.0	86	3	4	10	15	22	29	51
TOT. SINGLE DX	28646	9.1	91	2	2	6	11	19	28	50
" MULTIPLE DX	76223	10.6	88	2	3	8	13	21	28	51
TOTAL 0-19 YRS	16512	8.0	122	1	2	4	8	19	31	64
20-34	16164	9.8	100	2	2	7	12	21	29	51
35-49	16942	9.4	67	2	3	7	11	18	25	44
50-64	20664	10.0	71	2	3	8	12	19	25	45
65+	34587	11.8	86	3	4	9	15	22	29	50
GRAND TOTAL	**104869**	**10.2**	**89**	**2**	**3**	**7**	**13**	**20**	**28**	**50**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15756	4.4	25	1	2	3	5	7	9	24
20-34	7519	5.4	45	1	1	4	6	10	16	37
35-49	5619	6.2	41	1	2	4	7	13	17	32
50-64	5994	6.9	40	1	2	5	9	14	18	34
65+	6371	8.0	54	2	2	6	10	16	20	39
2. MULTIPLE DX										
0-19 YRS	20932	5.6	44	1	2	4	6	10	15	40
20-34	12571	6.7	59	1	2	4	8	13	20	42
35-49	14966	7.4	47	1	2	5	9	14	19	36
50-64	29191	8.5	50	2	3	7	11	16	21	37
65+	58244	10.2	67	2	3	8	13	20	25	42
TOT. SINGLE DX	41259	5.7	40	1	2	4	7	11	16	33
" MULTIPLE DX	135904	8.5	60	2	2	6	11	17	23	40
TOTAL 0-19 YRS	36688	5.1	37	1	2	4	6	8	12	34
20-34	20090	6.2	55	1	1	4	7	12	19	40
35-49	20585	7.1	46	1	2	5	9	14	19	35
50-64	35185	8.2	49	2	2	6	10	16	21	36
65+	64615	10.0	67	2	3	8	13	19	25	42
GRAND TOTAL	**177163**	**7.9**	**57**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
711	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia — *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin